



V-ZUG Ltd

Industriestrasse 66, P.O.Box, 6302 Zug/Switzerland

Phone +41 58 767 67 67, Fax +41 58 767 61 67

info@vzug.com, www.vzug.com

Brochure UnimaticDry V2000



Energy efficiency rating



Selected product

- Article no.: 1200710014
- EAN code: 7630029461648
- Type: UT2T-12007
- Product category: Washer-dryer
- Front design: White
- Door hinge: Right





Details UnimaticDry V2000

Compliant to regulation

- (EU) Nr. 392/2012
- AS/NZS 2442.2:2007: Nein
- IEC 61121:2005: Nein

Design

- Type: UT2T-12007
- Product category: Washer-dryer
- Front design: White
- Door hinge: Right

Dimensions

- Appliance height: 900 mm
- Max. appliance height: 915 mm
- Appliance height for built-under installation: 915 mm
- Appliance width: 660 mm
- Appliance depth: 810 mm
- Depth of appliance when door is open: 1440 mm
- Appliance depth including distance to wall: 880 mm
- Door opening angle: 180 °
- Pumping height for drain pump: 1.2 m
- Empty weight: 94 kg

Display and operation

- Drum lighting
- Display: Digital display
- Panel design: Film
- Controls: push buttons
- «Press and Go»
- Remaining time display

Energy

- Light sources must be replaced by a professional
- Consumption when off: 0 W
- Energy efficiency rating: A++
- Annual energy consumption: 206 kWh
- Energy consumption of standard programme, completely full: 1.69 kWh
- Energy consumption of standard programme, partly full: 0.97 kWh
- Condensation efficiency class: A
- Type of connection (1): 380-415 V 3N~
- Frequency (1): 50 Hz
- Connected loads (1): 1.2 kW
- Fuse protection (1): 10 A
- Plug type: Cable
- Connection cable: 1.8 m

Dryer features

- Build: Front loader
- Premium Swiss Quality
- House type: multi-family house
- Free-standing appliance, stackable
- Nominal capacity: 7 kg
- Drum volume: 156 l
- Programmes: 8
- Number of storable programmes: 0
- EcoStandby
- Opening: 32.5 cm
- Residual moisture sampling
- Technology: Heat pump
- Automatic door opener
- Free-standing appliance, can be installed under existing structures
- Free-standing appliance with worktop
- Automatic door opener





Functions

- Time drying
- Wool
- Extra dry
- Standard dry
- Iron dry
- Damp
- Anti-crease
- Crease guard
- Delayed start: 24 h
- Easy care
- Childproof lock

Additional data

- Refrigerant: R134a
- Amount of refrigerant: 0.47 kg
- Noise emissions: 66 dB(A)
- Condensation efficiency: 92 %
- Installation plate
- Drain hose: 2 m
- Feature level: 3

Service and interfaces

- ZUG-eye
- Warranty: 2 years

