



V-ZUG Ltd

Industriestrasse 66, P.O.Box, 6302 Zug/Switzerland

Phone +41 58 767 67 67

info@vzug.com, www.vzug.com

Brochure AdoraDry V2000



Selected product

- Article no.: 1201167004
- EAN code: 7630029432440
- Type: AT2T-12011
- Product category: Tumble dryer
- Front design: White
- Door hinge: Left





AdoraDry V2000

Design

- Type: AT2T-12011
- Product category: Tumble dryer
- Front design: White
- Door hinge: Left

Dimensions

- Appliance height: 850 mm
- Max. appliance height: 870 mm
- Appliance height for built-under installation: 860 mm
- Appliance width: 595 mm
- Appliance depth: 600 mm
- Depth of appliance when door is open: 1200 mm
- Appliance depth including distance to wall: 610 mm
- Door opening angle: 162 °
- Pumping height for drain pump: 1.2 m
- Empty weight: 52 kg

Display and operation

- Drum lighting
- Display: Full-colour graphic display
- Panel design: Acrylic glass
- Controls: TouchControl
- Remaining time display
- Number of languages in display: 16
- Languages in display: en-GB, de-DE, fr-FR, it-IT, es-ES, ru-RU, uk-UA, tr-TR, zh-CN, nl-NL, ca-ES, da-DK, no-NO, sv-SV, th-TH, vi-VN

Energy

- Output - standby off: 0.09 W
- Output - standby on: 2.6 W
- Consumption when off: 0 W
- Automatic shut-off consumption with network switched on: 2 W
- Type of connection (1): 220-240 V~
- Frequency (1): 50 Hz
- Connected loads (1): 0.75 kW
- Fuse protection (1): 10 A
- Plug type: CN CH1-10P
- Connection cable: 2.3 m

Wäschetrockner

- Power consumption when not switched off: 2.6 W

Dryer features

- Build: Front loader
- Including drying basket
- Premium Swiss Quality
- House type: Single-family home
- Free-standing appliance, stackable
- Nominal capacity: 7 kg
- Drum volume: 105 l
- EcoManagement
- Pivoting operating panel
- Programmes: 13
- Number of storable programmes: 6
- EcoStandby
- Opening: 42 cm
- Residual moisture sampling
- Technology: Heat pump

Nicht sichtbare Attribute

- Wardrobe dry





Functions

- Cupboard drying
- Favourites
- Fabric programmes
- Time drying
- Baby garments
- Basket programme
- Airing
- Iron dry
- Damp
- ReversePlus
- Crease guard
- Easy care
- Childproof lock
- Extra dry

Additional data

- IP Number: IPX4
- Refrigerant: R134a
- Amount of refrigerant: 0.27 kg
- Noise emissions: 63 dB(A)
- Installation plate
- Drain hose: 2.5 m
- Feature level: 3

Service and interfaces

- Frequency range: 2,4 GHz
- WLAN as standard: 802.11 b/g/n
- Interface: WLAN and Bluetooth

