



V-ZUG Ltd

Industriestrasse 66, P.O.Box, 6302 Zug/Switzerland

Phone +41 58 767 67 67, Fax +41 58 767 61 67

info@vzug.com, www.vzug.com

## Brochure AdoraWash V6000



### **Selected product**

- Article no.: 1102567024
- EAN code: 7630029431818
- Product category: Washing machine
- Front design: White
- Door design: Stainless steel
- Door hinge: Left





## Details AdoraWash V6000

### Additional settings

- Degree of soiling / soaking
- Biological washing
- Soak
- Refinement
- Hygiene recommendation
- Quick wash / end of programme

### Compliant to regulation

- AS/NZS 6400:2016: No
- AS/NZS 2040.2:2012: Nein
- GB 12021.4-2013: Ja

### Design

- Product category: Washing machine
- Front design: White
- Door design: Stainless steel
- Door hinge: Left

### Dimensions

- Appliance height: 850 mm
- Max. appliance height: 870 mm
- Appliance height for built-under installation: 850 mm
- Appliance width: 595 mm
- Appliance depth: 592 mm
- Depth of appliance when door is open: 1059 mm
- Appliance depth including distance to wall: 638 mm
- Door opening angle: 180 °
- Pumping height for drain pump: 1.2 m
- Empty weight: 88.5 kg

### Display and operation

- Drum lighting
- Display: Full-colour graphic display, touchscreen
- Panel design: acrylic glass
- Controls: TouchControl
- Remaining time display
- Number of languages in display: 9
- Languages in display: en, de, fr, it, es, ru, uk, tr, zh

### Energy

- Consumption when off: 0.0 W
- Automatic shut-off consumption with network switched on: 1 W
- Energy consumption per cycle: 0.36 kWh
- Water consumption per cycle: 50 l
- Washing effect: 1.13
- Type of connection (1): 220-240 V~
- Type of connection (2): 220-240 V~
- Frequency (1): 50 Hz
- Connected loads (1): 2.1 kW
- Connected loads (2): 3.5 kW
- Fuse protection (1): 10 A
- Fuse protection (2): 16 A
- Plug type: CN CH1-10P
- Connection cable: 1.8 m
- Water pressure: 1-10 bar





### **Washing machine features**

- Soft water
- Build: front loader
- Premium Swiss Quality
- Free-standing appliance, stackable
- House type: single-family home
- Nominal capacity: 8 kg
- Drum volume: 60 l
- EcoManagement
- OptiTime
- EcoStandby
- Pivoting operating panel
- Aquastop
- Partial load automatic energy saving
- Vibration Absorbing System (VAS)
- Turbidity sensor
- Number of storable programmes: 6
- Automatic door opener
- Technology: heat pump

### **Functions**

- Steam anti-crease
- Steam anti-creasePlus
- Favourites
- Childproof lock
- Fabric programmes
- Appliance hygiene
- eHybrid
- Impregnation
- Skin protection
- Whites / coloureds 20 - 95 °C
- Cold wash 20 °C
- Sprint programme
- Wool
- Hand wash 20 °C
- WetClean
- Easy care
- Soil sensor / Anti-mite
- Energy saving
- Extra programmes
- AquaPlus
- Delayed start: 24 h
- Pre-wash

### **Additional data**

- Maximum spin speed: 1600 U/min
- Spin speed: 400 U/min
- Noise output during spin phase: 74 dB(A)
- Noise output during washing phase: 49 dB(A)
- Fleet circulation
- Pressure hose G 3/4: 1.25 m
- Installation plate
- Drain hose: 1.5 m
- Feature level: 5

### **Service and interfaces**

- Frequency range: 2,4 GHz
- WLAN as standard: 802.11 b/g/n
- Interface: WLAN and Bluetooth

