



V-ZUG Ltd

Industriestrasse 66, P.O.Box, 6302 Zug/Switzerland

Phone +41 58 767 67 67

info@vzug.com, www.vzug.com

Brochure CoffeeCenter V6000 45



Selected product

- Article no.: 2500500003
- EAN code: 7630029446256
- Product category: Coffee-Centre
- Type: COC6T-25005
- Standard width: 60 cm
- Standard height: 45 cm
- Front design: Black mirror glass



Details CoffeeCenter V6000 45

Additional settings

- Espresso macchiato
- Flat white
- Americano
- Long
- Doppio
- Ristretto
- Hot milk
- Milk froth
- User-controlled descaling

Design

- Product category: Coffee-Centre
- Type: COC6T-25005
- Standard width: 60 cm
- Standard height: 45 cm
- Front design: Black mirror glass

Dimensions

- Niche height min.: 450 mm
- Max. niche height: 450 mm
- Niche width min.: 600 mm
- Max. niche width: 600 mm
- Niche depth min.: 550 mm
- Appliance height: 454 mm
- Max. appliance height: 454 mm
- Appliance width: 596 mm
- Appliance depth: 480 mm
- Declared weight: 24 kg

Display and operation

- User Profile: 6
- Display: Full-colour graphic display
- Controls: TouchControl
- Number of languages in display: 10
- Languages in display: en-GB, de-DE, fr-FR, it-IT, nl-NL, ru-RU, uk-UA, tr-TR, he_IL, zh-CN, es-ES, ca-ES, da-DK, no-NO, sv-SV, th_TH, vi_VN
- Lighting technology: LED
- Number of light sources: 4

Environmental footprint

- Ecopoints end of life (EP): 694876
- Ecopoints device (EP): 218144
- Carbon footprint end of life (kg CO₂e): 275
- Carbon footprint device (kg CO₂e): 107
- Monetary equivalent end of life (CHF): 255
- Monetary equivalent device (CHF): 104

Energy

- Output - standby off: 0.5 W
- Consumption when off: 0 W
- Energy efficiency: A
- Annual energy consumption: 64 kWh
- Type of connection (1): 220-240 V~
- Frequency (1): 50-60 Hz
- Connected loads (1): 1.35 kW
- Fuse protection (1): 10 A
- Plug type: Schuko 16A
- Connection cable: 1.5 m



CoffeeCenter features

- Removable hot water steam outlet
- Coffee bean holder capacity: 350 g
- Milk container capacity: 0.5 l
- Waste grounds container capacity: 14
- Grinder: Conical grinder
- Programmable brewing temperature
- Programmable operating time / switch-off time
- Programmable water hardness
- Pump pressure: 15 bar
- Plate warming shelf
- Telescopic rails soft closing/opening
- Thermal milk container (Auto cappuccino): 0.5 l with 3 foam settings + cleaning
- Drip guard
- Water tank: 2.3 l
- Adjustable grinder setting levels: 13
- Height-adjustable dispensing head: 85-140 mm
- Integrated cleaning programme
- Programmable quantities
- Powder / beans selection button
- EcoStandby

Functions

- Integrated cleaning programme
- 2 cups
- Espresso
- Coffee
- Cappuccino
- Latte macchiato
- Caffé latte
- Hot water

Service and interfaces

- Warranty: 2 + 8 years