



Swiss perfection for your home



COLLECTION LEBANON

Inspirational solutions that make your home life easier.

2018/2019






Energy efficiency at a glance

You can use the label to check the energy consumption directly on the appliance. V-ZUG appliances always receive top ratings when it comes to energy efficiency.

CONTENTS

4	V-ZUG Ltd	67	Range hoods
5	V-ZUG Ltd	76	Ceiling range hoods, cable hoods, downdraft extractors, hob hoods, induction hobs with integrated range hoods
13	Steam cooker	79	Island hoods and wall hoods
24	Combi-steam cookers	81	Integrated range hoods
29	Ovens and cookers	83	Dishwashers
34	Ovens	95	Adora
36	Compact ovens	99	Refrigerators and freezers
38	Drawers	109	Refrigerators, freezers
40	Vacuum, warming and system drawers	112	Wincoolers
44	Microwaves	115	Washing machines
48	Coffee-Center	124	Adora washing machines
51	Hobs	127	Heat pump dryers
60	Induction	135	Adora heat pump dryers
63	MaxiFlex Induction	136	Features and accessories
64	Gas hobs	150	Product declarations





SWISS PERFECTION FOR YOUR HOME

V-ZUG is Switzerland's leading brand in household appliances. We have been developing and producing household appliances in the heart of Switzerland for over 100 years. Not only do our products make everyday life easier, they also excite and inspire our customers – for a whole lifetime of enjoyment.



For more than 100 years, we have made it our mission to make everyday life easier through our high-quality, innovative household appliances. Whether they are cooking, washing dishes or doing laundry, people who expect their appliances to deliver more than just the basics need look no further than V-ZUG. As the Swiss market leader, we live by Swiss values – and make it possible for people all over the world to experience these with simple, individual solutions that provide lifelong inspiration and delight. This is what we mean by “Swiss perfection for your home”.

Established in Switzerland

Switzerland is a nation of inventors, the country of precision watches and the home of world-famous chocolate. At the centre of all this is the vibrant and prosperous economic region of Zug. Our roots lie here, at the very heart of Switzerland – from an ideological point of view as well as a geographical one. Over the course of our 100-year history, the distinctive features of our country have merged with the ideals of our company. To this very day, we still display this pride in our heritage in our company name. The “V” stands for our history as a galvanising plant (Verzinkerei in German) and “ZUG” for our commitment to the Zug region and to Switzerland.

At home around the world

Nowadays, people all over the world value the innovative strength so closely associated with Switzerland, the high level of precision we deliver and the outstanding quality of our premium products. A few years ago, we decided to reach beyond the national borders and make our high-quality household appliances available around the world. Since then, V-ZUG has gained ground in select markets providing discerning customers with a choice range of premium products and excellent service.

V-ZUG is building the future

Our location in Switzerland continues to play a key role: in order to ensure the continued success of our research, development and production here, we are making our workplace fit for the future. By 2033, there will be an entirely new neighbourhood on our grounds, which will strengthen the company, the industrial location of Zug and Switzerland as a manufacturing base. A further milestone was achieved with the inauguration of our new “Mistral” production facility in 2016. And the next step for area development has already begun.

INNOVATION IS OUR LIFEBLOOD – AND HAS BEEN SINCE 1913

We are always seeking to make household appliances even better, more economical and more user-friendly. With our innovations and pioneering achievements, we are doing everything we can to revolutionise everyday life.



Our factory leads the way in quality standards with its manageable size. We are able to make use of this flexibility and proximity to the market to anticipate the future needs of our customers and deliver a consistent response to them in our product development. Thanks to the Swiss art of engineering and a good nose for trends, our research and development team is able to create new appliances or functions and perfect our existing ones. The result? Innovations for the whole world that make domestic life easier.

Our fields of innovation

- **Sustainability:** Our appliances don't just conserve resources, they also boast a longer-than-average service life and guarantee very high investment security.
- **Value:** You can see, feel and hear the high quality, reliability and value of V-ZUG appliances. Our top-class technology ensures your appliance always benefits from the premium quality it deserves – for a long service life and consistently perfect results.

Simplexity: Our appliances are simple and quick to operate, and feature automatic programmes that make life easier for our customers. While highly complex technology carries out your requests in the background, it is also possible for you to take control with simple applications. This is why you can start a programme with just the push of a button.

- **Health and safety:** Our appliances not only make you feel good, but also have an air of cleanliness. As well as simplifying food preparation, they are simple and safe to clean – for a healthy lifestyle and practical operation.
- **Top performance:** V-ZUG appliances offer top performance in each of their respective categories. While our products are designed for private households, they are also used in professional kitchens: even top chefs appreciate the outstanding performance and quality our premium appliances deliver.
- **Customisation:** Thanks to our flexible manufacturing processes, we can respond to what our customers want with our products and services. This is already possible today, but the future is set to bring us many more opportunities for individualisation. We therefore offer a wide range of appliances that are suitable for every need and every living situation. Quite simply, you'll always be right at home with V-ZUG.





OUR CONTRIBUTION TO THE FUTURE

As a responsible stakeholder, we advocate sustainability in the economy, in society and in the environment. In the area of the environment in particular, we are already one step ahead of the industry thanks to our innovative strength and technological expertise.

Household appliances account for a large proportion of the energy and water we use in our day-to-day lives. It is therefore no surprise that energy efficiency plays an important role when deciding which appliance to buy. Anyone who has invested in a cutting-edge V-ZUG appliance saves valuable resources every day, which is also kinder to the household budget. We support people who believe in the importance of a responsible lifestyle: for example, V-ZUG is the first company in the world to equip dishwashers, washing machines and dryers with a heat pump – thus reaching new low levels of energy consumption in these appliances. We are also an active member of the FEA (the Swiss association for household and commercial electrical appliances) and the industry's only leading partner in the Minergie group for resource-efficient living and working.

EcoManagement – taking responsibility

We raise awareness and motivate users to make their households more environmentally friendly on a day-to-day basis. The EcoManagement solution comprises a range of functions that enable you to check the water and electricity consumption of your appliances straight away so that you can select the most economical programmes. Washing machines and dryers, for instance, can show you the projected energy and water consumption for a specific programme and then inform you about actual consumption levels after the end of the programme. What's more, washing machines and dryers also feature an Eco button that can be activated in addition to any other programme. This makes the programme take a little longer but consume less energy.

Concious commitment to sustainability – even during manufacturing

Our commitment starts at an even earlier stage – during the production process. We have set our factory in Zug an ambitious target. By 2020, we want our production to be completely CO₂ neutral. And we are already well on the way to achieving this. All of the power we use for production is already in hydroelectric form, a renewable energy source. To add to this, we run one of the largest private photovoltaic systems in the canton at our ZUGgate logistics centre. Along with further energy-saving measures in the building, this ensures that our entire logistics centre is self-supporting when it comes to the environment.



You can read how much electricity your appliance consumes directly on the energy label. Most V-ZUG appliances are in the top energy efficiency classes from A to A+++.



Thanks to EcoStandby, electricity consumption is automatically reduced to a minimum after a cooking process or a programme has ended – the safety features remain active despite this. Many V-ZUG appliances have this intelligent energy saving feature.

APPLIANCE SIZES FOR EVERY KITCHEN


Our appliances are available in a standard width of 60 cm, so they can be perfectly integrated in any kitchen. You can choose the height and combine several different appliances for a flexible solution.




Our appliances can be individually combined to suit every lifestyle: perhaps you'd like a single appliance that can take care of everything, or maybe even two cooking spaces for extra flexibility. Whatever you're looking for, there are so many combinations to choose from that can be tailored exactly to suit your needs.



The standard size is available in the following categories: Combi-Steam MSLQ, Combi-Air-Steam and ovens.



The compact class models are available in the following categories: combi-steam cookers, ovens, microwaves and the Coffee-Center.



Small appliances are available in the following categories: microwaves and the Coffee-Center.

INDIVIDUAL AND CONVENIENT OPERATION

Whether you're looking for something simple or a little more extravagant: our appliances offer the right setting for every need.



<h3>Display</h3> <ul style="list-style-type: none"> ▪ Navigation through the menu ▪ Key settings at a glance ▪ Current operation mode displayed ▪ Several language options ▪ Touch operation (MSLQ) 	<h3>Operating modes</h3> <ul style="list-style-type: none"> ▪ The right settings for individual cooking ▪ Standard operating modes and extra functions (depending on the model) <ul style="list-style-type: none"> ☑ Steam ☑ PowerSteam ☑ Hot air ☑ Hot air humid ☑ Hot air with steaming ☑ PizzaPlus ☑ Top/bottom heat ☑ Top/bottom heat humid ☑ Bottom heat ☑ Grill ☑ Regeneration ☑ PowerRegeneration 	<h3>GourmetGuide</h3> <ul style="list-style-type: none"> ▪ Simple preparation thanks to automatic programmes ▪ Fantastic results without stress or chaos ▪ The right settings for cooking with support <ul style="list-style-type: none"> ☑ Vacuisine ☑ Professional baking ☑ BakeOmatic ☑ Soft roasting ☑ RegenerateOmatic ☑ Defrosting ☑ Recipes ☑ Own recipes ☑ Keep warm ☑ Hygiene ☑ Wellness
--	---	--




Central adjusting knob

- Used to switch on and control the appliance
- Precise settings thanks to the easy-to-use knob
- Both turn and push settings



EasyCook

- Tips on settings with suggested operating mode
- For less experienced users
- Over 100 handy default settings



Healthy eating and regeneration

▪

Steaming with power functions

▪

Vacuisine – pure culinary delights

▪

Professional baking for crusty bread

COMBI-STEAM COOKERS



Enjoy life with a healthy lifestyle, good style and outstanding taste



A COMBI-STEAM COOKER OR STEAM COOKER CAN CHANGE YOUR LIFE

Steam in its most effective form: with their simple yet varied applications, our combi-steam cookers and steam cookers make both cooking and dining more enjoyable.



A healthy lifestyle starts on your plate

What you eat can have a major impact on your vitality, energy and general well-being – and this is something that’s incredibly important to us. A V-ZUG steam cooker is the perfect tool to help you to cultivate a healthy and modern lifestyle. After all, unpressurised cooking with steam is the gentlest method of preparing food. As many vitamins, minerals, micronutrients and the food’s natural colours and flavours are retained as possible. A steam cooker is the ideal tool for balanced and healthy cooking.

One appliance – many options

A combi-steam cooker from V-ZUG makes work in the kitchen easier, saves time and provides inspiration. There is no burning or overcooking food with these practical appliances. You can thus steam several different ingredients simultaneously in the same cooking space. Steaming vegetables is probably the best-known application. But did you know that you can also bake like a professional, make yoghurt from scratch or sterilise baby items and jam jars? A reliable companion, morning, noon and night.

Clean in no time at all

The appliances are very low-maintenance: By producing the steam in an external steam generator, only pure steam enters the cooking chamber and limescale stains are prevented from appearing in the first place. The appliance also suggests the ideal time to descale the steam generator, with the special descaling programme guiding you step-by-step through the descaling process. A climate sensor also monitors the moisture when steam cooking and ensures there is little to no water remaining at the end. Simply wipe over the smooth surface with a cloth – that’s all it takes to prepare your steam cooker for round two!

Inspirational recipes

The unique recipes on our website demonstrate the number of ways you can use this state-of-the-art combi-steam cooker. Discover the delicious world of cooking with steam.



GET INSPIRED BY YOUR COMBI-STEAM COOKER

Your combi-steam cooker is really easy to use: expert and ambitious amateur cooks can design their own cooking process manually. For everyone else, the appliance comes with a range of intelligent programmes and handy default settings.



We have the ideal operating mode for all your needs, from hot air and steaming to a grill with forced convection. And once you have learned the ideal cooking conditions for certain foods and ingredients, along with which features to apply, you can use the combi-steam cooker to produce dishes of the highest standard. This is where the default settings come into play, as you can find the perfect setting with just the touch of a button. And then there's the GourmetGuide, which allows you to prepare complex dishes yourself at the touch of another button – it's simply amazing.



Steam

Gentle steaming means that only the amount of steam which the food can absorb is supplied. This operating mode is particularly suited for preparing vegetables gently, and can be used instead of a bain marie. Valuable vitamins and minerals are not lost and flavours are retained. Our steam cookers can even be used to steam for up to one hour without topping up the water.

Suitable for: vegetables, fish, egg dishes, crème brûlée



Regeneration

The cooking space is heated by steam and hot air. The food is heated gently without drying it out: the perfect alternative to the microwave.

Suitable for: Warming dishes



Hot air with steaming

The combination of hot air and steam cooks the food evenly and quickly without drying it out, so that it remains succulent. The water tank does not need topping up for this process, and it is not necessary to adjust the steam supply – the sensors control this automatically.

Suitable for: chicken nuggets & fries (wedges), potatoes au gratin, roasted vegetables, baked goods containing yeast



Hot air humid

By closing the active ventilation flap, only a minimum amount of steam escapes from the cooking space. The food thus retains its moisture perfectly, making it particularly ideal for stews.

Suitable for: ragouts, stews, curries, ratatouilles



BakeOmatic

BakeOmatic prepares food entirely automatically. Up to 15 different types of food – from baked goods and bread right through to cake – can be placed inside the appliance without the need for any further input. Using unique sensor technology, the appliance detects the weight and size of the dish before automatically selecting the most appropriate settings.

Suitable for: aperitif nibbles, gratins, flans, cakes



Professional baking

Thanks to the steam phase and the hot air phase that follows automatically, leavened items and puff pastries are light and airy, with a nice, shiny crust. And you no longer need to brush puff pastries with egg before baking. Thanks to the supply of steam, the dish doesn't dry out, so you can bake like a professional!

Suitable for: tarte tatin with puff pastry, beef Wellington, bread, plaited bread



Soft roasting

The soft roasting function allows high-quality pieces of meat to be prepared gently – for perfect results. The settings are controlled automatically so that you don't have anything to worry about.

Suitable for: beef, veal, lamb, pork

VACUISINE® – TAKE A JOURNEY OF CULINARY DISCOVERY FROM YOUR OWN HOME

Sous vide refers to a process of cooking dishes slowly in vacuum-sealed bags using steam at low temperatures. This method is used in the world's best restaurants, as it provides a unique experience in terms of taste, texture, freshness and appearance.



Sous vide cooking with the combi-steam cooker

Perfect your dishes with Vacuisine – everything from flavour to quality and freshness to appearance. Previously confined to the world of professional cuisine, you can now use this cooking method at home thanks to the combi-steam cooker. Cooking under a vacuum – generally known as sous vide or Vacuisine at V-ZUG – requires constant and precise temperature control. Our combi-steam cooker, with its innovative technology, is the perfect solution. With the combi-steam cooker, you can achieve the perfect results when cooking with steam below 100 °C thanks to temperature control right down to the exact degree. We also have the ideal appliance for vacuum-packing your meals: Further information about the vacuum drawer can be found on page 40.

Perfectly cooked meat with Vacuisine

With Vacuisine, food is prepared with greater reliability and precision: thanks to special sealing pads, you can now also use the food probe of your combi-steam cooker with Vacuisine. The pads make it possible to insert the probe into the meat without losing the vacuum so the food probe temperature can be precisely monitored at all times. The food probe visualises the actual temperature and will also tell you exactly when the meat has been cooked to perfection.

Vacuisine® – a popular choice even for top chefs

Working closely with Switzerland's top chefs, we bring sous vide cooking to private kitchens. Even experienced professionals are impressed by the ease of using Vacuisine and its outstanding results.



vzug.com

Do you want to know more about Vacuisine and try out some creative recipes? Dive into the world of sous vide cooking with our new Vacuisine magazine and gain inspiration from recipes created by our top chefs. Order now from vzug.com/steambook

Andreas Caminada

Schloss Schauenstein, Fürstenu
19 Gault Millau points, 3 Michelin stars

**Tanja Grandits**

Restaurant Stucki, Basel
18 Gault Millau points, 2 Michelin stars

SWISS
CHEF OF THE
YEAR 2018

Franck Giovannini

Restaurant L'Hôtel de Ville, Crissier
19 Gault Millau points, 3 Michelin stars

**Walter Klose**

Restaurant Gupf, Rehetobel
17 Gault Millau points, 1 Michelin star

STEAMING WITH THE PREMIUM APPLIANCE

The Combi-Steam MSLQ is the only one of its kind in the world and allows you to cook both more quickly and more gently.



Of all our combi-steam cookers, one appliance in particular really stands out: the Combi-Steam MSLQ combines three heating methods, namely conventional heat, steam and microwave, and is thus the only one of its kind in the world.



PowerSteam

Shortens the cooking time by approx. 25 to 30 % in comparison to standard steaming for certain types of vegetables. In comparison to cooking, this process is up to 30 % more efficient at retaining minerals and vitamin C.



PowerRegeneration

Reduces the time required to heat ready meals by around 25 % in comparison to standard regeneration. This means the quality of the food is rated even more highly.



PowerPlus

Thanks to PowerPlus, any operating mode can be combined with the microwave. By adjusting the power to the appropriate level, from 1 to 10, it is possible to reduce the cooking time by 30 to 75 % in comparison to conventional cooking.

Weihenstephan-Triesdorf University of Applied Sciences confirms

“The Combi-Steam MSLQ can be used for quick and gentle cooking with PowerSteam and quick regeneration with PowerRegenerate.”

HOCHSCHULE
WEIHENSTEPHAN-TRIEDSDORF
UNIVERSITY OF APPLIED SCIENCES 

Be inspired

Try it for yourself – we are sure you will love it. This all-in-one appliance offers everything you need for a healthy lifestyle and inspires you on a daily basis with its wide range of possibilities. Try out our QueenSteam recipes and treat your loved ones to outstandingly good cooking.



ADDED CONVENIENCE WITH A MAINS WATER SUPPLY

Our combi-steam cooker with a mains water supply guarantees even easier operation and perfect results. Thanks to the built-in water supply and drainage, you always have fresh water when using the steam mode.



Steam reduction function

A quick press of this button during operation enables you to reduce steam within a short space of time – for example, to place more food into the cooking space. At the end of the cooking process, this function is applied automatically so that you can take your food out of the combi-steam cooker straight away.

Advantages of a mains water supply

- Easier operation without having to refill the water tank
- Easier to clean the cooking space floor
- Clear view of the cooking space in just a few seconds thanks to the steam reduction function
- The integrated water tank is then only needed for automatic cleaning (descaling)

OUR
RECOMMEN-
DATION

Combi-Steam or Comhair-Steam?

Whether for a food lover, a large family, a business woman, a stay-at-home husband or a professional baker, our steam cookers can be combined in different ways to suit every lifestyle. If you're a passionate foodie, then we recommend the Combi-Steam MSLQ as the cream of the crop when it comes to combi-steam cookers. Or perhaps you like to keep things simpler and would prefer a reliable companion for everyday use, in which case our Comhair-Steam SL is just what you need. Alternatively, if you'd like an appliance that combines perfectly with an oven, then go for a Combi-Steam XSL. We would be delighted to help you find the perfect combination to suit your needs.

PRODUCT COMPARISON: COMBI-STEAM COOKERS

	Combi-Stream MSLQ	Combair-Stream SL	Combair-Stream SE	Combi-Stream XSL
Page in brochure	24	25	26	27
DESIGN OPTIONS				
Black glass	■	■	■	■
Black glass with retractable handle		■*		■*
ChromeClass	■	■	■	■
Lighting: halogen/automatic with door	■/■	■/■	■/■	■/■
Cooking space volume (l)	55	55	55	51
Appliance height (cm)	60	60	60	45
Energy efficiency rating	A	A+	A+	A+
V-ZUG EXCLUSIVES				
VacuSine/precise temperature settings	■/■	■/■	-/■	■/■
BakeOmatic with Climate Control System (CCS)	■	■		■
Soft roasting/with steam	■/■	■/■		■/■
RegenerateOmatic	■	■		■
Regenerate/PowerRegenerate	■/■	■/-	■/-	■/-
Professional baking	■	■	■	■
Food probe	■	■		■
Electronic Steam System (ESS)	■	■	■	■
Obstacle-free cooking space floor	■	■	■	■
Integrated recipes	■	■	■**	■
APPLICATIONS				
Steam/PowerSteam	■/■	■/-	■/-	■/-
Top/bottom heat	■	■	■	
Hot air/hot air with steaming	■/■	■/■	■/■	■/■
PizzaPlus	■	■	■	
Hot air humid	■	■	■	■
Grill	■	■	■	
Microwave	■			
Wellness	■	■	■	■
Hygiene	■	■	■	■
Keep warm	■	■	■	■
OPERATION AND DISPLAY				
Fully electronic operation	■	■	■	■
Touch buttons	■	■	■	■
Full-colour graphic display/touch control (6 languages)	■/■	■/-		■/-
Graphic display (6 languages)			■	
Descaling programme	■	■	■	■
Stainless steel cooking space				■
DualEnamel cooking space	■	■	■	

*Optional **Recipes can be activated after purchasing a recipe book



Combi-Steam MSLQ

The premium product that combines an oven, steam cooker and microwave in a single appliance.

Functions

-  Steam combi mode
-  Microwave
-  Top/bottom heat combi mode
-  Hot air combi mode
-  PizzaPlus combi mode
-  Grill combi mode
-  Hot air with steaming combi mode
-  Grill/forced convection combi mode
-  Top/bottom heat humid combi mode
-  Bottom heat combi mode
-  Hot air humid combi mode
-  Regenerate combi mode
-  PowerRegenerate
-  PowerSteam
-  GourmetGuide
-  Vacuisine
-  Professional baking
-  BakeOmatic
-  Soft roasting
-  RegenerateOmatic
-  Defrost

-  Recipes
-  Own recipes
-  EasyCook
-  Favourites
-  Keep warm
-  Hygiene
-  Wellness
-  Plate warming
-  Fast heating
-  Switch to daylight saving time
-  Inversion technology
-  Languages

Operation and display

- Touch buttons and adjusting knob
- Full-colour graphic touch display
- Loudspeakers with signals

Energy



Appliance dimensions

H x W x D: 598 x 596 x 569 mm

CST MSLQ

Black glass CSTMSLQZ60g/2301570002
 ChromeClass CSTMSLQZ60c/2301570003

Combi-Steam MSLQ

Accessories

- Recipe book «Baking treats» (J21021923)
- Angle set for installing double oven (K50572)
- Perforated plastic cooking tray, 1/3 GN 325x177x52 mm (WxDxH) (K40199)
- Hardened glass dish 380x451x25 mm (WxDxH) (K22503)

Features and accessories from page 136



Comhair-Steam SL

Premium combination appliance for baking and steaming, everything you could ask for.

Functions

-  Steam
-  Hot air
-  Hot air humid
-  Hot air with steaming
-  PizzaPlus
-  Top and/or bottom heat
-  Top/bottom heat humid
-  Grill
-  Grill/forced convection
-  Regenerate/reheat
-  GourmetGuide
-  Vacusine
-  Professional baking
-  **BakeOmatic**
-  **Soft roasting**
-  **RegenerateOmatic**
-  **Recipes**
-  Own recipes
-  EasyCook
-  Favourites
-  Keep warm
-  Hygiene
-  Wellness
-  Plate warming
-  Fast heating
-  Switch to daylight saving time
-  Languages

Operation and display

- Touch buttons and adjusting knob
- Full-colour graphic display
- Loudspeakers with signals

Energy



Appliance dimensions

H×W×D: 598 × 596 × 569 mm

CS SL

Black glass CSSLZ60g/2301270002
 ChromeClass CSSLZ60c/2301270003

Comhair-Steam SL

Options



- Retractable handle Comhair-Steam SL (2301370042)

Comhair-Steam SL

Accessories

- Recipe book «Baking Treats» (J21021923)
- Telescopic triple runner (1045108)
- Angle set for installing double oven (K50572)

Features and accessories from page 136



Combaire-Steam SE

This combination appliance has the advantages of a steam cooker - ideal for simple replacement.

Functions

-  Steam
-  Hot air
-  Hot air humid
-  Hot air with steaming
-  PizzaPlus
-  Top and/or bottom heat
-  Top/bottom heat humid
-  Grill
-  Grill/forced convection
-  Regenerate
-  GourmetGuide
-  Professional baking
-  Own recipes
-  EasyCook
-  Favourites
-  Keep warm
-  Hygiene
-  Wellness
-  Plate warming
-  Fast heating
-  Languages

Operation and display

- Touch buttons and adjusting knob
- Graphic display
- Signal

Energy



Appliance dimensions

H x W x D: 598 x 596 x 569 mm

CS SE

Black glass CSSEZ60g/2301060002
 ChromeClass CSSEZ60c/2301060003

Combaire-Steam SE

Accessories

- Recipe book «Magical steaming» (J23003923)
- Recipe book «Baking Treats» (J21021923)
- Telescopic triple runner (1045108)
- Angle set for installing double oven (K50572)



Combi-Steam XSL

Steaming and baking in a single appliance – the most popular combi-steam cooker in the V-ZUG range.

Functions

-  Steam
-  Hot air
-  Hot air humid
-  Hot air with steaming
-  Regenerate/reheat
-  GourmetGuide
-  Vacuissime
-  Professional baking
-  BakeOmatic
-  Soft roasting
-  RegenerateOmatic
-  Recipes
-  Own recipes
-  EasyCook
-  Favourites
-  Keep warm
-  Hygiene
-  Wellness
-  Switch to daylight saving time
-  Languages

Operation and display

- Touch buttons and adjusting knob
- Full-colour graphic display
- Loudspeakers with signals

Energy



Appliance dimensions

H×W×D: 454×596×568 mm

CST XSL

Black glass CSTXSLZ60g/2300570002
 ChromeClass CSTXSLZ60c/2300570003

Combi-Steam XSL

Options



- Retractable handle Combi-Steam XSL (2300670042)

Combi-Steam XSL

Accessoires

- Telescopic dual runner (K40211)
- Angle set for installing double oven (K50572)

Features and accessories from page 136



Intuitive operation



EasyCook tips on settings




Recipes in appliance



Simple cleaning

OVENS

Reliable appliances and inspirational functions for little everyday luxuries



SAVOUR THE OPPORTUNITIES

The large range of ovens and hobs opens up an array of new possibilities: the diverse range of functions – some of which are V-ZUG innovations – support a healthy lifestyle, opening the door to culinary discovery.



Get inspired by the recipes in the “Baking Treats” recipe book.



We offer the ideal operating mode for all your needs, from hot air and top/bottom heat to a grill with forced convection. And once you have learned the ideal cooking conditions for certain foods and ingredients, along with which features to apply, you can use the oven to cook and bake dishes of the highest standard. This is where the EasyCook default settings come into play, as you can find the perfect setting with just the touch of a button. And then there's the GourmetGuide, which allows you to prepare complex dishes automatically at the touch of another button – it's simply amazing.



PizzaPlus

The cooking space is heated by hot air and intensive bottom heat. The base of the food becomes crispy and thus there is no longer any need to pre-bake it.

Suitable for: pizza, flans



BakeOmatic

The BakeOmatic function consists of 15 programmes (depending on the model). This operating mode is fully automatic and requires no manual inputs. Using unique sensor technology, the appliance will automatically detect the weight and size of the dish and will select the best sequence of the various operating modes accordingly.

Suitable for: aperitif nibbles, gratins, flans, cakes



Hot air humid

By closing the active ventilation flap, only a minimum amount of steam escapes from the cooking space. The food thus retains its moisture perfectly, making it particularly ideal for stews.

Suitable for: ragouts, stews, curries, ratatouilles



Soft roasting

The soft roasting function allows high-quality pieces of meat to be prepared gently – for perfect results. The settings are controlled automatically so that you don't have anything to worry about.

Soft roasting is available with the following combinations:

- With grill
- With rotisserie spit
- With food probe

Suitable for: beef, veal, lamb, pork

COOK AND BAKE WITH EASE, CLEAN WITHOUT THE STRESS

Our ovens have been designed to make sure that every process is as easy as possible. Thanks to their equipment and exquisite materials, all cooking and baking is fun, even the cleaning up afterwards.



Effortless cleaning with pyrolysis

Your oven practically cleans itself thanks to pyrolytic self-cleaning: this cleaning technology heats up the cooking space so that any dirt is transformed into ash. All you need is a damp cloth to wipe away any ash without a great deal of effort. However, even ovens without pyrolytic self-cleaning are easy to clean, thanks to the use of special materials, such as V-ZUG's robust brilliant enamel. Some appliances are also fitted with a high-tech TopClean coating to make sure that remnants are less likely to stick to the cooking space or baking tray.

Fully equipped for easy operation

With the practical wire lining, you can feel even more secure when sliding your baking trays and wire shelves in and out. Thanks to the special design, your food will stop tipping over or sliding around. For even more convenient handling, you can also equip your oven with a robust fully extending runner: this allows you to pull your rack of dishes and cakes all the way out of the cooking space in a safe and simple movement. This convenient addition is available for ovens from convenience level SE. The tried and tested roller runners are available for all other ovens and cookers.

OUR
RECOMMEN-
DATION

Do I still need an oven?

Absolutely! If you have various different requirements, appreciate healthy food and like to prepare meals quickly, then a tower combination sounds like the ideal choice for you. This lets you soft roast meat in the Combi-Steam, for example, while at the same time preparing a gratin in the Combair. But did you know that you can also soft roast meat in the Combair? What's more, the hot air humid operating mode allows you to conjure up the most delicious stews, for example, like no other appliance.

PRODUCT COMPARISON: OVENS

	Comhair SLP	Comhair SL	Comhair SEP	Comhair SE	Comhair XSL	Comhair XSE
Page in brochure	34	34	35	35	36	37
DESIGN OPTIONS						
Mirror glass	■	■	■	■	■	■
Black glass with retractable handle		■*			■*	
ChromeClass	■	■	■	■	■	■
Lighting: halogen/automatic with door	■/■	■/■	■/■	■/-	■/-	■/-
Cooking space volume (l)	68	68	68	68	50	50
Compact oven					■	■
Energy efficiency rating	A	A	A	A	A	A
EXCLUSIVE V-ZUG FUNCTIONS						
BakeOmatic with Climate Control System (CCS)	■	■			■	
Climate sensor	■	■			■	
Soft roasting	■	■	■	■	■	■
Food probe	■	■	■	■	■	■
Integrated recipes	■	■	■**	■**	■	■**
APPLICATIONS						
Top/bottom heat	■	■	■	■	■	■
Hot air	■	■	■	■	■	■
PizzaPlus	■	■	■	■	■	■
Grill	■	■	■	■	■	■
Keep warm	■	■	■	■	■	■
Prepared for rotisserie spit	■***	■***				
OPERATION AND DISPLAY						
Full-electronic operation	■	■	■	■	■	■
Touch buttons	■	■	■	■	■	■
Electronic clock timer	■	■	■	■	■	■
Full-colour graphic display (6 languages)	■	■			■	
Graphic display (6 languages)			■	■		■
Pyrolytic self-cleaning	■		■			
TopClean		■		■	■	■

* Optional ** Recipes can be activated after purchasing the «Baking Treats» recipe book.

*** Rotisserie spit included with delivery.



Combaire SLP

The perfect oven for meat-lovers, with practical self-cleaning and a colour graphic display.

Functions

- Hot air humid
- Hot air
- PizzaPlus
- Top/bottom heat
- Top/bottom heat humid
- Bottom heat
- Grill/forced convection
- Grill
- BakeOmatic
- Soft roasting
- GourmetGuide
- EasyCook
- Recipes
- Own recipes
- Favourites
- Keep warm
- Plate warming
- Fast heating
- Switch to daylight saving time
- Pyrolysis**
- Languages

Operation and display

- After sales support
- Touch buttons and adjusting knob
- Full-colour graphic display
- Loudspeakers with signals

Energy



Appliance dimensions

H x W x D: 598 x 596 x 569 mm

BC SLP

Black glass BCSPZ60g/2102560002
 ChromeClass BCSPZ60c/2102560003



Combaire SL

A premium appliance with a colour graphic display to inspire you everyday.

Functions

- Hot air humid
- Hot air
- PizzaPlus
- Top/bottom heat
- Top/bottom heat humid
- Bottom heat
- Grill/forced convection
- Grill
- BakeOmatic
- Soft roasting
- GourmetGuide
- EasyCook
- Recipes
- Own recipes
- Favourites
- Keep warm
- Plate warming
- Fast heating
- Switch to daylight saving time
- Languages

Operation and display

- After sales support
- Touch buttons and adjusting knob
- Full-colour graphic display
- Loudspeakers with signals

Energy



Appliance dimensions

H x W x D: 598 x 596 x 569 mm

BC SL

Black glass, retractable handle
 BCSP60Yg/2102960042

Combaire SL

Options



- Retractable handle
 Combaire SL (2102960042)

Combaire SLP and Combaire SL

Accessories

- Telescopic set triple runner (K40207)
- Angle set for installing double oven (K50572)



Combair SEP

A popular model that almost cleans itself – ideally combined with a combi-steam cooker.

Functions

- Hot air humid
- Hot air
- PizzaPlus
- Top/bottom heat
- Top/bottom heat humid
- Bottom heat
- Grill/forced convection
- Grill
- Soft roasting
- GourmetGuide
- EasyCook
- Own recipes
- Favourites
- Keep warm
- Plate warming
- Fast heating
- Pyrolysis**
- Languages

Operation and display

- Touch buttons and adjusting knob
- Graphic display
- Signal

Energy



Appliance dimensions

H×W×D: 598 × 596 × 569 mm

BC SEP

Black glass BCSEPZ60g/2101960002
 ChromeClass BCSEPZ60c/2101960003



Combair SE

The most popular oven in the range – either on its own or in combination with a combi-steam cooker.

Functions

- Hot air humid
- Hot air
- PizzaPlus
- Top/bottom heat
- Top/bottom heat humid
- Bottom heat
- Grill/forced convection
- Grill
- Soft roasting
- GourmetGuide
- EasyCook
- Own recipes
- Favourites
- Keep warm
- Plate warming
- Fast heating
- Languages

Operation and display

- Touch buttons and adjusting knob
- Graphic display
- Signal

Energy



Appliance dimensions

H×W×D: 598 × 596 × 569 mm

BC SE

Black glass BCSEZ60g/2101660002
 ChromeClass BCSEZ60c/2101660003

Combair SEP and Combair SE

Accessories

- Telescopic set triple runner (K40207)
- Angle set for installing double oven (K50572)
- Recipe book «Baking Treats» (J21021923)

Features and accessories from page 142



Comhair XSL

This compact appliance is recommended for meat lovers and is the perfect partner to a combi-steam cooker.

Functions

-  Hot air humid
-  Hot air
-  PizzaPlus
-  Top/bottom heat
-  Top/bottom heat humid
-  Bottom heat
-  Grill/forced convection
-  Grill
-  BakeOmatic
-  Soft roasting
-  GourmetGuide
-  EasyCook
-  Recipes
-  Own recipes
-  Favourites
-  Keep warm
-  Plate warming
-  Fast heating
-  Switch to daylight saving time
-  Languages

Operation and display

- After sales support
- Touch buttons and adjusting knob
- Full-colour graphic display
- Loudspeakers with signals

Energy



Appliance dimensions

H × W × D: 454 × 596 × 568 mm

BC XSL

Black glass BCXSLZ60g/2102360002
 ChromeClass BCXSLZ60c/2102360003

Comhair XSL

Options



- Retractable handle
Comhair XSL (2103060042)

Comhair XSL

Accessories

- Roller triple runner (K40208)
- Angle set for installing double oven (K50572)



Comhair XSE

The most popular low-level oven - the perfect complement to a combi-steam cooker.

Functions

-  Hot air humid
-  Hot air
-  PizzaPlus
-  Top/bottom heat
-  Top/bottom heat humid
-  Bottom heat
-  Grill/forced convection
-  Grill
-  Soft roasting
-  GourmetGuide
-  EasyCook
-  Own recipes
-  Favourites
-  Keep warm
-  Plate warming
-  Fast heating
-  Languages

Operation and display

- Touch buttons and adjusting knob
- Graphic display
- Signal

Energy



Appliance dimensions

H×W×D: 454×596×568 mm

BC XSE

Black glass BCXSEZ60g/2101760002
 ChromeClass BCXSEZ60c/2101760003

Comhair XSE

Accessories

- Roller triple runner (K40208)
- Angle set for installing double oven (K50572)
- Recipe book «Baking Treats» (J21021923)

Features and accessories from page 142

PERFECTLY INTEGRATED DRAWERS

The vacuum, warming and system drawers are the ideal accompaniment to ovens and steam cookers. A vacuum drawer allows you to incorporate innovative vacuum technology within your own kitchen.



Vacuum technology is conquering the world's kitchens

The vacuum drawer allows you to introduce a technical innovation to your home that is sure to bring a whole host of culinary delights. It allows you to vacuum-pack meals in special bags – either for storing in the fridge or in preparation for sous vide cooking. Vacuum-packing has a number of key advantages. The quality of the food remains intact up to five times longer, while vitamins, flavours, minerals and colours are all preserved.

Vacuum-packing – for everyday meals or the perfect dinner

The vacuum drawer can be used on a number of different occasions in day-to-day life: users can, for example, blanch vegetables from their own garden or turn them into a soup, vacuum-pack the food in sensible portions and then store it in the fridge or freezer compartment for longer periods without any loss of quality. You also have the option of buying in larger amounts of meat. Even preserving jars can be vacuum-sealed in the drawer. And with an accessories set for external containers included in the delivery, you can also vacuum-seal pressure-sensitive food and bottles.

Straightforward design and sophisticated functions

Unlike most appliances, our vacuum drawer creates a vacuum not only in the bag itself, but also in the entire chamber within the drawer. This means that no pressure difference can affect the food when the vacuum is created. It also means that you can vacuum-pack liquid foods, such as soups or sauces, and dishes with a high liquid content.

You have a choice between three levels of vacuum-packing

- **Level 1** is recommended for liquids and fruit
- **Level 2** is suitable for fish and vegetables
- **Level 3** is ideal for vacuum-packing meat and frozen food





Warming drawers – adding luxury to everyday cooking

Our warming drawers are the ideal accompaniment to our range of ovens, steam cookers, and the Coffee-Center. In fact, we have completely redesigned and upgraded them for added convenience and a touch of luxury at home.

New functions for added convenience

If the optimised heating concept doesn't already win you over, then the practical touch control that makes it even easier to operate your warming drawer surely will. The operating panel now includes new features such as warm cups, warm plates, keep warm, prepare yoghurt and a favourites button.

Favourite applications at the touch of a button

You can now set times and temperatures on an individual basis and save these for your favourite applications. If you often heat up tortillas or defrost frozen foods for your meals, for example, you can simply save your most frequently used settings under Favourites.

Perfect coffee indulgence

For some people, there's no better feeling than starting the day with a perfect cappuccino. With the warm cups function, coffee lovers can now enjoy their hot drink exactly as it should be.

The perfect host

The warming drawer not only helps you to be the perfect host by taking the chill off your plates, it also offers a low-temperature cooking facility for prime cuts of meat. The important thing to remember is that you should first sear the meat then place it in a covered dish before putting it in the drawer as an alternative to a traditional steam cooker.

Premium-quality features

The high-quality drawers are equipped with an easy-clean, stainless-steel interior along with a roller runner – the perfect solution for 6 place settings. The new internal lighting also means nothing is hidden out of sight.

System drawers for additional storage space

Our range also includes system drawers as the perfect complement to your oven or combi-steam cooker. The system drawers offer plenty of space for storing trays and cooking utensils.

OUR
RECOMMEN-
DATION

Nice-to-have or the perfect addition?

Whether you're interested in a vacuum, system or warming drawer, these appliances offer a whole host of exciting applications for your kitchen. A vacuum drawer allows you to incorporate the versatile vacuum technology into your own kitchen, while the new warming drawer adds a real touch of luxury to your everyday cooking.



Vacuum drawer 144

Combines perfectly with the Combi-Steam XSL 60 and enables vacuum-packing at three different levels.

Features

- 3 vacuum-sealing levels
- Vacuum-packing external containers
- Vacuum-packing liquids
- Roller runner with SoftClose
- Push/pull system
- SoftTouch operation
- Chrome steel interior (95 × 350 × 258 mm)
- Bag support
- Accessories set for external containers
- Vacuum bags:
 - 50 pcs. 180 × 280 mm
 - 50 pcs. 240 × 350 mm

Appliance dimensions

H × W × D: 142 × 596 × 547 mm

VS60 144

Black glass VS60144g/3600160022
ChromeClass VS60144c/3600160023

Vacuum drawer 144

Accessories

- Vacuum bags 50 pcs. 180 × 280 mm (1012506)
- Vacuum bags 50 pcs. 240 × 350 mm (1012507)

Features and accessories from page 143



System drawer 144

Practical: baking trays and utensils can be stored in the appropriate drawer.

Features

- Roller runner
- Push/pull system

Appliance dimensions

H×W×D: 142×596×547 mm

SYS 60 144

Black glass SYS 60 144 g/3500160022
 ChromeClass SYS 60 144-c/3500160023



System drawer 76

Features

- Roller runner
- Push/pull system

Appliance dimensions

H×W×D: 74×596×560 mm

SYS 60 76

Black glass SYS 60 76g/3500260022
 ChromeClass SYS 60 76-c/3500260023

System drawer

Accessories

- Angle set for installing double ovens (K50572)
- Wire shelf for warming drawer 283 and 312 (1045990)



Warming drawer 312

An additional appliance that can be used in a variety of ways to defrost or keep food warm.

Functions

-  Plate warming function
-  Warm cups
-  Keep warm
-  Yoghurt
-  Favourites

Features

- Capacity: Crockery for 20 people or 40 plates (27 cm diameter)
- Chrome steel interior
- Base with hot plate
- Additional heater with cross-flow fan for pre-heating crockery
- Electronic temperature control with optical operating display, 6 levels
- Adjustable operating time of up to 6 hours
- Temperature range: around 30-80 °C, glass surface temperature
- Push/pull system

Appliance dimensions

H×W×D: 310×596×547 mm

WS 60 312

Black glass WS60312g/3402160022



Warming drawer 283

Functions

-  Plate warming function
-  Warm cups
-  Keep warm
-  Yoghurt
-  Favourites

Features

- Capacity: Crockery for 20 people or 40 plates (27 cm diameter)
- Chrome steel interior
- Base with hot plate
- Additional heater with cross-flow fan for pre-heating crockery
- Electronic temperature control with optical operating display, 6 levels
- Adjustable operating time of up to 6 hours
- Temperature range: around 30-80 °C, glass surface temperature
- Push/pull system

Appliance dimensions

H×W×D: 281×596×547 mm

WS 60 283

Black glass WS60283g/3402060022
ChromeClass WS60283c/3402060023



Warming drawer 220

Functions

-  Plate warming function
-  Warm cups
-  Keep warm
-  Yoghurt
-  Favourites

Features

- Capacity: Crockery for 15 people or 30 plates (27 cm diameter)
- Chrome steel interior
- Base with hot plate
- Additional heater with cross-flow fan for pre-heating crockery
- Electronic temperature control with optical operating display, 6 levels
- Adjustable operating time of up to 6 hours
- Temperature range: around 30-80 °C, glass surface temperature
- Push/pull system

Appliance dimensions

H×W×D: 218×596×547 mm

WS 60 220

Black glass WS60220g/3401960022
ChromeClass WS60220c/3401960023



Warming drawer 162

Functions

-  Plate warming function
-  Warm cups
-  Keep warm
-  Yoghurt
-  Favourites

Features

- Capacity: Crockery for 10 people or 20 plates (27 cm diameter)
- Chrome steel interior
- Base with hot plate
- Additional heater with cross-flow fan for pre-heating crockery
- Electronic temperature control with optical operating display, 6 levels
- Adjustable operating time of up to 6 hours
- Temperature range: around 30-80 °C, glass surface temperature
- Push/pull system

Appliance dimensions

H×W×D: 160×596×547 mm

WS 60 162

Black glass WS60162g/3401860022
 ChromeClass WS60162c/3401860023



Warming drawer 144

A very popular model and the perfect partner for the combi-steam cooker.

Functions

-  Plate warming function
-  Warm cups
-  Keep warm
-  Yoghurt
-  Favourites

Features

- Capacity: Crockery for 6 people or 14 plates (27 cm diameter)
- Chrome steel interior
- Base with hot plate
- Additional heater with cross-flow fan for pre-heating crockery
- Electronic temperature control with optical operating display, 6 levels
- Adjustable operating time of up to 6 hours
- Temperature range: around 30-80 °C, glass surface temperature
- Push/pull system

Appliance dimensions

H×W×D: 142×596×547 mm

WS 60 144

Black glass WS60144g/3401760022
 ChromeClass WS60144c/3401760023

Warming drawer

Accessories

- Angle set for installing double ovens (K50572)

Features and accessories from page 145

A RELIABLE AND MULTI-FACETED COMPANION FOR EVERYDAY LIFE

Baking bread, making a cheesecake, defrosting a meal: our microwaves can be used to prepare the widest array of meals so that they retain their vitamins without using any grease or salt. Discover a whole world of useful functions.



The favourites button – your favourite programme at the touch of a button

You can use this function to store your favourite programme, so that you can access it quickly and easily.

Hot air – produce a gratin in half the time

With the hot air operating mode, your microwave provides a quick and easy way to bake bread and puff pastry. Furthermore, with the combi mode, your microwave can prepare food in half the time of a normal oven.

CombiCrunch – for crisp, golden brown dishes

This operating mode combines a microwave and a grill. Thanks to the CombiCrunch plate, your pizzas and cheesecakes will be beautifully golden brown on the top and perfectly crispy at the bottom.

AutomaticPlus – the automatic programme

Achieve the perfect results in an instant, thanks to up to 31 automatic programmes – whether you are defrosting foods properly with PerfectDefrost, heating food, crispy baking, baking, cooking, melting or thawing.

Automatic regeneration – simple and automatic

The 45 line is the only range to offer microwaves with an automatic regeneration function: simply reheat your ready-made dishes at the touch of a button. You don't even need to pick an operating mode, temperature or duration.



PRODUCT COMPARISON: MICROWAVES

	Miwell-Combi XSL	Miwell HSL	Miwell L
Page in brochure	46	46	47
DESIGN OPTIONS			
Built into tall cabinet	▪	▪	▪
Built into top cabinet			▪
ChromeClass	▪	▪	▪
Black glass	▪	▪	
Lighting	▪	▪	▪
Cooking space volume (l)	40	31	22
Max. microwave power (W)	900	1000	750
Grill (W)	1600	800	
Glass turntable (cm)	40	32.5	25
V-ZUG EXCLUSIVES			
Microwave levels	18	20	4
3D feed	▪	▪	▪
Operating time	▪	▪	▪
End time	▪	▪	
APPLICATIONS			
Microwave	▪	▪	▪
Grill	▪	▪	
CombiCrunch	▪	▪	
Hot air	▪		
Grill and forced convection	▪		
Fast heating	▪		
Favourites	▪	▪	
PerfectDefrost	▪	▪	▪
AutomaticPlus	▪	▪	
AutomaticPlus with sensor technology	▪		
Automatic regeneration	▪		
OPERATION AND DISPLAY			
Fully electronic operation	▪	▪	▪
Touch buttons	▪	▪	
Electronic clock timer	▪	▪	▪
Graphic display (11 languages)	▪	▪	
Obstacle-free and easy-care cooking space	▪	▪	▪



Miwell-Combi XSL

A microwave that features additional oven functions thanks to its hot air and grill.

Operating modes

-  Microwave
-  Hot air
-  Grill
-  Grill/forced convection
-  CombiCrunch
-  Favourites
-  AutomaticPlus
-  Defrost
-  Automatic regeneration
-  Fast heating
-  Languages

Operation and display

- Touch buttons and adjusting knob
- Graphic display

Appliance dimensions

H×W×D: 454×596×567 mm

MWC XSL

Black glass MWCXSL60g/2400960000
 ChromeClass MWCXSL60c/2400960003



Miwell HSL

A high-performance deluxe model with plenty of familiar applications.

Operating modes

-  Microwave
-  Grill
-  CombiCrunch
-  Favourites
-  AutomaticPlus
-  Defrost
-  Languages

Operation and display

- Touch buttons and adjusting knob
- Graphic display

Appliance dimensions

H×W×D: 378×596×470 mm

MW HSL

Black glass MWHSL60g/2400660000
 ChromeClass MWHSL60c/2400660003



Miwell L

The entry model with 4 microwave levels and tried-and-tested V-ZUG quality.

Operating modes

-  Microwave
-  Defrost

Operation and display

- Fully electronic operation
- Digital display
- Door opening on the left

Appliance dimensions

H×W×D: 378 × 596 × 320 mm

MW L

Nero MWLn60/2400260000
 ChromeClass MWL60c/2400260003

PURE COFFEE INDULGENCE

The V-ZUG Coffee-Center is the ideal appliance for coffee lovers and passionate baristas. You can master any coffee speciality with ease, no matter what your favourite is.



Inspirational functions that blend in stylishly with your kitchen

The art of brewing coffee starts with picking the right bean, the perfect roast and a blend to suit your personal taste. As a coffee fan or amateur barista, fully automatic appliances by V-ZUG are the ideal solution: an intelligent system allows you to choose between ground beans or fresh bean coffee at any time. What's more, you can also adjust your favourite grinder setting and programme the brewing temperature. Five pre-set coffee strengths ranging from extra mild to very strong allow you to enjoy a cup of coffee just the way you want it. You can master any speciality coffee at just the touch of a button. With the built-in, automatic milk foamer, you can magic up the perfect foam for your cappuccino or latte. The Coffee-Center not only brews a first-class cup of coffee; it also impresses with its stylish design that perfectly matches V-ZUG steam cookers, ovens or microwaves.

Easy to operate and maintain

The clear touch buttons guarantee intuitive operation in all operating modes. The brewing process occurs automatically. The text display keeps you informed about what's going on and provides handy tips, such as «Refill water» or «Descal». The integrated milk foamer is rinsed at just the touch of a button, the milk container can be removed and is suitable for storing in a fridge. It can also be cleaned in a dishwasher. The integrated spherical grinder is as quiet as a whisper, for freshly ground coffee you don't hear coming.





Supremo XSL

This discreet, fully automatic appliance blends elegantly into your collection of V-ZUG kitchen appliances.

Operating modes

-  Coffee strength (5 stages)
-  Cup sizes (3 stages)
-  1 cup
-  2 cups
-  Hot water
-  Cappuccino
-  Latte Macchiato
-  Café Latte
-  Languages

Features

- Height-adjustable coffee dispensing head, 80-110 mm
- Adjustable grinder setting (13 steps)
- Integrated cleaning programme
- Automatic descaling programme

Capacity

Water container 1.8 litres
 Bean container 200 g
 Grounds container 14 units

Accessories

- Milk tank, 7.5 dl
- Descaler

Energy




Appliance dimensions

H×W×D: 454×596×412 mm

CCS XSL

Black glass CCSXSL60/2500367002
 ChromeClass CCSXSL60c/2500360003



Supremo HSL

With its design and compact height, this Coffee-Center matches your mini V-ZUG appliances perfectly.

Operating modes

-  Coffee strength (5 stages)
-  Cup sizes (3 stages)
-  1 cup
-  2 cups
-  Hot water
-  Cappuccino
-  Latte Macchiato
-  Café Latte
-  Languages

Features

- Height-adjustable coffee dispensing head, 80-110 mm
- Adjustable grinder setting (13 steps)
- Integrated cleaning programme
- Automatic descaling programme

Capacity

Water container 1.8 litres
 Bean container 200 g
 Grounds container 14 units

Accessories

- Milk tank, 7.5 dl
- Descaler

Energy



Appliance dimensions

H×W×D: 378×596×412 mm

CCS HSL


Black glass CCHSL60/2500267002

Supremo XSL and Supremo HSL

Accessories

- Descaler DLS 100 ml (B28020)

Features and accessories from page 144



Maximum flexibility

-

Cooking with up to 6 pans

-

High-quality TFT controls


-

Practical automatic cooking functions

HOBS



State-of-the-art technology for ultimate enjoyment – before dinner's even ready



HOBBS FOR ALL TASTES

We offer you a choice of three different types of hobs depending on your needs:
induction hobs for an ultra-modern lifestyle.



Induction: cutting-edge, safe and energy-saving

Cooking with induction equipment allows you to take advantage of state-of-the-art technology along with all the convenience that goes with it. When it comes to speed, energy efficiency and safety, induction hobs are infinitely superior to their conventional counterparts. By transferring energy directly to the base of the pan, it's now possible to cook meals in record time using a minimal amount of energy. A litre of water is brought to the boil in around two minutes, allowing you to save up to 30 % energy in comparison to other hobs. What's more, this technology also offers the advantage of only generating heat exactly where it's needed - at the base of the pan. The glass around the cooking zone remains largely cold. This stops you burning pretty much anything and means that a quick wipe with a damp cloth is all it takes to keep things clean.

Flexible with MaxiFlex

MaxiFlex hobs shine thanks to their intelligent technology. With the latest induction hobs, you can use pots and pans of all shapes and sizes on any of the cooking zones. The system detects the size of the pan and automatically adjusts the cooking zone accordingly.

An unparalleled cooking experience with FullFlex

Do you enjoy having unlimited flexibility? If so, you'll love the induction hob, as it does away entirely with specified cooking zones. Thanks to its 48 state-of-the-art inductors, it is able to automatically detect the position and size of the cookware used. As a result, you can place up to six pans anywhere you like on the glass ceramic plate. The hob also comes complete with a full-colour graphic display to help you with every step of the way - for example, with inspiring background images featuring creations by top chef Andreas Caminada, or simply with its straightforward and intuitive operating concept. Boasting incredible functions such as AutoPowerPlus, it simplifies the entire cooking process and transforms it into a real experience.





A smart combination

Our new MaxiFlex hob features an integrated extraction system that draws down cooking vapours from right next to your pots and pans. This appliance is sure to impress with its simple, elegant looks and also scores points for its structural design. The base of the Fusion hob is highly compact, leaving just enough room for your pans. The collection tray can be removed and cleaned in the dishwasher. The OptiLink function offers yet another highlight, as you can now focus entirely on your cooking without having to worry about your range hood. The hob and extraction communicate with each other so that the extraction strength is automatically regulated. Now isn't that impressive? If you're looking for extra headroom to suit your lifestyle while cooking and prefer intuitive touch controls on the graphic display, then this is definitely the hob for you.

Induction hobs for all requirements

Cooking with V-ZUG's original wok pan is fast and gentle. Teppan Yaki also uses induction technology: it is perfectly suited for frying meat and fish without any fat or oil, or simply for cooking vegetables. If you would like to cook diverse and adventurous dishes just like a chef in a professional restaurant, then we have the ideal appliance package for you. The wok, the Teppan Yaki and an induction hob with two cooking zones are the perfect combination.

INTUITIVE CONTROLS

We've put together some simple and convenient operating concepts for our induction hobs range, so you can sit back and focus on your cooking skills.



The premium option: a multilingual graphic display


Featuring a slider control and graphic display, this straightforward operating concept provides fast and easy access the functions you need. The clean, clear and attractive display keeps you up-to-date with what is happening on your hob. You can choose between German, English, French and Italian. Selected induction hobs are available with this state-of-the-art graphic display.

Convenient: multi and single-slider control

The stand-alone hob controls have been adapted to reflect the needs of our modern age. You can adjust the power of your hob using controls just like on your smartphone. Choose from a range of attractive hobs equipped with a single or a multi-slider control. They all have one thing in common: simple and intuitive operation. With a multi-slider direct control solution, you will have a separate control for each cooking zone. The single-slider control concept uses indirect operation; first you select the cooking zone and then you use the slider to adjust the power. You can clean the controls while you are cooking without changing the power settings thanks to the special wipe protection button.



Multi-slider control



Single-slider control





DualDesign (top-mounted)



DualDesign (flush-fitted)



Chrome steel frame

DUALDESIGN AND OPTIGLASS

In addition to our range of hob technology, we also offer an array of designs and installation options. The DualDesign makes sure that our hobs fit perfectly in any kitchen.



DualDesign: sophisticated or practical integration

Several induction hobs feature an innovative concept. The previous bevelled edge and flush-fitted designs have now been replaced by the DualDesign concept, permitting the same hob to be both top-mounted and flush-fitted. The top-mounted version has a glass edge which lends the appliance an elegant appearance and is highly robust. The flush-fitted version, on the other hand, is able to integrate seamlessly into every worktop. The cut-out dimensions remain unchanged.

OptiGlass: exceptionally resistant


Impressively designed and particularly hard-wearing – these are the hobs with OptiGlass. A very hard coating ensures your hob stays looking as good as new. Thanks to the mirror glass design, the appliances from this series perfectly complement the other V-ZUG appliances in your kitchen. OptiGlass is available with selected hobs from our standard range.



	GK11TIFKZ	GKD46TIMASZO	GK16TIWS	GK17TIYS	
Page in brochure	62	62	60	60	
DESIGN OPTIONS					
Chrome steel frame					
DualDesign (top-mounted or flush-fitted)	▪	▪	▪	▪	
OptiGlass		▪			
APPLICATIONS					
Number of cooking zones	1	4	1	2	
Number of PowerPlus		4	1		
Zone connection				▪	
OPERATION/SUPPORT					
Multi-slider/direct selection			▪	▪	
TFT colour display	▪				
Touch-screen graphic display		▪			
Graphic display					
Optilink		▪			
Timer	▪	▪	▪	▪	
Automatic shut-off	▪	▪	▪	▪	
Pause button	▪	▪	▪	▪	
Automatic boost		▪			
Simmer function	▪	▪	▪		
Wipe protection button	▪	▪	▪	▪	
Restore function	▪	▪	▪	▪	
Large spaces between cooking zones		▪			
Keep warm setting	▪	▪	▪		
Fast response	▪	▪	▪	▪	
Childproof lock	▪	▪	▪	▪	

PRODUCT COMPARISON: INDUCTION HOBS

	GK27TIYS	GK27TIMS	GK26TIMS	GK46TIMAS	GK56TIMS	GK46TIMS
	60	61	61	63	63	63
				▪	▪	▪
	▪	▪	▪	▪	▪	▪
				▪	▪	▪
	2	2	2	4	5	4
		2	2	4	5	4
	▪	▪	▪	▪	▪	▪
	▪	▪	▪		▪	▪
				▪		
	▪	▪	▪	▪	▪	▪
	▪	▪	▪	▪	▪	▪
	▪	▪	▪	▪	▪	▪
		▪	▪	▪	▪	▪
		▪	▪	▪	▪	▪
	▪	▪	▪	▪	▪	▪
	▪	▪	▪	▪	▪	▪
		▪	▪	▪	▪	▪
	▪	▪	▪	▪	▪	▪
	▪	▪	▪	▪	▪	▪



GK16TIWSZ

An induction wok for quick and gentle cooking.

Features

-  Slider control
-  PowerPlus for all cooking zones
-  Pause button
-  Operating time with switch-off function
-  Acoustic timer
-  Wipe protection
-  Melt function
-  Button tone settings (on/off)

Features

- Max. power with PowerPlus 3000 watts
- 9 power settings
- Safety package

Note

Can not be combined with hood DSMS

Included

wok pan

Appliance dimensions

W x D: 384 x 501 mm/R1.5

Wok

Dual Design, flush or top-mounted
GK16TIWSZ/3108860105



GK17TIYSZ

The Teppan Yaki hob uses induction technology and is particularly suitable for frying meat and fish with very little fat or oil.

Features

-  Slider control
-  Operating time with switch-off function
-  Acoustic timer
-  Ideal for meat
-  Ideal for vegetables
-  Ideal for fish
-  Zone connection
-  Button tone settings (on/off)
-  OptiClean

Features

- Max. power: 2 x 1400 watts
- 7 temperature levels (70-240 °C)
- Safety package

Included


2 spatulas, 1 cover

Appliance dimensions

W x D: 384 x 501 mm/R1.5

Teppan Yaki

Dual Design, flush or top-mounted
GK17TIYSZ/3107660205



GK27TIYSZ

The Teppan Yaki hob uses induction technology and is particularly suitable for frying meat and fish with very little fat or oil.

Features

-  Slider control
-  Operating time with switch-off function
-  Acoustic timer
-  Ideal for meat
-  Ideal for vegetables
-  Ideal for fish
-  Zone connection
-  Button tone settings (on/off)
-  OptiClean

Features

- 7 temperature levels (70-240 °C)
- Safety package

Included


2 spatulas, 1 cover

Appliance dimensions

W x D: 571 x 501 mm/R1.5

Teppan Yaki

Dual Design, flush or top-mounted
GK27TIYSZ/3107760205

**GK26TIMSZ****Features**

-  Slider control
-  PowerPlus for all cooking zones
-  Pause button
-  Keep warm function
-  Automatic boost
-  Acoustic timer
-  Operating time with switch-off function
-  Wipe protection
-  Zone connection
-  Melt function
-  Simmer function
-  Button tone settings (on/off)

Features

- Max. power with PowerPlus: 2 × 3700 watts
- 9 power settings
 - Safety package
 - Pan detection (10-22 cm)


Appliance dimensions

W × D: 281 × 501 mm/R1.5

GK26TIMSZ

DualDesign

GK26TIMSZ/3108460205

**GK27TIMSZ****Features**

-  Slider control
-  PowerPlus for all cooking zones
-  Pause button
-  Keep warm function
-  Automatic boost
-  Acoustic timer
-  Operating time with switch-off function
-  Wipe protection
-  Zone connection
-  Melt function
-  Simmer function
-  Button tone settings (on/off)

Features

- Max. power with PowerPlus: 2 × 3700 watts
- 9 power settings
 - Safety package
 - Pan detection (10-22 cm)

Appliance dimensions

W × D: 384 × 501 mm/R1.5

GK27TIMSZ

Dual Design, flush or top-mounted

GK27TIMSZ/3108560205

Induction**Accessories**

- Intermediate support: bridge for hob combinations, flush-fitting H63789
- Intermediate support: bridge for hob combinations, supported, black 1019199

Features and accessories from page 144

Available from
late autumn 2018



FULLFLEX

This highly flexible hob allows you to have 6 pots and pans on the go all at once.

Features

-  AutoPowerPlus
-  Pause button
-  Keep warm function
-  Acoustic timer
-  Operating time with shut-off function
-  Wipe protection
-  Melt function
-  Simmer function
-  Button tone settings (on/off)
-  ProfiAutomatic
-  Memory function
-  Zone connection

Features

- Max. power: 11,100 watts
- A single hob measuring 3185 cm²
- Glass: anthracite with protective printing
- 18 power settings
- Integrated clock (with daylight saving time settings)
- Heating function
- Safety package
- Languages
- Pan detection (10-22 cm)
- TFT colour display

Free

Premium Teppan Yaki plate

Appliance dimensions

W x D: 897 x 501 mm/R1.5

GK11TIFKZS

DualDesign
GK11TIFKZS/3106260002

FUSION

This ingenious fan is integrated into the hob and draws the cooking vapours down directly.

Hob features

-  PowerPlus for all cooking zones
-  Pause button
-  Keep warm function
-  Automatic boost
-  Acoustic timer
-  Operating time with shut-off function
-  Wipe protection
-  Melt function
-  Simmer function
-  Button tone settings (on/off)

Fan features

-  Metal grease filter cleaning display
-  Charcoal filter saturation display
-  Intensive setting
-  Automatic shut-off time
-  Wipe protection
-  Extracted air
-  Forced convection
-  Side exhaust
-  OptiLink

Features

Hob

- Max. hob power with PowerPlus
- 2 x 3000 watts at the front/2 x 3700 watts at the rear
- 9 power settings
- Touch-screen graphic display in 9 languages
- Safety package
- OptiGlass
- Pan detection (10-22 cm)

Fan

- 9 power settings and 1 intensive level
- Intensive setting with automatic reset
- Dishwasher-safe, removable collection tray featuring an integrated metal grease filter with approx. 500 ml storage capacity

Appliance dimensions

W x D: 761 x 501 mm/R1.5

GKD46TIMASZO

OptiGlass, DualDesign
GKD46TIMASZO/3109460415

FUSION

Extras for recirculation mode

Recirculation box for base area with activated charcoal filter package (1012161)
Maintenance-free for approx. 3.5 years



GK56TIMSZO

An incredibly powerful hob featuring simple operation through direct selection. These hobs are fitted with **OptiGlass**.

Features

-  Slider control
-  PowerPlus for all cooking zones
-  Pause button
-  Keep warm function
-  Automatic boost
-  Acoustic timer
-  Operating time with switch-off function
-  Wipe protection
-  Zone connection
-  Melt function
-  Simmer function
-  Button tone settings (on/off)

Features


- Max. power with PowerPlus: 5 × 3700 watts
- 1 cooking zone (28 cm)
- 9 power settings
- Safety package
- Pan detection (10-22 cm)

Appliance dimensions

W × D: 897 × 501 mm/R1.5

GK56TIMSZO

DualDesign
GK56TIMSZO/3108160515



GK46TIMPSZ

Pan detection for flexible cooking: the hob detects the size of the pan and automatically adjusts the cooking zone accordingly.

Features

-  Slider control
-  PowerPlus for all cooking zones
-  Pause button
-  Keep warm function
-  Automatic boost
-  Acoustic timer
-  Operating time with switch-off function
-  Wipe protection
-  Zone connection
-  Melt function
-  Simmer function
-  Button tone settings (on/off)

Features


- Max. power with PowerPlus: 4 × 3700 watts
- **Graphic display in 4 languages**
- 9 power settings
- Safety package
- Pan detection (10-22 cm)

Appliance dimensions

W × D: 880 × 380 mm/R1.5

GK46TIMPSZ

DualDesign, flush or top-mounted
GK46TIMPSZ/3108060405



GK46TIMASZO

These hobs are fitted with **OptiGlass**.

Features

-  Slider control
-  PowerPlus for all cooking zones
-  Pause button
-  Keep warm function
-  Automatic boost
-  Acoustic timer
-  Operating time with switch-off function
-  Wipe protection
-  Zone connection
-  Melt function
-  Simmer function
-  Button tone settings (on/off)

Features

- Max. power with PowerPlus: 4 × 3700 watts
- **Graphic display in 4 languages**
- 9 power settings
- Safety package
- Pan detection (10-22 cm)

Appliance dimensions

W × D: 761 × 501 mm/R1.5


GK46TIMASZO

DualDesign
GK46TIMASZO/3109160415

PRODUCT COMPARISON: GAS

GAS951GSAZ
GAS641GSAZ
GAS421GSAZ
GAS411GSAZ

Page in brochure	66	66	67	67
DESIGN OPTIONS				
Flush-fitting or top-mounted	▪	▪	▪	▪
APPLICATIONS				
Number of cooking zones	4	4	2	1
Bridge function	▪	▪		
OPERATION/SUPPORT				
Multi-slider/direct selection	▪	▪	▪	▪
Timer	▪	▪	▪	▪
Automatic shut-off	▪	▪	▪	▪
Pause button	▪	▪	▪	▪
Automatic boost	▪	▪	▪	▪
Melt function	▪	▪	▪	▪
Simmer function	▪	▪	▪	▪
Keep warm function	▪	▪	▪	▪
Wipe protection function	▪	▪	▪	▪
Restore function	▪	▪	▪	▪
Childproof lock	▪	▪	▪	▪
Pan holder, dishwasher-proof	▪	▪	▪	▪
ADDITIONAL FEATURES				
Safety switch-off	▪	▪	▪	▪
Residual heat display	▪	▪	▪	▪
Automatic flame sensor	▪	▪	▪	▪
Automatic re-ignite function	▪	▪	▪	▪
One-handed ignition	▪	▪	▪	▪



GAS951GSAZ

Operating modes

- Slider control
- Pause button
- Wipe protection
- Keep warm function
- Melt function
- Button tone settings (on/off)
- Zone connection
- Operating time with switch-off function
- Automatic boost
- Acoustic timer
- Simmer function

Features

- 9 power settings
- Automatic flame sensor
- Automatic re-ignite function
- One-handed ignition
- Childproof lock
- Safety switch-off
- Safety package
- Residual heat display
- Black design

Cooking zone power

Left: Power-Wok burner 6 kW
 Front middle: 1.75 kW
 Front right: 1 kW
 Back middle: 1.75 kW
 Back right: 3 kW
 Set up for: Natural gas, 20 mbar

Special design


- 1 appliance - 2 installation options
- Flush-fitting or top-mounted
- Pan holder, black enamel plating

Appliance dimensions

(W × D): 897 × 501 mm

GAS951GSAZ

DualDesign, flush or top-mounted
 GAS951GSAZ/3107260515



GAS641GSAZ

Operating modes

- Slider control
- Pause button
- Wipe protection
- Keep warm function
- Melt function
- Button tone settings (on/off)
- Zone connection
- Operating time with switch-off function
- Automatic boost
- Acoustic timer
- Simmer function

Features

- 9 power settings
- Automatic flame sensor
- Automatic re-ignite function
- One-handed ignition
- Childproof lock
- Safety switch-off
- Safety package
- Residual heat display
- Black design

Cooking zone power

Front left: 1.75 kW
 Front right: 1 kW
 Back left: 1.75 kW
 Back right: 3 kW
 Set up for: Natural gas, 20 mbar

Special design


- 1 appliance - 2 installation options
- Flush-fitting or top-mounted
- Pan holder, black enamel plating

Appliance dimensions

(W × D): 571 × 501 mm

GAS641GSAZ

DualDesign, flush or top-mounted
 GAS641GSAZ/3107160415



GAS421GSAZ

Operating modes

-  Slider control
-  Pause button
-  Wipe protection
-  Keep warm function
-  Melt function
-  Button tone settings (on/off)
-  Operating time with switch-off function
-  Automatic boost
-  Acoustic timer
-  Simmer function

Features

- 9 power settings
- Automatic flame sensor
- Automatic re-ignite function
- One-handed ignition
- Childproof lock
- Safety switch-off
- Safety package
- Residual heat display
- Black design

Cooking zone power

Front: 1.75 kW

Back: 3 kW

Set up for: Natural gas, 20 mbar

Special design

- 1 appliance - 2 installation options
- Flush-fitting or top-mounted
- Pan holder, black enamel plating

Appliance dimensions

(W × D): 384 × 501 mm

GAS421GSAZ

DualDesign, flush or top-mounted

GAS421GSAZ/3106460215



GAS411GSAZ

Operating modes

-  Slider control
-  Pause button
-  Wipe protection
-  Keep warm function
-  Melt function
-  Button tone settings (on/off)
-  Operating time with switch-off function
-  Automatic boost
-  Acoustic timer
-  Simmer function

Features

- 9 power settings
- Automatic flame sensor
- Automatic re-ignite function
- One-handed ignition
- Childproof lock
- Safety switch-off
- Safety package
- Residual heat display
- Black design

Cooking zone power

Power-Wok burner: 6 kW

Set up for: Natural gas, 20 mbar

Special design

- 1 appliance - 2 installation options
- Flush-fitting or top-mounted
- Pan holder, black enamel plating

Appliance dimensions

(W × D): 384 × 501 mm

GAS411GSAZ

DualDesign

GAS411GSAZ/3106360115

Gas hob

Accessories

- Intermediate support: bridge for hob combinations, flush-fitting H63789
- Intermediate support: bridge for hob combinations, supported, stainless steel 1014361
- Intermediate support: bridge for hob combinations, supported, black 1019199
- Additional pan support for small pans, mocha attachment 1015122

Cooking zones and max. pan sizes (Ø pan base in cm)

* economy burner (1 kW): 16 cm

* standard burner (1.75 kW): 20 cm

* high speed burner (3 kW): 26 cm

** wok burner (6 kW): 26 cm

* 1 burner ring

** 2 burner rings

Note

When combined with a hob hood from V-ZUG, the 1031218 gas deflector must be ordered and installed in all cases.



Elegant, premium-quality workmanship

▪

Variable colour temperature with FlexLED

▪

Super quiet thanks to SilentPlus

▪

Premira with an all-new shine

RANGE HOODS



Smell, feel and see the premium quality for yourself



RANGE HOODS FOR AESTHETIC AND FUNC- TIONAL SOLUTIONS

Whether you want a designer hood to reflect your good taste or built-in appliances for more practical purposes: we're sure to have the ideal product to suit any kitchen.



Island and ceiling range hoods

Island and ceiling range hoods are suitable for kitchens with an island layout. For an added touch of subtle elegance, we've also added a cable hood to our line.

Integrated range hoods

Integrated range hoods are designed to be fitted in top cabinets or other kitchen elements. With this solution, there is almost no end to the number of ways to design your kitchen.

Hob hood

For plenty of headroom and a puristic kitchen design: The hob hood is installed in the kitchen surface and the cooking vapours are drawn down directly. Thanks to the recessed collection tray, there are no spillages and cleaning is quick and practical. The tray has a storage capacity of 0.5 litres. It can be easily removed from its trough and cleaned in the dishwasher together with the metal grease filter.

Fusion

The perfect combination: Our Fusion hob already features an integrated range hood that draws down cooking vapours from right next to your pots and pans. Just like in hob hoods, the collection tray can be removed and cleaned in the dishwasher.

Downdraft extractor

Our outstanding downdraft extractor is equipped with a retractable hood element so that it can be lowered back into the cover again after use. We recommend combining downdraft extractors with a panorama hob for the best possible extraction of smoke vapours.

Wall hoods

You can use this type of hood if your hob is next to a wall. Slanting hoods provide more headroom and an unrestricted view of the hob in contrast to horizontal wall hoods.

Built-in range hoods

Built-in range hoods enable you to make the best possible use of the space in your kitchen. Depending on the design, they can be integrated almost entirely into top cabinets to save space for spices, recipe books and kitchen utensils. They tuck away almost invisibly and only need to be pulled out when cooking.



Ceiling range hoods



Downdraft extractor



Island hoods



Wall hoods



Integrated range hoods



Built-in range hoods



Hob hood



Fusion

INNOVATION

A SMART COMBINATION

A range hood is already integrated into our new Fusion hob to provide plenty of headroom. What's more, it also comes complete with the OptiLink function, meaning you never have to worry about the range hood as it controls itself in conjunction with the hob.



One appliance – two functions

This hob combines two functions in a single appliance and makes cooking so much easier, allowing you to focus entirely on preparing your meals. The new MaxiFlex hob already features an integrated range hood that draws down cooking vapours from right next to your pots and pans. Just like in hob hoods, the collection tray can be removed and cleaned in the dishwasher. Even the intuitive touch control on the graphic display transforms cooking into a real experience.

Intelligent communication

The OptiLink function offers yet another highlight: the hob and range hood communicate with each other so that the extraction strength is automatically regulated depending on the amount of cooking vapour. Of course, you can also set the extraction strength manually, but the appliance can handle this function for you, allowing you to focus on your cooking.

INNOVATION





A BREATH OF FRESH AIR IN THE PREMIRA RANGE

Not only are the Premira hoods equipped with state-of-the-art technology, they're also the most powerful hoods around, economical to run, and stylish to look at, too. Our top-of-the-range product is now even better.



A beautiful update

If you are looking for a range hood of the highest calibre, then we have just the right product for you: The Premira line includes built-in hoods, island hoods and wall hoods, all of which boast an array of outstanding features. The island hood now sparkles for all to see in our new design featuring mirror glass on the front and sides of the wall hood. We have also added some new designs to the built-in range hoods, which are now available in chrome and mirror glass in all sizes. What's more, the new, premium-quality FlexLED offers extensive illumination. The light warmth can even be individually adjusted for a harmonious kitchen lighting concept.

Outstanding technology on the inside

All Premira range hoods are available as an extracted air or recirculation air solution. In contrast to extraction hoods, which draw out smoke and send it outside, a recirculation air hood cleans the air and then emits back into the surrounding air. Premium-quality activated charcoal filters are excellent at getting rid of smells. Even cleaning the metal grease filters couldn't be easier: they can be safely removed with ComfortFix and reattached with ease thanks to the magnetic attachment. Just like the integrated LED lighting, the powerful motor consumes very little electricity while also remaining very quiet during operation thanks to SilentPlus.

OUR
RECOMMEN-
DATION

Upwards or downwards?

The current popularity of open-plan kitchens has also caused the tide to turn when it comes to range hoods. New types of range hoods – such as downdraft and hob hood extractors – draw down cooking vapours from right next to your pans and offer plenty of headroom. There is also a trend towards integrated appliances, with the Fusion hob and integrated range hood offering two appliances in one. But perhaps you would prefer to have your cooking vapours extracted upwards after all and like the idea of a stylish island hood or a practical, built-in range hood. With so many options to choose from, our range offers the perfect solution to suit all requirements.



	DSDSR12	DSTS9	DSMS	
Page in brochure	76	77	77	
DESIGN OPTIONS				
ChromeClass	▪			
ChromeClass/glass	▪	▪		
Mirror glass				
Glass front			▪	
OptiGlass				
120 cm wide	▪			
100 cm wide				
90 cm wide		▪		
80 cm wide				
Extracted air	▪	▪	▪	
Recirculation air with standard activated charcoal filter	▪	▪	▪	
Recirculation air with long-life activated charcoal filter		▪		
Recirculation air with long-life plus activated charcoal filter				
APPLICATIONS				
Adjustable FlexLED, 2700–4000 kelvin				
LED lighting	▪	▪		
Light colour (kelvin)	3000	4000		
Dimming lights	▪	▪		
SilentPlus				
Number of metal grease filters	4	2	1	
ComfortFix				
Automatic shut-off time	▪	▪	▪	
Intensive setting	▪	▪	▪	
Clean-Air function	▪	▪		
Metal grease filter cleaning display	▪	▪	▪	
Connection for inlet/outlet valve				
Efficient BLDC motor			▪	
OPERATION AND DISPLAY				
Touch-screen graphic display				
Touch buttons		▪	▪	
Push buttons	▪			
Remote control*	incl.			
OptiLink				
Number of power settings	4	4	4	
Blower setting display	▪	▪	▪	

*At an additional charge

For accessories, see page 149 onwards



DSDSR12

Powerful performance and understated design - this hood is installed directly into the ceiling.

Operating modes

-  Extracted air
-  Recirculation air
-  Light with dimmer function
-  Metal grease filter cleaning display
-  Intensive setting
-  Automatic shut-off time
-  Side exhaust

Features

- Air delivery rate according to EN 61591:
Max. setting 630 m³/h
Intensive level 830 m³/h
- Acoustic values: Max. setting 68 dB(A)
Intensive setting 74 dB(A)
- Air vents with integrated non-return flap Ø 150mm
- 2 LED lights
- Including remote control
- Intensive setting with automatic reset

Energy



Appliance dimensions without flue

Front height × W × D: 133 × 1200 × 700 mm
Appliance height: 318 mm (extracted air)

DSDSR12

Ceiling range hood
ChromeClass DSDSR12c/6400360003

Extras for recirculation mode

Recirculation air box with 5 kg activated charcoal approx. 5 years maintenance-free (1012160)

Extras for versions with an external motor
Construction kit (H43403)



DIAS

Suspended from cables, this island hood is particularly suited to loft apartments thanks to its flexible height adjustment.

Operating modes

-  Recirculation air
-  Wipe protection
-  Metal grease filter cleaning display
-  Intensive setting
-  Automatic shut-off time
-  Charcoal filter saturation display

Features

- Air delivery rate according to EN 61591:
Max. setting 491 m³/h
Intensive level 532 m³/h
- Acoustic values: Max. setting 69 dB(A)
Intensive setting 70 dB(A)
- Touch buttons
- 4 LED lights
- Remote control as an accessory
- Intensive setting with automatic reset

Energy



Appliance dimensions

Front height × W × D: 132 × 1000 × 700 mm
Appliance height: 500-2000 mm (recirculation air)

DIAS

Black glass DIAS10g/6300960005

Extras for recirculation mode

Activated charcoal filter package with 4 kg activated charcoal approx. 3.5 years maintenance-free (10112644)



DSTS9

A range hood of the highest calibre: the retractable downdraft extractor lends the kitchen an added air of exclusivity.

Operating modes

-  Extracted air
-  Recirculation air
-  Light with dimmer function
-  Metal grease filter cleaning display
-  Intensive setting
-  Automatic shut-off time
-  Charcoal filter saturation display

Features

- Air delivery rate according to EN 61591:
Max. setting 420 m³/h
Intensive level 670 m³/h
- Acoustic values: Max. setting 57 dB(A)
Intensive setting 69 dB(A)
- Air vents with integrated non-return flap \varnothing 150 mm
- Touch buttons
- LED lights
- Intensive setting with automatic reset

Energy



Appliance dimensions

H×W×D: 646×880×352 mm
Retractable height 400 mm

DSTS9

Downdraft extractors
Glass DSTS9g/6400460005

Extras for recirculation mode

Recirculation box for base area with activated charcoal filter package (1012163)
approx. 3.5 years maintenance-free
Long-life activated charcoal filter (1012161)

Extras for versions with an external motor
Construction kit (H43403)



DSMS

Almost invisible behind the kitchen surface, the hob extractor guarantees highly effective suction extraction.

Operating modes

-  Extracted air
-  Recirculation air
-  Metal grease filter cleaning display
-  Intensive setting
-  Automatic shut-off time
-  Charcoal filter saturation display

Features

- Air delivery rate according to EN 61591:
Max. setting 500 m³/h
Intensive level 590 m³/h
- Acoustic values: Max. setting 67 dB(A)
Intensive setting 70 dB(A)
- Touch buttons
- Intensive setting with automatic reset
- Dishwasher-safe, removable collection tray featuring an integrated metal grease filter with approx. 500 ml storage capacity

Illustration includes hobs. These are not included in the scope of delivery.

Energy



Appliance dimensions

W×D: 110×501 mm / R1.5

DSMS

Glass DSMS/6400560005

Extras for recirculation mode

Recirculation box for base area with activated charcoal filter package (1012160)
approx. 3.5 years maintenance-free

Note:

When combined with a gas hob from V-ZUG, the 1031218 gas deflector must be ordered and installed in all cases.

Available from
late autumn 2018



FUSION

This ingenious fan is integrated into the hob and draws the cooking vapours down directly.

Fan operating modes

- Extracted air
- Recirculation air
- Wipe protection
- Metal grease filter cleaning display
- Intensive setting
- Automatic shut-off time
- Charcoal filter saturation display
- Side exhaust
- OptiLink

Hob operating modes

- PowerPlus for all cooking zones
- Pause button
- Keep warm function
- Automatic boost
- Acoustic timer
- Operating time with shut-off function
- Melt function
- Simmer function
- Button tone settings (on/off)

Features

Hob

- Max. hob power with PowerPlus
2 × 3000 watts at the front/2 × 3700 watts at the rear
- 9 power settings
 - Touch-screen graphic display in 9 languages
 - OptiGlass
 - Safety package
 - Pan detection (10-22 cm)

Features

Fan

- 9 power settings and 1 intensive
- Intensive setting with automatic reset
- Dishwasher-safe, removable collection tray featuring an integrated metal grease filter with approx. 500 ml storage capacity

Appliance dimensions

W × D: 761 × 501 mm/R1.5

GKD46TIMASZO

OptiGlass, DualDesign

Extras for recirculation mode

Recirculation box for base area with activated charcoal filter package (1012161)
approx. 3.5 years maintenance-free



DI Premira PQ

This premium appliance makes life easier.

Operating modes

- Extracted air
- Recirculation air
- Wipe protection
- Metal grease filter cleaning display
- Intensive setting
- Automatic shut-off time
- Charcoal filter saturation display
- Silent
- FlexLED 2700-4000 kelvin
- ComfortFix

Features

- Air delivery rate according to EN 61591:
Max. setting 452 m³/h
Intensive level 675 m³/h
- Acoustic values: Max. setting 52 dB(A)
Intensive setting 63 dB(A)
- Air vents with integrated non-return flap \varnothing 150 mm
- 4 adjustable LED lights, 2700-4000 kelvin
- Convenient handling and fixing of the metal grease filter
- Contact option
- Remote control as an accessory
- Intensive setting with automatic reset

Energy



Appliance dimensions without flue

Front height \times W \times D:
55 \times 1000/1200 \times 700 mm
*Appliance height incl. flue:
510-845 mm (extracted air)
610-1000 mm (recirculation air)

DI Premira PQ

DI PQ 10 (100 cm)

Black glass DIPQ10g/6301560002

DI PQ 12 (120 cm)

Black glass DIPQ12g/6301660002

Extras for recirculation mode

Long-life plus activated charcoal filter starter kit (1046969)



DW Premira

This premium appliance makes life easier.

Operating modes

- Extracted air
- Recirculation air
- Wipe protection
- Metal grease filter cleaning display
- Intensive setting
- Automatic shut-off time
- Charcoal filter saturation display
- Silent
- FlexLED 2700-4000 kelvin
- ComfortFix

Features

- Air delivery rate according to EN 61591:
Max. setting 452 m³/h
Intensive level 675 m³/h
- Acoustic values: Max. setting 52 dB(A)
Intensive setting 63 dB(A)
- Air vents with integrated non-return flap \varnothing 150 mm
- 2 adjustable LED lights, 2700-4000 kelvin
- Convenient handling and fixing of the metal grease filter
- Contact option
- Remote control as an accessory
- Intensive setting with automatic reset

Energy



Appliance dimensions without flue

Front height \times W \times D:
55 \times 900/1200 \times 550 mm
*Appliance height incl. flue:
460-875 mm (extracted air)
570-995 mm (recirculation air)

DW Premira

DW PQ 9 (90 cm)

Black glass DWPQ9g/6202260002

DW PQ 12 (120 cm)

Black glass DWPQ12g/6202360002

Extras for recirculation mode

Long-life plus activated charcoal filter starter kit (1046969)



DW VHR

The energy-efficient slanting hood of this wall-mounted solution creates more head room, thus making cooking more comfortable.

Operating modes

- Extracted air
- Recirculation air
- Light with dimmer function
- Wipe protection
- Metal grease filter cleaning display
- Intensive setting
- Automatic shut-off time
- Charcoal filter saturation display
- Side exhaust
- Silent
- FlexLED 2700-4000 kelvin
- ComfortFix

Features

- Air delivery rate according to EN 61591:
Max. setting 650 m³/h
Intensive level 870 m³/h
- Acoustic values: Max. setting 67 dB(A)
Intensive setting 73 dB(A)
- Air vents with integrated non-return flap \varnothing 150 mm
- 2 LED lights
- Remote control as an accessory
- Touch buttons
- Intensive setting with automatic reset

Energy



Appliance dimensions without flue

Front height \times W \times D: 380 \times 898 \times 339 mm
*Appliance height incl. flue:
805-1435 mm (extracted air)
463 mm (recirculation air, without flue)

DW VHR

DW VHR9 (90 cm)

Glass DWVHR9g/6201060005

Extras for recirculation mode

Long-life activated charcoal filter (H43400)

*Please consult the planning aids at vzug.com/planningaid

PRODUCT COMPARISON: BUILT-IN RANGE HOODS AND INTEGRATED RANGE HOODS

	DEHMR	DFPQ
Page in brochure	81	81
DESIGN OPTIONS		
ChromeClass	▪	▪
With glass canopy		▪
Fully visible/partially visible installation		-/▪
Integrated installation	▪	
120 cm wide		▪
90 cm wide		▪
86 cm wide	▪	
70 cm wide	▪	
60 cm wide		▪
55 cm wide		▪
52 cm wide	▪	
Extracted air	▪	▪
Recirculation air with standard activated charcoal filter		
Recirculation air with long-life activated charcoal filter	▪	
Recirculation air with long-life plus activated charcoal filter		▪
APPLICATIONS		
Side exhaust	▪	
Adjustable FlexLED, 2700-4000 kelvin		▪
LED lighting	▪	▪
Light colour (kelvin)	3000	1-8
SilentPlus		▪
Number of metal grease filters	1/2	2/3/4
ComfortFix		▪
Automatic shut-off time	▪	▪
Metal grease filter cleaning display	▪	▪
Connection for inlet/outlet valve		▪
Efficient BLDC motor		▪
OPERATION AND DISPLAY		
Push buttons	▪	
Touch buttons		▪
Fan power level selection above glass canopy/steam filter		▪
Remote control*	▪	▪
Number of power settings	4	4
Blower setting display	▪	▪
Quickstart		▪

*At an additional charge For accessories, see page 149 onwards



DEHMR

A built-in solution with a high air delivery rate for the best capturing efficiency and dimmable LED lighting.

Operating modes

-  Extracted air
-  Recirculation air
-  Light with dimmer function
-  Metal grease filter cleaning display
-  Intensive setting
-  Automatic shut-off time
-  Charcoal filter saturation display
-  Side exhaust

Features

- Air delivery rate according to EN 61591:
Max. setting 560 m³/h
Intensive level 690 m³/h
- Acoustic values: Max. setting 64 dB(A)
Intensive setting 68 dB(A)
- Air vents with integrated non-return flap \varnothing 150 mm
- 2 LED lights
- Intensive setting with automatic reset

Energy



Appliance dimensions

Front height \times W \times D:
330 \times 520/700/860 \times 300 mm

DEHMR

DEHMR5* (52 cm)

ChromeClass DEHMR5c/6102360003

*Power: 640 m³/h, energy efficiency B

DEHMR8 (86 cm)

ChromeClass DEHMR8c/6102560003

Extras for recirculation mode

Long-life activated charcoal filter
(H43392)

*Please consult the planning aids at vzug.com/planningaid



DF Premira PQ

The Premira built-in solution boasts an elegant glass canopy.

Operating modes

-  Extracted air
-  Recirculation air
-  Wipe protection
-  Metal grease filter cleaning display
-  Intensive setting
-  Automatic shut-off time
-  Charcoal filter saturation display
-  Silent
-  FlexLED 2700-4000 kelvin
-  ComfortFix

Features

- Air delivery rate according to EN 61591:
Max. setting 455 m³/h
Intensive level 657 m³/h
- Acoustic values: Max. setting 53 dB(A)
Intensive setting 63 dB(A)
- Air vents with integrated non-return flap \varnothing 150 mm
- 2 adjustable LED lights, 2700-4000 kelvin
- Convenient handling and fixing of the metal grease filter
- Contact option
- Remote control as an accessory
- Touch buttons
- Fan selection above glass canopy
- Intensive setting with automatic reset

Energy



Appliance dimensions

Front height \times W \times D:
55 \times 598/898/1198 \times 495 mm

DF Premira PQ

DF PQ 6 (60 cm)

ChromeClass DFPQ6c/6104060003

DF PQ 9 (90 cm)

ChromeClass DFPQ9c/6104160003


DF PQ 12 (120 cm)

ChromeClass DFPQ12c/6104260003

Extras for recirculation mode

Long-life plus activated charcoal filter

Features and accessories from page 145



The rapid Party programme

- Sparkling shine with SteamFinish


- OptiStart delayed start function

- Adora with heat pump

DISHWASHERS



A powerful tool for your kitchen, helping you and your crockery to shine



VARIOUS SIZES AND DESIGNS AVAILABLE

Select a dishwasher that matches your household perfectly –
or simply allow the appliance to blend in elegantly
with your kitchen facade.




A design to suit every kitchen

The Adora combines functionality with high-quality aesthetics. Among our different dishwasher designs you are sure to find one that is right for your kitchen. It goes without saying that your dishwasher can also be installed invisibly and behind your existing kitchen facade. As the materials chosen for the front of appliances are often high-quality and heavier, we can fit your Adora dishwasher with reinforced door springs if you wish.



Perfectly suited for installation in a tall unit



Quick and easy to install

Our dishwashers are available in standard or extra-large versions, with the latter boasting a deceptive amount of space. In addition to conventional installation options, our dishwashers are also perfect for installation in tall units: a special door hinge allows the dishwasher door to be slightly raised when opened. This leaves space to swivel the door and the Adora can therefore be installed with minimum clearance. Please be aware that the 60 line Adora SL WP with heat pump is only available in the standard size.

Practical lighting for convenient handling

Why switch on the kitchen light at night just to put a glass in the dishwasher? With the new, pleasant LED interior lighting with SL convenience level, this is no longer necessary. Four interior LED lights make loading and unloading the dishwasher easier. Fully integrated models are also equipped with a practical FunctionLight: an LED display fitted into the side of the door informs you when the programme is complete.

WASH YOUR WORRIES AWAY

One thing is certain: a dishwasher consumes much less energy and water than when you wash up by hand. This is particularly true of V-ZUG dishwashers – they are among the best when it comes to the environment.



Quality also means saving energy

Washing your dishes in a dishwasher saves time and is a lot more economical and environmentally friendly than washing up by hand. While washing up by hand uses around 40 litres of water, an Adora SL uses just 5 litres in its automatic programme. If the dishwasher is connected to a hot water supply, the Adora SL consumes as much as 90 % less energy.

Dishwashers with heat pump technology

The Adora SL WP dishwasher additionally features heat pump. We are the first manufacturer to install a highly efficient heat pump into one of our dishwashers, thereby cutting energy consumption by almost 50 % compared to conventional dishwashers. In the Eco programme, the water is heated exclusively by the heat pump, requiring the lowest amount of energy. Depending on which programme is selected, a second source of heat is activated to achieve a consistent temperature. The heat emitted by the dishwasher is collected by the storage device for an evenly balanced flow of heat in your kitchen.

Tested and confirmed by

ökozentrum
forschen | entwickeln | bilden

Economical functions for a healthy bank balance and peace of mind

Our dishwashers are packed with sophisticated sensors and functions that help you to save even more – from electricity and water to salt and brightener, and ultimately money.



Soil sensor: This sensor measures the soil level in the water and makes sure that no fresh water is used unless it is needed.



Water hardness control: The water hardness control function ensures the ideal water hardness level throughout the programme, making the rinsing agent more effective and providing gentler care for your crockery and glasses.



Rinsing agent dosage: The amount of rinsing agent is automatically adapted to the water hardness and load to save you rinsing agent.



Energy saving button: Reduces the temperature by 5 °C, saving 10 % more energy.



Partial load programme: Automatically adjusts the programme to a lower load, thus saving up to 6 litres of water and 30 minutes of rinsing time.



Automatic door opener: The door is released automatically at the end of the rinse programme. This reduces the drying phase, saving valuable energy.



OptiStart: The intelligent delayed start function uses the waiting time before the programme starts to wet the dishes. When the rinse cycle begins, the soil has already been softened so the appliance can run at a lower temperature. Energy consumption is thus reduced by around 10%.



EcoManagement: With EcoManagement, we support you in checking the energy consumption of your appliance and rinsing with resource-conserving programmes.





SWITCH ON AND PREPARE TO BE AMAZED

The sophisticated programmes installed in our dishwashers are an excellent reason to pick a higher convenience level. Of course, every one of our appliances still comes with the programmes you are used to from a good dishwasher.



Everyday Short

The Adora is the first dishwasher that can clean plates with normal levels of soil in just 47 minutes.



Sprint

While the automatic programme of a V-ZUG dishwasher normally needs between 65 and 115 minutes depending on the model, load, water hardness, etc., the Sprint programme takes 20 minutes (18 minutes with the Adora SL WP). With a rinse programme taking only 11 minutes, the Party programme takes first prize when it comes to speed and is even a world record holder: the programme is one of our innovations and a good reason to choose an Adora SL or Adora SL WP for your home.



Automatic

The Automatic programme knows exactly what your dishes need: this programme rinses your dishes perfectly, while still saving up to 30% more water, electricity and regeneration salt. The programme duration lasts anywhere from 65 to 115 minutes. (The actual duration may vary from the information provided above depending on the degree of soiling.)



Fondue/raclette

The exclusive Fondue/raclette programme is specifically intended for classic Swiss specialities. Fondue pots, raclette pans and dishes for bakes or gratins come out perfectly clean without needing to be steeped, thanks to the active soak phase.



Silent

At 37 dB(A), this programme generates virtually no noise. You can thus leave the dishwasher running at night - everything will be clean by the morning.



Hygiene

This programme is perfect for hygienic cleaning of items such as chopping boards or baby bottles.



MachineCare

This special programme degreases and cleans both the interior and the components. Regular care will ensure your dishwasher is hygienically clean while contributing to a longer service life.



SteamFinish innovation

With the SteamFinish programme, the Adora is the first dishwasher to use pure steam to clean glasses, cutlery and dishes, guaranteeing a spotlessly clean and shiny finish. The patented SteamFinish technology generates steam at the end of the drying process. The steam from this purest (distilled) water collects on the crockery and removes any leftover salt or traces of rinsing agents.

THE PARTY PROGRAMME – FASTER THAN EVER BEFORE

Our Party programme is an invaluable tool that even beats the Sprint programme, our fastest programme so far. The Adora SL rinses slightly soiled dishes in just 11 minutes – a world record!



That means the host can enjoy the party, too


Music, chatting, laughter – the party is in full swing. The nibbles are going down a storm. And even the crockery is starting to run out. Not a problem with the smart Party programme on the Adora SL, which washes faster than ever before. After just 11 minutes, the dishes are ready for you and your guests to use again, leaving the host free to enjoy the party!



Quick cleaning that saves you time

The Party programme allows you to run up to five rinse cycles in a row, making it perfect for cleaning large quantities of lightly soiled dishes within a short space of time. This is extremely practical not just for a party, but for plenty of other situations, too – for example during a dinner party with numerous guests at the table and several courses on the menu. Simply rinse the dishes quickly between courses and they are ready to be used again or put away. The kitchen is kept clean and tidy, saving you valuable time that can be spent with your guests.

A record-breaking innovation

While the automatic programme of a V-ZUG dishwasher normally needs between 65 and 115 minutes depending on the model, load, water hardness, etc., the Sprint programme takes 20 minutes (18 minutes with the Adora SL WP). With a rinse programme taking only 11 minutes, the Party programme takes first prize when it comes to speed and is even a world record holder: the programme is one of our innovations and a good reason to choose an Adora SL or Adora SL WP for your home.





FLEXIBILITY AND ERGONOMICS

Thanks to the adjustable equipment, you can arrange your dishwasher whatever way you want – it's almost always sure to fit. For added flexibility, you can equip your appliance with extra accessories.



Lower basket with MultiFlex zone

A folding flap mechanism makes sure that the four rows of prongs can be folded up in a single movement. This creates a large surface that is particularly good for holding large platters, pans, bowls, steam cooker accessories or even cups and glasses.

Available as an accessory: special lower basket for glasses

This lower basket has been developed especially for glasses and cups. It can hold up to 26 glasses and 10 cups. The basket is ideal for day-to-day life in the office or if you often entertain large groups of guests. It can be used with all convenience levels in the Adora line and ordered as a separate accessory. What's more, a special insert for wine glasses is available to fit into the lower basket.

Height-adjustable upper basket with plenty of space

The multifunction shelf and special section for glasses are ideal for coffee cups and act as a shelf for holding tumblers or wine glasses. It can also hold saucers or small bowls with ease. The upper basket also comes with several height settings: you can move it to one of seven different positions in a single movement, even when it's loaded.

Convenient ergoPlus cutlery drawer

Our very own drawer provides an ergonomic solution for stacking cutlery. You can stack your cutlery in a structured manner so that nothing touches. This makes sure that your cutlery is clean all over without any scratch marks.

OUR
RECOMMEN-
DATION

What's the best way for me to wash up?

A dishwasher not only makes everyday life that bit easier, it also uses significantly less water than washing up by hand. No wonder virtually every household has one. Various convenience levels are available to choose from to suit your needs. Which appliance is right for you depends on your lifestyle and your living arrangements. In an open-plan kitchen, for example, we recommend choosing a particularly quiet appliance (noise levels can be found on the energy label).

PRODUCT COMPARISON: DISHWASHERS

	Adora 60 SL WP	Adora 60 SL	Adora 60 S	Adora 60 N
Page in brochure	96	96	97	95 / 97
DESIGN OPTIONS				
Extra-height version		▪	▪	▪
Fully integrated	▪	▪	▪	▪
Mirror glass	▪	▪	▪	▪
FEATURES				
Energy efficiency	A+++/-30%	A+++/-10%	A+++/-10%	A++
Heat pump	▪			
ergoPlus cutlery drawer		▪		
LED interior lighting	▪	▪		
Automatic door opener	▪	▪	▪	
V-ZUG EXCLUSIVES				
Sprint/Party programme (min.)	18/11	20/11		
Special function for hot water connection	▪	▪	▪	▪
SteamFinish	▪	▪		
Everyday Sprint	▪	▪		
Upper basket with multiple height settings	▪	▪	▪	▪
APPLICATIONS				
Number of place settings	13	13/14	13	13
Installation in tall unit	▪	▪	▪	▪
Number of programmes	12	12	8	5
All-in-1 option	▪	▪	▪	▪
Hygiene programme	▪	▪	▪	
Childproof lock	▪	▪	▪	
EcoManagement	▪	▪		
OPERATION AND DISPLAY				
Delayed start	▪	▪	▪	▪
Plain text display	▪	▪		
Digital display			▪	
APPLIANCE HEIGHT				
Standard (mm)	867 - 907	780 - 896	780 - 896	780 - 896
Extra-height (mm)		845 - 961	845 - 961	845 - 961

*Optional Features and accessories from page 146



Adora N di

This appliance has space for 13 place settings. Manufactured in Switzerland - just like all other Adora dishwashers.

Programmes

	Automatic
	Quick wash/glass care
	Intensive
	Pre-rinse
	Eco
	Energy saving
	9 h delayed start
	Ideal for tabs
	Turbidity sensor

Features

- Space for 13 place settings
- Soil sensor

Energy



From 8 litres/0.93 kWh/44 dB(A)

Adora N di

Standard black handle

GS60NZdig/4106360002

Accessories for Adora dishwashers

Adora 60 Ndi

- Tray for the lower basket
(Space for 18 cups) (W83934)
- Adjustable cutlery basket insert
(W83586)

All Adora models

- Lower basket for glasses
(1013007)
- Glass compartment for lower basket
(1015132)

Installation accessories for all Adora models (please specify when ordering)

- Extended inlet/drain hose, 3 m
(1032108, SL model)
- Extended inlet/drain hose, 3 m
(1032107, S/N model)
- Reinforced springs for heavy decorative elements up to 10.5 kg
W84603 (standard model)
- Reinforced springs for heavy decorative elements up to 10.5 kg
W84604 (extra-height model)

The first one with heat pump technology



Adora 60 SL WP Vi

The V-ZUG premium appliance: the first dishwasher with heat pump technology is a champion when it comes to energy.

Programmes

- Automatic
- SteamFinish
- Silent (37 dB (A))
- Daily short
- Party
- Sprint
- Glass
- Intensive
- Fondue/raclette
- Hygiene
- Pre-rinse
- Eco
- MachineCare
- Part load
- Function Light
- Energy saving
- 24 h delayed start
- Ideal for tabs
- OptiStart
- Turbidity sensor
- Rinse agent dosage
- Water hardness control
- Automatic door opener
- EcoManagement

Features

- Interior lighting with 4 LED lights
- Space for 13 place settings

Energy



From 6 litres/0.55 kWh/44 dB(A)

Adora 60 SL WP Vi

GS 60 SL WP Vi

Standard GS60SLWPZVi/4108260055

Adora 60 SL Vi cutlery drawer

The premium appliance with the world's first SteamFinish function and ergoPlus cutlery drawer.

Programmes

- Automatic
- SteamFinish
- Silent (37 dB (A))
- Daily short
- Party
- Sprint
- Glass
- Intensive
- Fondue/raclette
- Hygiene
- Pre-rinse
- Eco
- MachineCare
- Part load
- Function Light
- Energy saving
- 24 h delayed start
- Ideal for tabs
- ergoPlus cutlery drawer
- OptiStart
- Turbidity sensor
- Rinse agent dosage
- Water hardness control
- Automatic door opener
- Water consumption: 5 litres
- EcoManagement

Features

- Interior lighting with 4 LED lights
- Space for 14 place settings

Energy



From 5 litres/0.76 kWh/40 dB(A)

Adora 60 SL Vi cutlery drawer

GS 60 SL GV i B

Extra-height GS60SLZGV i B/4108660255

Adora 60 SL Vi

A first-class dishwasher with the world's first SteamFinish.

Programmes

- Automatic
- SteamFinish
- Silent (37 dB (A))
- Daily short
- Party
- Sprint
- Glass
- Intensive
- Fondue/raclette
- Hygiene
- Pre-rinse
- Eco
- MachineCare
- Part load
- Function Light
- Energy saving
- 24 h delayed start
- Ideal for tabs
- OptiStart
- Turbidity sensor
- Rinse agent dosage
- Water hardness control
- Automatic door opener
- EcoManagement

Features

- Interior lighting with 4 LED lights
- Space for 13 place settings

Energy



From 5 litres/0.75 kWh/40 dB(A)

Adora 60 SL Vi

GS 60 SL Vi

Standard GS60SLZVi/4105960055



Adora 60 S Vi

This dishwasher's automatic door opener guarantees the perfect drying process.

Programmes

	Automatic
	Short
	Glass
	Intensive
	Fondue/raclette
	Hygiene
	Pre-rinse
	Part load
	Childproof lock
	Function Light
	Energy saving
	24 h delayed start
	Ideal for tabs
	Eco
	Turbidity sensor
	Rinse agent dosage
	Automatic door opener

Features

- Space for 13 place settings

Energy



From 8 litres/0.75 kWh/43 dB(A)

Adora 60 S Vi

GS 60 S Vi

Standard GS60SZVi/4107960055

GS 60 S GV i

Extra-height GS60SZGV i/4108060255



Adora 60 N Vi

This appliance has space for 13 place settings. Manufactured in Switzerland - just like all other Adora dishwashers.

Programmes

	Automatic
	Quick wash/glass care
	Intensive
	Pre-rinse
	Function Light
	Energy saving
	9 h delayed start
	Ideal for tabs
	Eco
	Turbidity sensor

Features

- Space for 13 place settings

Energy



From 8 litres/0.93 kWh/44 dB(A)

Adora 60 N Vi

GS 60 N Vi

Standard GS60NZVi/4107560055

GS 60 N GV i

Extra-height GS60NZGV i/4107760255

Accessories for Adora dishwashers

Adora 60 SL Vi/S Vi/N Vi

- Tray for the lower basket (Space for 18 cups) (W83934)
- Adjustable cutlery basket insert (W83586)

All Adora models

- Lower basket for glasses (1013007)
- Glass compartment for lower basket (1015132)

Installation accessories for all Adora models (please specify when ordering)

- Extended inlet/drain hose, 3 m (1032108, SL model)
- Extended inlet/drain hose, 3 m (1032107, S/N model)
- Reinforced springs for heavy decorative elements up to 10.5 kg W84603 (standard model)
- Reinforced springs for heavy decorative elements up to 10.5 kg W84604 (extra-height model)

Features and accessories from page 148



Best energy efficiency



Diverse temperature zones



High-quality design



First-class Swiss quality

REFRIGERATORS AND FREEZERS



Fresh off the Swiss production line: low consumption with a powerful performance



STATE-OF-THE-ART TECHNOLOGY AND PREMIUM SWISS DESIGN

At V-ZUG, design doesn't just mean high-quality aesthetics, it also covers easy operation, practical functions, and flexible equipment.



Premium design and Swiss quality

The majority of our refrigerators are fully integrated appliances: the front section is panelled using your kitchen unit design, helping the appliance to blend elegantly into the background. We also make sure we use high-quality materials and tasteful design for the interior. Brushed stainless steel door trays in the Prestige P eco and chrome-plated shelf rims in almost all A+++ appliances add a beautiful touch to the refrigerators' interior. The interiors of our new Jumbo 60i and Magnum 2 60i eco refrigerators stand out from the crowd with their combination of tinted glass and chrome-plated, stainless-steel accents.

Simple and convenient – LED lighting

The modern lighting concept with high-quality LED lights distribute the light perfectly throughout the refrigerator, even when it has a full load – and across all temperature zones right down to the bottom box.



The ultimate in practical and flexible equipment

A V-ZUG refrigerator offers you plenty of flexibility for your own, customised layout: with the smart rack system, the shelves are easy to adjust, and can also be removed and reinserted again for cleaning. The shelves are clicked into place using latches in the side walls. Thanks to shorter shelves and separating shelves, there is even plenty of space for larger items.



SoftTelescope

Selected models come complete with SoftTelescope drawers. Drawers with this innovative concept can be fully extended and also feature convenient self-closing runners with a soft-close mechanism.



SoftClosePlus

The new SoftClose door function for fully integrated models provides added comfort. No matter how much force you use to close the door, the closing motion is braked so that the door closes softly and quietly. The new models come complete with SoftClosePlus: The integrated Soft System also ensures the door closes incredibly gently even when the inner door compartment is full.



SoftTelescope



SoftClosePlus

MULTIPLE COOLING ZONES AND INNOVATIVE MATERIALS

From our wide range of refrigerators and freezers, our multi-zone appliances are particularly close to our heart: thanks to the various temperature zones, you will have the perfect conditions for storing your food – for added freshness and quality.



The cold store compartment

At temperatures of around 0 °C and with the ideal level of moisture, your food retains its healthy nutrients and vitamins, its delicate aroma, and its enticing appearance for up to three times as long as in the normal cooling space. As well as lasting longer, this means more enjoyment and better quality for you.



FreshControl zone

The FreshControl zone is based on professional cooling methods using precise temperature control at just above 0 °C, meeting the highest standards around. You can adjust the level of moisture in the drawers as required. When moisture levels are low, meat, fish, poultry and sausages last longer while moisture must be high for vegetables, salads, herbs and fruit.

For a fresh refrigerator

The bottom box is particularly ideal for fresh food. And to make sure these stay fresh, refrigerator hygiene is a top priority.



HygienePlus

Working with the leading Swiss company SANITIZED, V-ZUG has introduced a new type of plastic into its refrigerators. This material reduces the growth and spread of harmful micro-organisms on the surfaces by up to 99.9 %*. This modern plastic also protects against unpleasant smells.



*Testing methods: JIS Z 2801:JIS Z 2801
Testing organism: Staphylococcus aureus
ATCC 6538
Tested additive: Sanitized® BC A 21-41;
0.4 % in polystyrene
Biocidal agent: Silver phosphate glass

PREMIUM REFRIGERATION

These refrigerators and freezers are sure to warm your heart with a range featuring state-of-the-art technology, more convenience than ever, and an attractive design.



Design and convenience of the highest order

Are space and convenience important to you when it comes to your refrigerator? Then you're sure to appreciate a side-by-side solution. By combining a single-door refrigerator and single-door freezer, we can offer you a stylish solution that will make your life so much easier. The new Jumbo 60i refrigerator and Iglu 60i freezer are the perfect choices for this side-by-side solution.

The premium refrigerator

With 301 litres of usable capacity, our Jumbo 60i not only offers plenty of space, but also comes complete with state-of-the-art equipment featuring the latest innovations. What's more, the interior impresses with an attractive design comprising tinted glass and chrome-plated, stainless-steel accents. Another real bonus is that its FreshControl zone features three large drawers designed to not only maximise shelf life at temperatures of just over 0 °C, but also for ideal humidity levels. These are the perfect conditions for storing meat, fish, fruit, and vegetables. What's more, all of the drawers can be fully extended and also feature convenient self-closing runners.



FlexBox

The practical FlexBox can be placed pretty much anywhere and offers space for smaller foodstuffs, packages, collapsible tubes and glass containers.





This side-by-side solution really is impressive across the entire range.

The premium freezer

When it comes to state-of-the-art, side-by-side solutions, the new Iglu 60i freezer is the perfect accompaniment to our premium Jumbo 60i refrigerator. Energy-saving and long-lasting LED lighting ensures optimal illumination and better visibility of the inside of the transparent compartments. Are you looking for a freezer that's suitable for storing oversized packaging? No problem, as the flexible drawer system can easily be rearranged to create more space in no time.



NoFrost

Defrosting your freezer is a thing of the past thanks to the sophisticated NoFrost technology in this appliance. You're sure to breathe a sigh of relief as this means there's no annoying layer of ice to stop the drawers from opening and closing smoothly on their roller runners.




INVEST IN ENERGY EFFICIENCY TO SAVE MONEY


No more worries about your carbon footprint and reduced energy costs for your household: Our refrigerators come complete with top-class Swiss technology and we are particularly passionate about promoting energy efficiency.



Lower running costs for added potential savings

Environmental assessments show that running a fridge or freezer puts a major strain on the environment. That is why we work hard to produce energy-saving models and thus help to remove the strain on the environment. In contrast to fridges with an A energy rating, the latest range of refrigerators with an A+++ energy efficiency rating consume up to 60% less energy. Furthermore, with a usage life of 15 years, you can save a significant sum on running costs. Subsidies from local energy suppliers for economic fridges and freezers provide an additional incentive.





PRODUCT COMPARISON: REFRIGERATORS AND FREEZERS

	Jumbo	Iglu	Winecooler 90 SL	Winecooler SL	Winecooler UCSL
Page in brochure	109	109	112	112	113
DESIGN OPTIONS					
Installation height (cm)	177.8	177.8	90.4	87.4-88	82-87
1-door	▪	▪	▪	▪	▪
Fully integrated	▪	▪			
Mirror glass			▪	▪	▪
Usable capacity, total (l)	301	213	144	144	94
Freezer compartment (l)		213			
Energy efficiency rating	A++	A++	A	A	A
V-ZUG EXCLUSIVES					
FreshControl zone	▪				
Wine cooling zone			▪	▪	▪
APPLICATIONS					
LED lights	▪	▪	▪	▪	▪
Separating trays or short trays	▪				
Bottle drawer					▪
OPERATION AND DISPLAY					
Separate temperature control	▪		▪	▪	▪
Digital display	▪	▪	▪	▪	▪
TouchControl	▪	▪			▪
Quick cool and/or quick freeze		▪	▪	▪	▪
SoftClose	▪	▪	▪	▪	▪
HygienePlus			▪	▪	

For the Jumbo bottle holder accessoire, see page 147



Jumbo

The perfect side-by-side solution in combination with the Iglu 60i freezer.

Appliance information

-  FreshControl
-  Digital display
-  TouchControl
-  SoftClosePlus
-  FlexBox
-  SoftTelescope

- Usable capacity, total: 301 litres
- Fridge compartment: 301 litres
- FreshControl: 90 litres
- Also suitable for installation with standard external push-to-open systems

Equipment in the fridge section

- 7 glass shelves, 6 of which are height-adjustable, 1 separating shelf
- 3 large vegetable trays
- 5 door trays
- 2 egg trays

Energy



Energy consumption over 365 days: 133 kWh

Appliance dimensions

H×W×D: 1770×559×544 mm

KJ 60ir

Fully integrated, incl. construction kit
KJ60ir/5107860015



Iglu

Freezer

The perfect side-by-side solution in combination with the Jumbo 60i refrigerator.

Appliance information

-  Digital display
-  TouchControl
-  SoftClosePlus
-  NoFrost

- Usable capacity, total: 213 litres
- Freezer compartment: 213 litres
- Also suitable for installation with standard external push-to-open systems

Equipment in the freezer compartment

- 8 freezer drawers
- 2 cold storage batteries
- 2 ice cube trays

Energy



Energy consumption over 365 days: 244 kWh

Appliance dimensions

H×W×D: 1770×559×544 mm

KIG 60ir

Fully integrated, incl. construction kit
KIG60ir/5107760015

Accessorie for the Jumbo see page 147

YOUR FINEST WINES AT THE PERFECT TEMPERATURE

V-ZUG's winecoolers are perfectly tuned for storing your finest wines, right down to the smallest detail – the only true companion for those extra special moments of joy.



The ideal conditions for the finest vintages

The taste sensation you get from a good wine not only depends on its quality; temperature and the type of glass used can also play a key role. We're sure that these are all important factors to you when you're entertaining guests at home and would like to enjoy your wine at the perfect temperature. This is why our built-in winecooler has been designed to keep your wines at the ideal temperature: the two temperature zones for white and red wines can be adjusted to exactly the right temperature. Each zone can be adjusted separately in a range from 5 to 18 °C. Specially developed compressors that float in the cabinet make sure that your wine is stored quietly without any rattling.

The finest wines in luxurious surroundings

The Winecooler SL exudes the exclusive balanced design of V-ZUG appliances. Thanks to its sophisticated mirror glass front, it blends perfectly into any kitchen. The premium glass door protects the wine against UV radiation from sunlight that can impair its quality. The interior is evenly flooded with bright light thanks to four modern and fully integrated LED lights in the sides. The light does not affect the temperature and can be adjusted for permanent lighting when the door is closed – so that you and your guests can keep an eye on your wines. The new SoftClose door function provides added comfort. No matter how much force you use to close the door, the closing motion is braked so that the door closes softly and quietly.



Winecooler 90 SL 60



Winecooler UCSL 60



The under-counter winecooler

The new UCSL 60 model brings a sophisticated winecooler to the range, which is ideal for installation underneath a worktop. Another stunning feature is the full glass door without handles. Its fully extendable wooden shelves, two temperature zones, an activated charcoal filter, space for 34 bottles of wine, SoftClose and the TouchOpen function make this winecooler unique.



TouchOpen

The handle-free glass door is easy to open with a gentle touch.



Winecooler 90 SL

Optimum integration: This winecooler has the perfect height for integration with other V-ZUG appliances.

Appliance information

-  Wine
-  Separate temperature control
-  Digital display
-  SoftClose
-  HygienePlus

- Usable capacity: 144 litres

Features

- Temperature range per zone: 5 to 18 °C
- 2 digital displays for the separate zones
- Separating shelf for red/white wine, height-adjustable
- Supercool function for quick chilling in the white wine zone
- 6 shelves made from premium beech wood
- Switch for permanent interior lighting
- Capacity: 36 bottles of 0.75 litres

Energy



Energy consumption over 365 days: 159 kWh

Appliance dimensions

H × W × D: 906 × 594 × 566 mm

KW90 SL 60gl

Black glass, door stop left

KW90SL60gl/51082xxxx

Black glass, door stop right

KW90SL60gr/51082xxxx



Winecooler SL

This beautiful premium appliance keeps your finest wines at the perfect temperature for drinking.

Appliance information

-  Wine
-  Separate temperature control
-  Digital display
-  SoftClose
-  HygienePlus

- Usable capacity: 144 litres

Features

- Temperature range per zone: 5 to 18 °C
- 2 digital displays for the separate zones
- Separating shelf for red/white wine, height-adjustable
- Supercool function for quick chilling in the white wine zone
- 6 shelves made from premium beech wood
- Switch for permanent interior lighting
- Capacity: 36 bottles of 0.75 litres

Energy



Energy consumption over 365 days: 159 kWh

Appliance dimensions

H × W × D: 886 × 594 × 566 mm

KW SL 60

Black glass, door stop left

KWSL60gl/51075xxxx

Black glass, door stop right

KWSL60gr/51075xxxx

Winecooler 90 SL / SL

Accessories

- Retrofit kit design handle stainless steel (H74391)
- Retrofit kit bar handle stainless steel (H72486)

The right temperature makes all the difference

- Champagne, prosecco and sparkling wines 5–7 °C
- Dry white wines 8–10 °C
- Sweet rosés and white wines 10–13 °C
- Light red wines 14–16 °C
- Strong red wines 17–18 °C



Winecooler UCSL 60

The sophisticated winecooler with TouchOpen function for practical, under-counter installation.

Appliance information

-  Wine
-  Separate temperature control
-  Digital display
-  SoftClose
-  Touch to Open

- Usable capacity: 94 litres

Features

- Temperature range per zone: 5 to 20°C
- 2 digital displays for the separate zones
- 2 zones for red/white wine
- Supercool function for quick chilling in the white wine zone
- 6 shelves, 3 of which made from premium beech wood
- Switch for permanent interior lighting
- Capacity: 34 bottles of 0.75 litres

Energy



Energy consumption over 365 days: 144 kWh

Appliance dimensions

H×W×D: 816x597x571 mm

KW UCSL 60gr

Black glass KWUCSL60gr/51073xxxx

Accessorie for the Jumbo see page 147



Innovative heat pump technology

- Steam anti-crease – you may never need to iron again

- Resource-efficient washing with EcoManagement

ADORA WASHING MACHINES




Premium appliances for your home to make day-to-day life easier



PREMIUM QUALITY THANKS TO OUR INNOVATIONS

We are constantly setting new technological standards all over the world, including the intelligent delayed start function OptiTime or the Vibration Absorbing System for silent operation.





OptiTime – the intelligent delayed start function

With our comprehensive EcoManagement solution, we help you to run an environmentally friendly and responsible household. The intelligent OptiTime delayed start function is part of the EcoManagement solution that features in our Adora washing machines. How does OptiTime work? You load your washing into the drum, select your usual washing programme, and then use OptiTime to pick the time you want the programme to end. A normal delayed start function does not start the programme until absolutely necessary to make sure your washing is finished on time. OptiTime on the other hand starts the programme earlier and uses the time available to make sure your wash is more environmentally friendly. Your Adora makes optimum use of the remaining time available until the end of the desired programme and automatically extends the duration of the programme. As a result, OptiTime is able to achieve exactly the same result as a normal washing programme, right on schedule for the time you have requested – it's just a lot more energy-efficient.

Vibration Absorbing System

Adora washing machines are equipped with another intelligent function developed by V-ZUG – the Vibration Absorbing System (VAS). Because your washing is never spread evenly around the drum, it can cause imbalance and vibrations during spin cycles. These vibrations not only generate noise, they also mean that your appliance will wear out quicker. The VAS reduces these vibrations. The intelligent sensors detect the position and degree of imbalance at the start of the spin process. By adding water to the corresponding ribs, the system compensates for any imbalance. This measurement and balancing process is repeated throughout the entire spin cycle. Your washing machine runs more quietly and has a longer service life with the help of the VAS.

Confirmation from the lab

The VAS means all Adora washing machines meet the higher standards set out in the Swiss SIA standard 181 and can therefore be used in blocks of flats without any additional construction measures. This was tested using architectural acoustics measurements in an occupied house and in a construction physics lab owned by Geberit AG: in a comparison with three other washing machines, the Adora was the only appliance to meet the more stringent requirements set out in SIA standard 181 in all aspects measured.

A DIVERSE RANGE OF IMPRESSIVE PROGRAMMES

You can rely on your Adora day in, day out: in addition to the impressive standard programmes and functions, the appliances stand out thanks to a few special features that make your everyday home life even easier.



Steam anti-crease programme to cut right down on ironing

With the steam anti-crease function, you will hardly need to iron at all. The steam generated in the washing machine is fed through to your washing through the fine openings in the perforated drum, where it releases its energy and removes the creases from your clothes. The steam anti-crease programme can be added to the end of almost every programme.

Anti-mite and skin protection technology

Dust mite excrement is often the trigger for allergies and respiratory problems. This is what inspired us to develop the anti-mite function that removes up to 100 % of mites from your fabrics. The anti-mite function can be selected as an additional programme with all washing programmes at a temperature of 60 °C or above. The Adora also comes with a skin protection programme – developed especially for allergy sufferers and people with sensitive skin: an optimised rinsing process makes sure that no washing powder is left on your clothes.

Gentle cleaning thanks to WetClean

V-ZUG has developed a brand new technology for the Adora SLQ and SLQ WP. The WetClean function provides particularly gentle care for your most delicate pieces of clothing – even more gentle than any hand wash programme. This allows you to treat even your most sensitive fabrics in your washing machine.



Tested and confirmed
by TESTEX®

Anti-mite function in conjunction with



ALLERGIEZENTRUM SCHWEIZ
CENTRE D'ALLERGIE SUISSE
CENTRO ALLERGIE SVIZZERA



Your favourite programme at the touch of a button

The favourites button allows you to store your most commonly used programmes and access them with ease: another good reason to go for a washing machine with a higher convenience level.

Hygiene recommendation and appliance hygiene programme

Over time, germs and unpleasant smells can develop in a washing machine. To make sure this doesn't happen, we've developed our hygiene recommendation function. The appliance alerts you if it has been a long time since you've selected a programme running at a minimum of 60 °C. You can decide whether the washing machine should apply a programme with at least 60 °C or whether it should run the appliance hygiene programme, which uses hot steam to give the machine a thorough clean. As a result, your washing machine will stay hygienically clean throughout its entire service life.



INTUITIVE AND CONVENIENT OPERATION

We pay closest attention to the design, materials and operating concept for our panels. We have even incorporated a standardised panel design for Adora washing machines and tumble dryers – making them even easier to use.

Our focus: design and easy operation

The operating panel plays a key role when using your Adora washing machine. Having a standardised design makes it even easier for you to operate your appliances. The panels vary depending on the convenience level: from a modern, full-colour touch display to a tried-and-tested digital display with push buttons.

Full-colour touch display

The full-colour touch display for the Adora SLQ and SLQ WP has everything you could wish for. The one-of-a-kind quality of the display guarantees easy reading and ultimate comfort during operation. Symbols and text are supported by additional full-colour explanatory images. The lightest touch of the buttons is all it takes to select the desired programme. Because the buttons do not protrude, the operating panel is also very easy to clean.

Reliable plain text or digital display


The Adora SL, S and L convenience levels also stand out thanks to their modern, tried-and-tested user interface: the Adora SL and S are equipped with a two-line plain text display while the Adora L comes with a digital display. The machines are controlled using push buttons (Adora S/L/SL).

An operating concept for every convenience level


The operating concept is the same for every convenience level – it stands out from the crowd thanks to its clear and logical structure, making it particularly intuitive. The tried-and-tested press and go concept makes sure that the majority of programmes can be selected at a single touch of a button. The pivoting panel guarantees even more ergonomic operation: to provide the ideal level of lighting and a clear view of all operating and display elements, the position of the panel can be adjusted by 45° with a quick swivel.



Adora SLQ and SLQ WP
Convenient touch display



Adora S
Panel with two-line plain text display and push buttons



Adora SL
Panel with two-line plain text display and touch buttons



Adora L
Panel with digital display and push buttons

DO SOMETHING GOOD – FOR THE ENVIRONMENT AND YOURSELF

If you believe in the importance of looking after our resources, then you have something in common with V-ZUG: Adora washing machines achieve the lowest possible consumption levels and apply our EcoManagement solution to make them even more economical.



Your decision to buy a V-ZUG appliance is a decision to help the environment

As the Swiss market leader, we take a great deal of responsibility when handling resources. For years, we have been working hard to develop incredibly economical household appliances; in fact, we were the first manufacturer in the world to launch a washing machine with heat pump technology. The Adora SLQ WP consumes around 55 % less electricity than a conventional washing machine, making it V-ZUG's most environmentally friendly washing machine of all time. However, the Adora SLQ WP isn't the only appliance with low energy consumption – every single washing machine in the Adora range beats the best A+++ energy efficiency rating thanks to its low consumption.

EcoManagement: even more economical on request

The EcoManagement function enables you to display how much energy and water your washing machine uses: with the Eco button, which can be selected with each programme, the programme will run slightly longer but consume less energy. With the Adora SLQ WP washing machine, you can even choose from a number of EcoHybrid settings, depending on how much time you have. The highest EcoHybrid setting helps you to achieve record energy efficiency: you save up to 55 % more energy than a conventional washing machine.



Entry-level model or premium appliance?

If you've decided to go for an Adora washing machine, then you can rest assured of first-class Swiss quality. Choosing the right convenience level for your own requirements depends entirely on your needs. If all you're looking for is a basic washing machine, then the Adora L is an excellent entry-level model featuring all the essential functions you need. Alternatively, if ironing really isn't your thing, then we recommend a higher convenience level so that you can take advantage of the steam anti-crease programme. If you're interested in the top of the range, then look no further than the Adora SLQ WP: this appliance comes complete with heat pump technology and is the most energy efficient washing machine in the world.

PRODUCT COMPARISON: ADORA WASHING MACHINES

	Adora SLQ WP	Adora SLQ	Adora SL	Adora S	Adora L
Page in brochure	125	124	124	125	125
DESIGN OPTIONS					
Heat pump technology	▪				
Front loader	▪	▪	▪	▪	▪
Design (white)	▪	▪	▪	▪	▪
Chrome door	▪	▪	▪		
White door				▪	▪
Door opening	l/r	l/r	l/r	l/r	l/r
Load (kg)	1-8	1-8	1-8	1-8	1-8
Drum capacity (l)	60	60	60	60	60
Energy efficiency rating	A+++	A+++	A+++	A+++	A+++
Better than A+++ energy efficiency rating	-50%	-30%	-20%	-10%	-10%
Spin drying efficiency class	A	A	A	A	A
APPLICATIONS					
WetClean	▪	▪			
Steam anti-crease	▪	▪	▪	▪	
Hygiene recommendation	▪	▪	▪	▪	▪
Appliance hygiene	▪	▪	▪	▪	
Anti-mite	▪	▪	▪	▪	▪
Vibration Absorbing System (VAS)	▪	▪	▪	▪	▪
Sprint programme 20-60 °C	▪	▪	▪	▪	▪
Favourites	▪	▪	▪		
Fabric types	▪	▪	▪	▪	
Extra programmes	▪	▪	▪	▪	
EcoFunction	▪	▪	▪	▪	
EcoManagement	▪	▪	▪	▪	
Degree of soiling	▪	▪	▪	▪	
Spin speed (rpm)	400-1600	400-1600	400-1600	400-1500	400-1400
Soil sensor	▪	▪			
Partial load for water and energy economy	▪	▪	▪	▪	▪
Fleet circulation	▪	▪			
OPERATION					
Pivoting panel	▪	▪	▪	▪	▪
Panel	Acrylic glass	Acrylic glass	Acrylic film	Acrylic film	Acrylic film
Operation	Touch operation	Touch operation	Push buttons	Push buttons	Push buttons
Display	Touch display, 6 languages	Touch display, 6 languages	Plain text, 2 lines, 6 languages	Plain text, 2 lines, 6 languages	Digital, 4 digits
EcoStandby	▪	▪	▪	▪	▪
Delayed start (up to 24 h)	▪	▪	▪	▪	▪
OptiTime	▪	▪	▪		



Adora SLQ WP

The V-ZUG premium appliance: the first washing machine with heat pump technology is our champion when it comes to energy.

Programmes

- Load 1-8 kg
- Hot wash/colours 20-95 °C
- Cold wash 20 °C
- Sprint 40/60 °C
- Wool 30 °C
- Hand wash 20 °C
- WetClean
- Favourites
- Fabric types
- Degree of soiling/Anti-mite
- Eco
- Extra programme
- Easy care
- Pre-wash
- Steam anti-crease
- Delayed start
- Spin speed/stop after rinsing
- AquaPlus
- Turbidity sensor
- Plain text display/languages
- Appliance hygiene
- EcoManagement
- OptiTime

Energy



Appliance dimensions

H×W×D: 850×595×597 mm

WAA SLQ WP

WAASLQWPZcl/1101460004
WAASLQWPZcr/1101460014



Adora SLQ

The premium washing machine with full-colour touch display.

Programmes

- Load 1-8 kg
- Hot wash/colours 20-95 °C
- Cold wash 20 °C
- Sprint 40/60 °C
- Wool 30 °C
- Hand wash 20 °C
- WetClean
- Favourites
- Fabric types
- Degree of soiling/Anti-mite
- Eco
- Extra programme
- Easy care
- Pre-wash
- Steam anti-crease
- Delayed start
- Spin speed/stop after rinsing
- AquaPlus
- Turbidity sensor
- Plain text display/languages
- Appliance hygiene
- EcoManagement
- OptiTime

Energy



Appliance dimensions

H×W×D: 850×595×597 mm

WAA SLQ

WAASLQZl/1101360004
WAASLQZr/1101360014



Adora SL

Your favourite programmes at the touch of a button: this appliance comes with a favourites programme selection button and can reach spinning speeds of up to 1600 rpm.

Programmes

- Load 1-8 kg
- Hot wash/colours 20-95 °C
- Cold wash 20 °C
- Sprint 40/60 °C
- Wool 30 °C
- Hand wash 20 °C
- Favourites
- Fabric types
- Degree of soiling/Anti-mite
- Eco
- Extra programme
- Easy care
- Pre-wash
- Steam anti-crease
- Delayed start
- Spin speed/stop after rinsing
- AquaPlus
- Plain text display/languages
- Appliance hygiene
- EcoManagement
- OptiTime

Energy



Appliance dimensions

H×W×D: 850×595×597 mm

WAA SL

WAASLZl/11001260004
WAASLZr/11001260014



Adora S

You may never need to iron again thanks to the appliance's steam anti-crease function.

Programmes

- Load 1-8 kg
- Hot wash/colours 20-95 °C
- Cold wash 20 °C
- Sprint 40/60 °C
- Wool 30 °C
- Hand wash 20 °C
- Fabric types
- Degree of soiling/Anti-mite
- Eco
- Extra programme
- Easy care
- Pre-wash
- Steam anti-crease
- Delayed start
- Spin speed/stop after rinsing
- AquaPlus
- Plain text display/languages
- Appliance hygiene
- EcoManagement

Energy



Appliance dimensions

H×W×D: 850×595×597 mm

WAA S

WAASZ/1101160004
WAASZr/1101160014



Adora L

The entry-level model featuring reliable Swiss quality from V-ZUG.

Programmes

- Load 1-8 kg
- Hot wash/colours 20-95 °C
- Cold wash 20 °C
- Sprint 40/60 °C
- Wool 30 °C
- Hand wash 20 °C
- Anti-mite
- Easy care
- Pre-wash
- Delayed start
- Spin speed/stop after rinsing
- AquaPlus

Energy



Appliance dimensions

H×W×D: 850×595×597 mm

WAA L

WAALZ/1101060004
WAALZr/1101060014

Construction

- Front loader
- Floor-mounted appliance, tower-compatible
- Door opening on the left/right
- Opening Ø 35 cm
- Door opening angle: 180°

Accessories from Page 148



Quick drying times



First-class energy efficiency levels



Convenient operation

ADORA HEAT PUMP DRYERS




Adora is a breath of fresh air - for the world of dryers and for your home



OPTIMAL CARE FOR YOUR FABRICS

The programmes for Adora tumble dryers achieve top results: the fast programmes apply the ideal treatment to a range of different fabrics and relieve a lot of the burden during housework.



Sprint – drying in the blink of an eye

The ideal additional programme for drying your washing in record time: the Sprint function pushes the heat pump to maximum output so that your washing dries even quicker.

Eco – resource-efficient drying

The Eco button enables you to choose the most energy-efficient method for drying your fabrics. The programme may take a little longer but dries your fabrics in an even more resource-efficient manner.

Fabric types – the right treatment for a range of fabrics

This button allows you to directly select a range of different programmes – for silks, baby garments, denim, bedding, towelling or a number of other fabric types. Take the baby garments programme for instance; it keeps your baby's clothes superbly soft to protect against

skin irritation while achieving perfect hygienic results. By using lower temperatures, the special down programme applies exceptionally gentle treatment to the fabric and dries your downs so that they are fluffy and soft, right down to the very last feather.

Wools – the programme for soft wools

Wool items are dried carefully by spinning the drum slowly and applying low temperatures. The wool programme is located under the «Fabric types» button.

Fluffing programme – as good as new

With this speedy yet highly efficient finishing programme, your knitwear feels as fresh and fluffy as new. By applying heat in doses, it loosens the fibres and pushes them up.



**Labor
Veritas**

Microbiological investigations conducted by the Veritas laboratory have confirmed the effectiveness of the baby garment programme.



TESTEX®

The delicate care of the down programme has been tested and confirmed by the Swiss Textile Testing Institute TESTEX.

Ultra care – for especially fine fabrics

There is no gentler method for drying sensitive materials than this programme. The secret? Low temperatures and a shorter programme duration.

Basket programme – gentle drying without any movement

With the practical drying basket, you can dry shoes, gloves, cuddly toys or fabrics in the drum without moving it for even gentler care. All you have to do is place the fabrics in the dryer. The drying basket can be ordered as an accessory for all Adora tumble dryers. The basket programme can be selected using the «Fabric types» option.

Crease guard – makes ironing even easier

The crease guard programme is particularly well-suited to blouses, shirts, t-shirts and cotton trousers. Applying gentle heat over a programme duration of 20 minutes, you can finish drying your clothes on the hanger.

Favourites button – for your favourite programmes

Save the three programmes you use the most. This gives you quick and easy access to your favourite programmes – which you can then change at any time.

Moisture and heat stay in the dryer

In addition to the versatile and practical programmes, there are two more arguments for the Adora heat pump dryer: the closed process cycle and easy cleaning. Highly efficient heat exchangers extract heat and moisture from washing so that they are not released outside but remain in the closed drying system. This prevents your mirrors from becoming tarnished and keeps the air in the bathroom or laundry room constantly pleasant. The closed cycle is also a key advantage if you want to position your dryer in the smallest rooms or if you are using it in a building developed to the latest standards (such as for Minergie buildings).

Quick and easy to clean

Cleaning and maintaining your Adora heat pump dryer is also delightfully simple: both the door screen and filter mats can be cleaned easily and conveniently. And you don't have worry about heat exchanger for the entirety its service life – it's completely maintenance-free.



CLEAR AND CONVENIENT OPERATION

The operating panel plays a key role when using your Adora heat pump dryer. This is why we pay the closest attention to the design, materials and operating concept for our panels.



Full-colour touch display for the Adora TSLQ WP

The full-colour touch display for the highest convenience level has everything you could wish for. The one-of-a-kind quality of the display guarantees easy reading and ultimate convenience during operation. A brief touch of a button is all it takes to pick your programme – the touch display is exceptionally sensitive and precise.

Reliable plain text or digital display


The Adora TS WP and TL WP convenience levels also come with a plain text or digital display on a modern, reliable user interface. The operating panel is covered by a gloss film for a fine feel and easy cleaning.

An operating concept for every convenience level


The operating concept is the same for every convenience level: it is distinguished by its clear and logical structure, making it particularly intuitive. The tried-and-tested press and go concept makes sure that the majority of programmes can be selected at a single touch of a button. The drying process starts automatically after a few seconds.



Adora TSLQ WP
Convenient touch display



Adora TS WP
Panel with two-line plain text display and push buttons



Adora TL WP
Panel with digital display and push buttons

ECO-FRIENDLY AND EFFICIENT DRYING

All of our tumble dryers are equipped with innovative heat pump technology, enabling the appliances to achieve the highest energy efficiency standards.



Your decision to buy a V-ZUG appliance is a decision to help the environment

As a Swiss market leader, we take a great deal of responsibility when handling resources. For years, we have been working hard to develop economical household appliances; in fact, we were the first manufacturer in the world to launch a tumble dryer with heat pump technology. The efficient heat pump recovers heat from the process and recycles it for gentle care at low temperatures. Adora heat pump dryers stand out from the crowd thanks to their top energy efficiency values.

EcoManagement: even more economical drying on request

Our EcoManagement solution allows you to keep a close eye on your dryer's energy consumption: a consumption display shows you the projected energy requirements before the start of the programme and then shows the actual consumption levels once the programme has finished. You can also choose to display the appliance's total energy consumption or the average consumption over the last 25 programmes – for complete drying transparency.



Dryer or washing line?

The functionality of our washers and dryers is based not only on our experience, but also on the way people like to use them. Are you the sort of person who hangs their laundry carefully and leaves it to air dry once it's been washed? Or do you prefer to make your life easier by throwing it all straight into the dryer? If you'd like to take advantage of the right programme for every type of fabric, we recommend our premium tumble dryer: the Adora TSLQ WP. If you tend to rely more on the washing line in your laundry room, a lower Adora convenience level may also suit your requirements.

PRODUCT COMPARISON: ADORA HEAT PUMP DRYERS

	Adora TSLQ WP	Adora TS WP	Adora TL WP
Page in brochure	134	134	135
DESIGN OPTIONS			
Heat pump dryers	▪	▪	▪
Design (white)	▪	▪	▪
Floor-mounted appliance, tower-compatible	▪	▪	▪
Door opening	l/r	l/r	l/r
Load (kg)	1-7	1-7	1-7
Energy efficiency rating	A+++	A+++	A++
Better than A+++ energy efficiency rating	-10%		
Noise emissions dB(A)	62	63	64
Electronic moisture sensor	▪	▪	▪
Electronic load sensor	▪	▪	
Signal at the end of the programme	▪		
FUNCTIONS			
Automatic programmes	28	21	16
EcoManagement	▪	▪	
Extra dry	▪	▪	▪
Standard dry	▪	▪	▪
Iron dry	▪	▪	▪
Damp	▪	▪	▪
Wool	▪	▪	
Favourites	▪		
Fabric types	▪	▪	▪
Basket programme	▪	▪	▪
SilentPlus dB(A)	60		
Eco programme	▪		
Sprint	▪		
ReversePlus	▪	▪	▪
Crease guard	▪	▪	
Timed drying	▪	▪	▪
Ultra care	▪		
Easy care	▪	▪	▪
OPERATION			
Pivoting panel	▪	▪	▪
Panel	Acrylic glass	Acrylic film	Acrylic film
Operation	Touch operation	Push buttons	Push buttons
Display	Full-colour touch display, 6 languages	Plain text, 2 lines, 6 languages	Digital, 4 digits
Delayed start (up to 24 h)	▪	▪	▪
EcoStandby (0 watts)	▪	▪	▪



Adora TSLQ WP

Our premium appliance comes with cutting-edge controls and is the ideal companion to the Adora SLQ WP.

Programmes

-  Load
-  Extra dry
-  Standard dry
-  Iron dry
-  Damp
-  Wool
-  Favourites
-  Fabric types
-  Crease guard
-  Timed drying/airing
-  Delayed start
-  ReversePlus
-  WetClean
-  Crease guard
-  Airing
-  Easy care
-  Ultra care
-  Full-colour touch display/languages
-  SilentPlus
-  Eco
-  EcoManagement
-  Sprint

Energy



Appliance dimensions

H×W×D: 850×595×600 mm

WTA TSLQ WP

WTATSLQWPZ/1200660004
WTATSLQWPZr/1200660014

Adora TS WP

This dryer's special crease guard programme makes ironing much easier.

Programmes

-  Load
-  Extra dry
-  Standard dry
-  Iron dry
-  Damp
-  Wool
-  Fabric types
-  Crease guard
-  Timed drying/airing
-  Delayed start
-  ReversePlus
-  Crease guard
-  Airing
-  Easy care
-  Full-colour touch display/languages
-  EcoManagement

Energy



Appliance dimensions

H×W×D: 850×595×600 mm

WTA TS WP

WTATSWPZ/1200560004
WTATSWPZr/1200560014

Construction

- TSLQ WP/TS WP heat pump dryer
- Drum volume: 105 litres
- Floor-mounted appliance, tower-compatible
- Opening Ø 42 cm
- Door opening angle: 180°



Adora TL WP

The entry level model with traditional V-ZUG quality, manufactured in Switzerland – just like all other Adora tumble dryers.

Programmes

-  Load
-  Extra dry
-  Standard dry
-  Iron dry
-  Damp
-  Fabric types
-  Timed drying/airing
-  Delayed start
-  ReversePlus
-  Crease guard
-  Airing
-  Easy care

Construction

- Adora TL WP heat pump dryer
- Drum volume: 105 litres
- Floor-mounted appliance, tower-compatible
- Opening Ø 42 cm
- Door opening angle: 180°

Energy



Appliance dimensions

H×W×D: 850×595×600 mm

WTA TL WP

WTATLWPZ/1200460004
WTATLWPZr/1200460014

Accessories from Page 149

COMBI-STEAM COOKER FEATURES AND ACCESSORIES



1



2



3



4



5

DESCRIPTION		ART. NO.	Combi-Steam MSLQ 60 *	Combi-Steam XSL 60	Combair-Steam SL 60	Combair-Steam SE 60
1	«Fast Steaming» recipe book	J23014.017	▲ (1)			
2	«Magical Steaming» recipe book	J23003.923		▲ (1)	▲ (1)	■
3	«Baking Treats» recipe book	J21021.923	■		■	■
4	Vacuisine brochure - inspirational recipes from top chefs and all the key information about Vacuisine (sous-vide cooking)	1029752	■	■	■	
5	"Natürlich Steamen!" by Stefan Meier	J677018	■	■	■	■

▲ (Number) included in scope of delivery ■ Compatible with appliance

COMBI-STEAM COOKER FEATURES AND ACCESSORIES



DESCRIPTION		ART. NO.	Combi-Steam MSLQ 60*	Combi-Steam XSL 60	Combair-Steam SL 60	Combair-Steam SE 60
1	Cooking tray, unperforated, 2/3 GN, height 40 mm	K42365	■	■	■	■
2	Cooking tray, unperforated, 2/3 GN, height 40 mm, with lip	K42366	■	■	■	■
3	Cooking tray, unperforated, 1/2 GN, height 40 mm	K50319	■	■	■	■
4	Cooking tray, unperforated, 1/2 GN, height 65 mm	K50320	■	■	■	■
5	Cooking tray, unperforated, 1/3 GN, height 40 mm	K23223	■	■	■	■
6	Cooking tray, unperforated, 1/3 GN, height 65 mm	K27358	■	■	■	■
7	Cooking tray, unperforated, 1/3 GN, height 100 mm	K27359	■	■	■	■
8	Cooking tray, perforated, 2/3 GN, height 40 mm	K42363	■	■	■	■
9	Cooking tray, perforated, 2/3 GN, height 65 mm	K42367	■	■	■	■
10	Cooking tray, perforated, 1/2 GN, height 40 mm	K50327	■	■	■	■
11	Cooking tray, perforated, 1/3 GN, height 40 mm	K23208	■	■	■	■

■ Compatible with appliance

■ Position on wire shelf

*Metallic accessories cannot be used with microwave mode

COMBI-STEAM COOKER FEATURES AND ACCESSORIES



DESCRIPTION		ART. NO.	Combi-Steam MSLQ 60*	Combi-Steam XSL 60	Combair-Steam SL 60	Combair-Steam SE 60
1	Cooking tray, perforated, 1/3 GN, height 65 mm	K27357	■	■	■	■
2	Cooking tray, perforated, W × D × H: 452 × 380 × 28 mm	K40008		▲ (1)		
3	Cooking tray, perforated, W × D × H: 430 × 370 × 25 mm	K40011	■		▲ (1)	▲ (1)
4	Cooking tray, plastic, perforated, 1/3 GN, height 52 mm	K40199	▲ (1)	■	■	■
5	Stainless steel tray, unperforated, 2/3 GN, height 20 mm	K42362	■	■	■	■
6	Stainless steel tray, unperforated, 1/3 GN, height 20 mm	K23224	■	■	■	■
7	Stainless steel tray, unperforated, W × D × H: 452 × 380 × 28 mm	K40007		▲ (1)		
8	Stainless steel tray, unperforated, W × D × H: 430 × 370 × 25 mm	K40010	▲ (1)		▲ (1)	■
9	Baking tray, enamelled, 2/3 GN, height 20 mm	K43211				
10	Baking tray, TopClean, W × D × H: 452 × 380 × 28 mm	K44005		▲ (1)		
11	Baking tray, dual enamel, W × D × H: 430 × 370 × 25 mm	K44077	▲ (1)		▲ (1)	▲ (1)

▲ (Number) included in scope of delivery

■ Compatible with appliance

■ Position on wire shelf

COMBI-STEAM COOKER FEATURES AND ACCESSORIES



1



2



3/4



5



6



7

DESCRIPTION	ART. NO.	Combi-Steam MSLQ 60*	Combi-Steam XSL 60	Combi-Steam SL 60	Combi-Steam SE 60
1 Hardened glass dish, W × D × H: 430 × 345 × 25 mm	K22503	▲ (1)		■	■
2 Wire shelf, chrome-nickel steel, 2/3 GN	K43206				
3 Wire shelf, chrome-nickel steel, W × D: 453 × 380 mm	K44122		▲ (1)		
4 Wire shelf, chrome-nickel steel, W × D: 430 × 370 mm	K44120	▲ (1)		▲ (1)	▲ (1)
5 Porcelain dish, white, 2/3 GN, height 65 mm	K27621	■	■	■	■
6 Porcelain dish, white, 1/2 GN, height 65 mm	K27622	■	■	■	■
7 Porcelain dish, white, 1/3 GN, height 65 mm	K27626	■	■	■	■

▲ (Number) included in scope of delivery

■ Compatible with appliance

■ Position on wire shelf

*Metallic accessories cannot be used with microwave mode

COMBI-STEAM COOKER FEATURES AND ACCESSORIES



1/2/3




4/5/6



7



8



9/10



11



12



13

DESCRIPTION			ART. NO.	Combi-Steam MSLQ 60*	Combi-Steam XSL 60	Combair-Steam SL 60	Combair-Steam SE 60
1	Stainless steel steam insert for porcelain dish, 2/3 GN	K21254					
2	Stainless steel steam insert for porcelain dish, 1/2 GN	K21243					
3	Stainless steel steam insert for porcelain dish, 1/3 GN	K21252					
4	Round baking tray, with TopClean, Ø 24 cm	K34527		■	■	■	■
5	Round baking tray, with TopClean, Ø 29 cm	K34528		■	■	■	■
6	Round baking tray, with TopClean, Ø 31 cm	K34529		■	■	■	■
7	Stainless steel terrine mould, hemispherical, 60 x 60 x 300 mm	K27623		■	■	■	■
8	Stainless steel terrine mould, triangular, 55 x 55 x 300 mm	K27624		■	■	■	■
9	Fully extending runner, 2 levels	K40210					
10	Fully extending runner, 2 levels	K40211			■		
11	Fully extending runner, 3 levels	1045108				■	■
12	ThermoBox for 1/3 GN, up to max. height of 65 mm	K37234		■	■	■	■
13	Sushi blade including manufacturer's instructions	K50895		■	■	■	■

■ Compatible with appliance

■ Position on wire shelf

COMBI-STEAM COOKER FEATURES AND ACCESSORIES



1



2



3

DESCRIPTION	ART. NO.	Combi-Stream MSLQ 60*	Combi-Stream XSL 60	Combi-Stream SL 60	Combi-Stream SE 60
1 Oshibori hot towels, set of 6 pcs.	1029704	■	■	■	■
2 Sealing pads for Vacuisine with food probe, one roll of 100 cm	1029496	■	■	■	
3 Durgol descaling agent	B28005	▲	▲	▲	▲

▲ Included in scope of delivery


■ Compatible with appliance

Key to GN Gastronorm sizes

	Width (W)	×	Depth (D)
2/3 GN	325 mm	×	354 mm
1/2 GN	325 mm	×	265 mm
1/3 GN	325 mm	×	177 mm

*Metallic accessories cannot be used with microwave mode

OVEN FEATURES AND ACCESSORIES




1



2




3/4/5



6



7/8



9



10



11



11



13

DESCRIPTION	ART. NO.	Comhair SLP 60	Comhair SL 60	Comhair SEP 60	Comhair SE 60	Comhair XSL 60	Comhair XSE 60
1 «Baking Treats» recipe book	J21021.014	▲ (1)	▲ (1)	■	■	▲ (1)	■
2 Baking tray with TopClean	K44005	▲ (2)	▲ (2)	▲ (2)	▲ (2)	▲ (2)	▲ (2)
3 Round baking tray, with TopClean, Ø 24 cm	K34527	■	■	■	■	■	■
4 Round baking tray, with TopClean, Ø 29 cm	K34528	■	■	■	■	■	■
5 Round baking tray, with TopClean, Ø 31 cm	K34529	■	■	■	■	■	■
6 Wire shelf	K44102	▲ (1)	▲ (1)	▲ (1)	▲ (1)	▲ (1)	▲ (1)
7 Fully extending runner, 3 levels	K40207	■	■	■	■		
8 Fully extending runner, 3 levels	K40208					■	■
9 Roasting basket with food probe	K34563	▲	▲				
10 Rotisserie spit with frame	K54009	■	■				
11 Porcelain dish, white, 2/3 GN, height 65 mm	K27621	■	■	■	■	■	■
12 Porcelain dish, white, 1/2 GN, height 65 mm	K27622	■	■	■	■	■	■
13 Porcelain dish, white, 1/3 GN, height 65 mm	K27626	■	■	■	■	■	■

▲ (Number) included in scope of delivery

■ Compatible with appliance


VACUUM AND WARMING DRAWER FEATURES AND ACCESSORIES



1/2



3



4

DESCRIPTION	ART. NO.	Vacuum drawer 60 144	Warming drawer 283	Warming drawer 312
1 Vacuum bags, 50 pcs., 180 × 280 mm	1012506	▲ (1)		
2 Vacuum bags, 50 pcs., 240 × 350 mm	1012507	▲ (1)		
3 Sealing pads for Vacuisine with food probe, one roll of 100 cm	1029496			
4 Wire shelf for warming drawer 283 and 312	1045990		■	■

▲ (Number) included in scope of delivery

■ Compatible with appliance

COFFEE-CENTER FEATURES AND ACCESSORIES



1

Supremo XSL 60
Supremo HSL 60

DESCRIPTION	ART. NO.	Supremo XSL 60	Supremo HSL 60
1 DLS descaler 100 ml	B28020	■	■

■ Compatible with appliance

HOB FEATURES AND ACCESSORIES



1



2



3

DESCRIPTION	ART. NO.
1 Construction set: bridge for hob combinations, flush-fitting	H63789
2 Cover/chopping board for Teppan Yaki, narrow	1021462
3 Premium Teppan Yaki plate for Fullflex induction	1037885

RANGE HOOD FEATURES AND ACCESSORIES



DESCRIPTION	ART. NO.
1 Remote control of Premira models DIPQ/DWPQ/DFPQ/DFPQSL	1046973
2 Remote control of DIAS/DIQS/DWQS/DIE/DWE/DWN/DWVHR/DEHMR Remote control of DSDSR included in scope of delivery	H43404
3 Recirculation box for base area with standard activated charcoal filter, maintenance-free for approx. 3.5 years For changing the downdraft and hob extractor to recirculation mode	1012161
4 Recirculation box with standard activated charcoal filter package, 5 kg, maintenance-free for approx. 5 years For changing the ceiling range hood to recirculation mode	1012160
5 Construction set: bridge for DSMS hob hood with hob combinations, flush-fitting	H63789
6 The corresponding installation accessories are illustrated in the kitchen appliance planning aids or on vzug.com .	

Long-life plus activated charcoal filter



The innovative carbon filter efficiently absorbs odours and boasts a high level of mechanical resistance. This can be cleaned every 3 to 6 months for 60 minutes at 200 °C in the oven. The odour filter must be replaced after 3 years. This filter is more efficient than the long-life activated charcoal filter.

Standard activated charcoal filter

The odour filter, comprising an individual mix of activated carbon, has a service life of 6 months to 5 years, depending on size, weight and quantity. The filter is not capable of regeneration and must be replaced after the time specified.




Long-life activated charcoal filter



The filter is capable of regeneration and has a service life of up to 3 years. It must be cleaned in the dishwasher or with warm water and mild detergent every 2 to 3 months, then dried in the oven at 100 °C.


DISHWASHER FEATURES AND ACCESSORIES




1



2



3



4




5

DESCRIPTION		ART. NO.	Adora 60 SLWPVi	Adora 60 SLVi	Adora 60 SLGVIB	Adora 60 SVi	Adora 60 SGVi	Adora 60 Ndi	Adora 60 NVi	Adora 60 NGVi
1	Vario cutlery basket insert	W83586	▲	▲		■	■	■	■	■
2	Glass compartment for lower basket	1015132	■	■	■	■	■			
3	Additional tray for the lower basket	W83934	■	■	■	■	■	■	■	■
4	Lower basket for glasses	1013007	■	■	■	■	■	■	■	■
5	Set of easy prongs (4 pieces)	W83899	▲	▲	▲	▲	▲	▲	▲	▲
6	Mirror glass decorative front	W83526						■		

▲ Included in scope of delivery

■ Compatible with appliance

REFRIGERATOR FEATURES AND ACCESSORIES



1



2

DESCRIPTION	ART. NO.	Jumbo	Winecooler 90 SL	Winecooler SL	Winecooler UCSL 60
1 Bottle holder	1046601	■			
2 Activated charcoal filters	1034054		■	■	■

■ Compatible with appliance

WASHING MACHINE FEATURES AND ACCESSORIES



1

DESCRIPTION		ART. NO.	Adora SLQ WP	Adora SLQ	Adora SL	Adora S	Adora L
1	Adora convenient storage drawer	W31357	■	■	■	■	■
2	Outlet hose, 4 m (set)	W33543	■	■	■	■	■

■ Compatible with appliance

HEAT PUMP DRYER

FEATURES AND ACCESSORIES



1



2

DESCRIPTION		ART. NO.	Adora TSLQ WP	Adora TS WP	Adora TL WP
1	Adora convenient storage drawer	W31357	■	■	■
2	Optional control set SSM230 for 230V/16A	P60036	■	■	■
3	Fixing discs (set of 2 pcs.)	81131132	■	■	■
4	Drying basket	W55884	■	■	■
5	Combi outlet set	W55969	■	■	■
6	Door hinge 130° (alcove installation)	W54086	■	■	■
7	Film for accessibility for blind people	1014377		■	■

■ Compatible with appliance

COMBI STEAM COOKERS AND OVENS

Brand name	V-ZUG Ltd											
Model designation	Combi-Steam MSLQ CST MSLQ 60	Combi-Steam SL CS SL 60	Combi-Steam SE CS SE 60	Combi-Steam XSL CST XSL 60	Combi-Steam SLP BC SLP 60	Combi-Steam SL BC SL 60	Combi-Steam SEP BC SEP 60	Combi-Steam SE BC SE 60	Combi-Steam XSL BC XSL 60	Combi-Steam XSE BC XSE 60		
Category/appliance type	Steam cookers				Ovens		Ovens		Compact Ovens			
Illustration Page	24	25	26	27	34	34	35	35	36	37		
Efficiency and consumption 1)												
Energy efficiency rating	From A+++ (best) to D (worst)											
Energy efficiency rating	A	A+	A+	A+	A	A	A	A	A	A		
Energy consumption, conventional ³⁾	kWh/cycle	0.79	0.7	0.7	–	0.85	0.86	0.94	0.93	0.79	0.81	
Energy consumption, hot air/forced convection ⁴⁾	kWh/cycle	0.67	0.63	0.63	0.53	0.7	0.7	0.78	0.8	0.65	0.69	
Standby consumption when switched on/off	W	0.95/0.10	0.95/0.10	0.80/0.10	0.95/0.10	0.95/0.10	0.95/0.10	0.80/0.10	0.80/0.10	0.95/0.10	0.80/0.10	
Energy consumption, pyrolytic self-cleaning	kWh/cycle	–	–	–	–	3.1	–	3.1	–	–	–	
Number of cooking spaces		1	1	1	1	1	1	1	1	1	1	
Volume for each cooking space	L	55	55	55	51	68	68	68	68	50	50	
Performance characteristics 1)												
Max. adjustable temperature at top/bottom heat, forced convection	°C	230/230	230/230	230/230	–/230	300/280	280/250	300/280	280/250	280/250	280/250	
Temperature in steam mode	°C	30-100	30-100	30-100	30-100	–	–	–	–	–	–	
Microwave output	W	700	–	–	–	–	–	–	–	–	–	
Usable grill surface	cm ²	1100	1100	1100	–	1300	1300	1300	1300	1300	1300	
Usable cooking space volume	L	55	55	55	51	68	68	68	68	50	50	
Appliance dimensions 2)												
Height	cm	59.8	59.8*	59.8*	45.4	59.8*	59.8*	59.8*	59.8*	45.4	45.4	
Width	cm	59.6	59.6	59.6	59.7	59.6	59.6	59.6	59.6	59.6	59.6	
Depth (from the front of the appliance)	cm	56.9	56.9	56.9	56.9	56.9	56.9	56.9	56.9	56.9	56.9	
Depth when the appliance door is open (in front of appliance)	cm	44.0	44.0	44.0	34.1	44.0	44.0	44.0	44.0	34.1	34.1	
Unladen weight³⁾												
Weight of appliance SMS 55 / EURO 60	kg	52	44	44	36	54	49	52	48	36	36	
Features												
Guarantee	2 years											
Oven	small/medium/large	medium	medium	medium	medium	large	large	large	large	medium	medium	
Interior dimensions	height/width/depth	cm	31.9/43.75/39.2	31.9/43.75/39.2	31.9/43.75/39.2	27.2/46.6/40	41.6/46.4/35.1	41.6/46.4/35.1	41.6/46.4/35.1	41.6/46.4/35.1	41.1/46/26.25	41.1/46/26.25
Lighting/window		●/●	●/●	●/●	●/●	●/●	●/●	●/●	●/●	●/●	●/●	
Heating method: top/bottom heat		●	●	●	–	●	●	●	●	●	●	
Hot air		●	●	●	●	●	●	●	●	●	●	
Steam		●	●	●	●	–	–	–	–	–	–	
Microwave		●	–	–	–	–	–	–	–	–	–	
Pyrolytic cleaning aid		–	–	–	–	●	–	●	–	–	–	
Grill element, in place/can be retrofitted		●/–	●/–	●/–	–/–	●/–	●/–	●/–	●/–	●/–	●/–	
Grill motor/forced convection grill		–/●	–/●	–/●	–/–	●/●	●/●	–/●	–/●	–/●	–/●	
Time switch/timer		●/●	●/●	●/●	●/●	●/●	●/●	●/●	●/●	●/●	●/●	
Electrical connection												
Max. nominal power	kW	3.7/5.7	3.7/4.7	3.7/4.7	3.7/3.8	3.4	3.4	3.4	3.4	3.3	3.3	
Max. total connected load	kW	3.7/5.7	3.7/4.7	3.7/4.7	3.7/3.8	3.4	3.4	3.4	3.4	3.3	3.3	
Voltage	V	230~/400 2N~	230~/400 2N~	230~/400 2N~	230~/400 2N~	230~/400 2N~	230~/400 2N~	230~/400 2N~	230~/400 2N~	230~/400 2N~	230~/400 2N~	
Fuse	A	1×16/1×25	1×16/2×10	1×16/2×10	1×16/2×10	1×16/2×10	1×16/2×10	1×16/2×10	1×16/2×10	1×16/2×10	1×16/2×10	
Safety and service												
Country of origin	CH											
Service by	V-ZUG Ltd											
Name and address of provider	V-ZUG Ltd, Industriestrasse 66, 6302 Zug, Switzerland											

Explanations

–/○/● Not available/optional/available

¹⁾ Values determined as per current version of standard EN 50304/60350.

²⁾ For built-in appliances, see dimensions in the instructions and brochure.

³⁾ If the appliance is intended for installation in a cabinet, please make sure that the cabinet can hold the appliance.

⁴⁾ For heating standard contents in the cooking space.

⁵⁾ For heating standard contents in the cooking space.

⁶⁾ Measuring methods: see EU regulation no. 66/2014, Annex II, Chapter 1

Note: Data in the table taken from 01/2018. Subject to further developments.

COFFEE-CENTER

Company or brand name		V-ZUG Ltd	
Appliance type		Fully automatic	
Model name		Supremo HSL	Supremo XSL
Model code		CCS HSL 60	CCS XSL 60
Illustration	Page	49	49
Consumption data			
Energy efficiency rating 1)	A (best) to D (worst)	A	A
Annual energy consumption ¹⁾	kWh	45	45
Energy-saving function		●	●
Automatic switch-off, programmable	min	1-8	1-8
Performance characteristics for			
fully automatic appliances		●	●
Capsule machines/single-serve machines		–	–
Machines with permanent filter		–	–
Hot water nozzle		●	●
Steam nozzle		–	–
Cappuccino foamer nozzle		–	–
Hot chocolate function		–	–
Construction			
Free-standing appliance		–	–
Built-in appliance		●	●
Dimensions²⁾			
Height	cm	378	454
Width	cm	596	596
Depth	cm	412	412
Unladen weight	kg	20.5	23
Technical data			
Power supply (electrical connection as per type plate)			
Voltage	V	230 V~ 50 Hz	230 V~ 50 Hz
Output	W	1350	1350
Capacity			
Water tank	l	1.8	1.8
Bean container	g	200	200
Milk tank	l	0.75	0.75
Coffee/milk outlet			
Height adjustable, from/to	cm	1-8	1-8
Safety and service			
Corresponds to Swiss safety regulations		Ⓢ Tested by Electrosuisse	
Country of origin		I	
Guarantee		2 years	
Service by		V-ZUG Ltd	
Name and address of provider		V-ZUG Ltd, Industriestrasse 66, 6302 Zug, Switzerland	

Explanations

● Available/yes

– Not available/no

¹⁾ Values determined as per current version of FEA measurement procedures.

²⁾ Recess measurements for built-in appliances. Further dimensions are listed in the brochure.

Note: Data in the table taken from 01/2018. Subject to further developments.

For showroom appliances, the energy label provides information on the current data.

RANGE HOODS

Brand name	V-ZUG Ltd							
Model designation	DSDSR12	DSTS9	DSMS	GKD46TIMASZO	DIAS10	DI PQ 12	DI PQ 10	
Category/appliance type	Ceiling range hood	Downdraft extractor	Hob hood	Fusion	Island hoods			
Illustration Page	76	77	77	78	76	79	79	
Efficiency and consumption 1)								
Annual energy consumption (AEC hood)	kWh/annum	56.4	62.1	40.4	Visit vzug.com for more information.	67.2	38.9	38.9
Energy efficiency class	from A++ to E	A	B	A		D	A+	A+
Fluid dynamic efficiency (FDE hood)		32	27.1	31.6		13.1	36.3	36.3
Fluid dynamic efficiency rating	A to G	A	B	A		D	A	A
Power 2)								
Illumination efficiency (LE hood)	A (best) to G (worst)	13	29.9	–	22	28	28	
Lighting efficiency rating	from A to G	D	B	–	B	A	A	
Grease absorption capacity	%	60	70	75.1	85.1	89.5	89.5	
Grease absorption capacity	from A to G	E	D	C	B	B	B	
Performance data, extracted air 3) 4)								
Air volume flow, min. extracted air	m ³ /h	230	280	370	–	247	247	
Air volume flow, max. extracted air	m ³ /h	630	420	500	–	452	452	
Air volume flow, intensive extracted air	m ³ /h	830	670	590	–	675	675	
Airborne acoustical noise level, min. extracted air	dB(A)	43	49	62	–	38	39	
Airborne acoustical noise level, max. extracted air	dB(A)	68	57	67	–	52	52	
Airborne acoustical noise level, intensive extracted air	dB(A)	74	69	70	–	63	63	
Automatic shut-off consumption (when off) 5)	W	0.49	0.49	0.49	0.49	0.49	0.49	
Standby consumption (without information display) 5)								
Pressure capacity level, min. extracted air	Pa	420	450	320	–	146	146	
Pressure capacity level, max. extracted air	Pa	530	530	520	–	346	346	
Pressure capacity level, intensive extracted air	Pa	630	540	700	–	355	355	
Performance data, recirculation air								
Air volume flow, min. recirculation air	m ³ /h	200	155	265	270	210	210	
Air volume flow, max. recirculation air	m ³ /h	260	330	355	491	389	389	
Air volume flow, intensive recirculation air	m ³ /h	295	670	420	532	570	570	
Airborne acoustical noise level, min. recirculation air	dB(A)	50	43		54	41	41	
Airborne acoustical noise level, max. recirculation air	dB(A)	72	60		69	56	56	
Airborne acoustical noise level, intensive recirculation air	dB(A)	78	76		70	68	68	
Lighting details								
Total power (hob lighting)	W	2 × 7	1 × 6	–	4 × 5	4 × 2	4 × 2	
Light intensity 2)	lux	175	171	–	430	225	225	
Type		LED	LED	–	LED	LED	LED	
Appliance dimensions 4)								
Width	cm	120	88	11	100	120	100	
Height	cm	31	105.1	90	13.2	5.5	5.5	
Depth	cm	70	12	50.1	70	70	70	
Min. distance above hob, electric/gas	cm	65/65	–	–	65/65	65/50	65/50	
Unladen weight (incl. all filters)	kg	33	35	14	30	35	31.5	
Electrical connection								
Total connection value (at 230 V / 50 Hz)	W	284	270	140	120	138	138	
Extracted air/recirculation air mode		●/–	●/●	●/●	–/●	●/●	●/●	
Controls	Internal/external	●/●	●/–	●/–	●/○	●/○	●/○	
Control		Buttons	Touch	Touch	Touch	Touch	Touch	
Power settings	Number/infinite adjustment	3 + i/–	3 + i/–	3 + i/–	3 + i/–	3 + i/–	3 + i/–	
Safety and service								
Country of origin		I	I	I	I	I	I	
Name and address of provider								
V-ZUG Ltd, Industriestrasse 66, 6302 Zug, Switzerland								
Service by V-ZUG Ltd								
Features								
Guarantee		2 years						
Air vents, diameter	mm	150	150	150	–	150	150	
Air vents, position		Side	Side	Side	–	Top	Top	
Non-return flap, built-in/attached		–/●	–/●	–/●	–/–	–/●	–/●	
Number of filters	Metal/combination	4/–	2/–	1/–	3/–	3/–	3/–	
Power regulation	Electromechanical/electronic	–/●	–/●	–/●	–/●	–/●	–/●	
Motor output	W	1 × 270	1 × 270	1 × 145	1 × 100	1 × 130	1 × 130	

Explanations

–/○/● Not available/optional/available

1) Values determined as per current version of the labelling directive EU 65/2014

2) Values determined as per EN 61591

3) Noise output level in dB(A) re 1 pW as per EN 60704-3

4) Observe the manufacturer's detailed dimensional drawings

5) As per the applicable regulation for designing environmentally friendly products: EU 66/2014

Note: Data in the table taken from 01/2018.

Subject to further developments.

RANGE HOODS

Brand name	V-ZUG Ltd									
Model designation	DW PQ 12	DW PQ 9	DW WR 9	DEHM R8	DEHM R7	DEHM R5	DF PQ 12	DF PQ 9	DF PQ 6	
Category/appliance type	Wall hoods					Flat pull-out deflector plate/integrated range hood				
Illustration Page	79	79	79	81	81	81	81	81	81	
Efficiency and consumption 1)										
Annual energy consumption (AEC hood)	kWh/annum	38.9	38.9	43.8	54.2	66.2	66.2	32.6	31.2	31.2
Energy efficiency class	from A++ to E	A+	A+	A+	A	B	B	A+	A+	A+
Fluid dynamic efficiency (FDE hood)		36.3	36.3	34.9	29.3	24.9	24.9	34.7	34.7	34.7
Fluid dynamic efficiency rating	from A to G	A	A	A	A	B	B	A	A	A
Power 2)										
Illumination efficiency (LE hood)		28	33	91	91	91	91	32	30	30
Lighting efficiency rating	from A to G	A	A	A	A	A	A	A	A	A
Grease absorption capacity	%	89.5	89.5	66	75.1	75.1	75.1	85.7	85.7	85.7
Grease absorption capacity	from A to G	B	B	D	C	C	C	B	B	B
Performance data, extracted air 2) 3)										
Air volume flow, min. extracted air	m³/h	247	247	280	290	270	270	250	250	250
Air volume flow, max. extracted air	m³/h	452	452	650	560	540	540	455	455	455
Air volume flow, intensive extracted air	m³/h	675	675	870	690	640	640	657	657	657
Airborne acoustical noise level, min. extracted air	dB(A)	38	38	49	51	55	55	38	38	38
Airborne acoustical noise level, max. extracted air	dB(A)	52	52	67	64	69	69	53	53	53
Airborne acoustical noise level, intensive extracted air	dB(A)	63	63	73	68	71	71	69	69	69
Automatic shut-off consumption (when off) 5)	watts	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49
Standby consumption (without information display) 5)										
Pressure capacity level, min. extracted air	Pa	146	146	440	460	450	450	150	150	150
Pressure capacity level, max. extracted air	Pa	346	346	540	540	540	540	348	348	348
Pressure capacity level, intensive extracted air	Pa	355	355	640	550	550	550	353	353	353
Performance data, recirculation air										
Air volume flow, min. recirculation air	m³/h	210	210	240	250	230	230	215	215	215
Air volume flow, max. recirculation air	m³/h	389	389	250	300	270	270	392	392	392
Air volume flow, intensive recirculation air	m³/h	570	570	410	310	280	280	566	566	566
Airborne acoustical noise level, min. recirculation air	dB(A)	41	41	53	66	66		42	42	42
Airborne acoustical noise level, max. recirculation air	dB(A)	56	56	70	68	68		57	57	57
Airborne acoustical noise level, intensive recirculation air	dB(A)	68	68	76	69	69		68	68	68
Lighting details										
Total power (hob lighting)	W	3×2	2×2	2×11	2×1.1	2×1.1	2×1.1	3×2	2×2	2×2
Light intensity 2)	lux	196	124	200	200	200	200	191	119	119
Type	Potential values include (LED, halogen, FL)	LED	LED	LED	LED	LED	LED	LED	LED	LED
Appliance dimensions 4)										
Width	cm	120	90	90	86	70	52	120	90	60
Height	cm	5.5	5.5	50	33	33	33	5.5	5.5	5.5
Depth	cm	55	55	33.8	30	30	30	30-32.5	30-32.5	30-32.5
Min. distance above gas/electric hob	cm	65/50	65/50	45/45	65/65	65/65	65/65	65/50	65/50	65/50
Unladen weight (incl. all filters)	kg	29	25.5	16	9	8	7			
Electrical connection										
Total connection value (at 230 V / 50 Hz)	W	136	134	272.2	267.2	267.2	267.2	136	134	134
Extracted air/recirculation air mode 7)		●/● ⁷⁾	●/● ⁷⁾	●/● ⁷⁾	●/●	●/●	●/●	●/● ⁷⁾	●/● ⁷⁾	●/● ⁷⁾
Controls	Internal/external	●/○	●/○	●/○	●/○	●/○	●/○	●/○	●/○	●/○
Control		Touch	Touch	Touch	Buttons	Buttons	Buttons	Touch/drawer	Touch/drawer	Touch/drawer
Power settings	Number/infinite adjustment	3+/-	3+/-	3+/-	3+/-	3+/-	3+/-	3+/-	3+/-	3+/-
Safety and service										
Country of origin		I	I	I	I	I	I	I	I	I
Name and address of provider	V-ZUG Ltd, Industriestrasse 66, 6302 Zug, Switzerland									
Service by	V-ZUG Ltd									
Features										
Guarantee		2 years								
Air vents, diameter	mm	150	150	150	150	150	150	150	150	150
Air vents, position		Top	Top	Top	Top	Top	Top	Top	Top	Top
Non-return flap, built-in/attached		-/●	-/●	-/●	-/●	-/●	-/●	-/●	-/●	-/●
Number of filters	Metal/combination	4/-	3/-	1/-	2/-	2/-	1/-	4/-	3/-	2/-
Power regulation	Electromechanical/electronic	-/●	-/●	-/●	-/●	-/●	-/●	-/●	-/●	-/●
Motor output	W	1×130	1×130	1×270	1×265	1×265	1×265	1×130	1×130	1×130

-/○/● Not available/optional/available

- 1) Values determined as per current version of the labelling directive EU 65/2014
 - 2) Values determined as per EN 61591
 - 3) Noise output level in dB(A) re 1 pW as per EN 60704-3.
 - 4) Observe the manufacturer's detailed dimensional drawings
 - 5) As per the applicable regulation for designing environmentally friendly products: EU 66/2014
- Note: Data in the table taken from 01/2018. Subject to further developments.

INDUCTION HOBS

Model	Normal frame	DualDesign	Weight in kg	Appliances Outer dimensions W/D in mm	Recess in worktop W/D in mm	Connection voltage Connection value	Explanation of connection
GK56TIMSC	●		18.5	910 × 514	886 × 490	400 V3N ~ 11 100 W 16 A	Operating voltage: 230 V~, 3 pole conductors/neutral conductors/earth conductors
GK57TIMSZ/O		●	18.5	897 × 501	903 × 507/support size: 886 × 490	400 V3N ~ 11 100 W 16 A	
GK11TIFKZ		●	26	897 × 501	903 × 507/support size: 886 × 490	400 V3N ~ 11 100 W 16 A	
GK17TIYSZ Teppan Yaki		●	8	384 × 501	390 × 507/support size: 373 × 490	230 V~ 2800 W 16 A	Operating voltage: 230 V~, 1 pole conductor/neutral conductor/earth conductor
GK27TIYSZ Teppan Yaki		●	12.5	571 × 501	577 × 507/support size: 560 × 490	400 V2N~ 5600 W 16 A	
GK46TIMASC/O	●		12	774 × 514	750 × 490	400 V2N~ 7400 W 16 A	
GK26TIMSZ		●	5.5	281 × 501	287 × 507/support size: 270 × 490	230 V~ 3700 W 16 A	Operating voltage: 230 V~, 1 pole conductor/neutral conductor/earth conductor
GK16TIWSZ Wok		●	9	384 × 501	390 × 507/support size: 373 × 490	230 V~ 3000 W 16 A	

Induction/ page 60-63

Explanations on model column

- C Normal CrNi frame.
- F Flush design.
- G Budget version (Basic).
- I Induction.
- M MaxiFlex.
- O OptiGlass.
- P Panorama version.
- S Slider control.
- T Top controls.
- U Extra-large frame.
- W Wok (Induction).

Country of origin: A.

GAS HOBS

Company or brand name	V-ZUG Ltd			
Model	GAS9516SAZ	GAS6416SAZ	GAS4216SAZ	GAS4116SAZ
Type				
Illustration	Page 64	64	65	65
Installation Top-mounted or flush-fitting	●	●	●	●
Operation	Slider	Slider	Slider	Slider
Technology	Gas	Gas	Gas	Gas
Output kW	13.5	7.5	5.25	6
Output MJ/h	52.5	28.5	18	24
Number of power settings	9	9	9	9
Appliance size (W × D × H) mm	897 × 501 × 98	571 × 501 × 98	384 × 501 × 98	384 × 501 × 98
Recess size for top-mounted (W × D) mm	886 × 490	560 × 490	373 × 490	373 × 490
Recess size for flush-fit (W × D) mm	903 × 507	577 × 507	390 × 507	390 × 507
Net weight kg	21,3	14,2	9	8,9
Electrical connection				
Voltage V	220-240	220-240	220-240	220-240
Frequency Hz	50-60	50-60	50-60	50-60
Connection value W	<20	<20	<20	<20
Fuse A	2	2	2	2
Length of power cable cm	1.7	1.7	1.7	1.7
Safety and service				
Country of origin	AT			
Guarantee	2 years			
Name and address of provider	V-ZUG Ltd, Industriestrasse 66, 6302 Zug, Switzerland			

DISHWASHERS

Brand name	V-ZUG Ltd				
Model designation	GS 60 SLWP Vi	GS 60 SL Vi B	GS 60 SL Vi	GS 60 S-Vi	GS 60 N-di/Vi
Capacity (place settings) ¹⁾	Number	13	14	13	13
Illustration Page		96	96	96	97
Efficiency and consumption					
		Eco programme	Eco programme	Eco programme	Eco programme
Energy efficiency class 1)	from A+++ to D	A+++	A+++	A+++	A+++
Energy consumption per year ¹⁾	kWh	155	214	211	211
Energy consumption per cycle 1)	kWh	0.55	0.76	0.75	0.75
Automatic shut-off energy consumption (on/off)	W	0.1	0.1	0.1	0.1
Water consumption per year 1)	L	2464	1932	1876	2744
Drying efficiency rating 1)	from A to G	A	A	A	A
Performance characteristics					
Duration (ECO programme) ²⁾	min	295	280	270	275
Automatic end time	min	0	0	0	0
Noise emissions (appliance installed) ²⁾	dB (A) re 1pw	46/44	42/40	42/40	44/44/43
Construction					
Built-in appliance		Yes	Yes	Yes	Yes
Free-standing appliance with worktop		–	–	–	–
Free-standing appliance, can be installed under existing structures		–	–	–	–
Installation in tall unit		Yes	Yes	Yes	Yes
Can be decorated		Yes	Yes	Yes	Yes
Integrated		Yes	Yes	Yes	Yes
Fully integrated		Yes	Yes	Yes	Yes
Appliance dimensions 3)					
Height	cm	1-8	76.5-96.9	76.5-96.9	76.5-96.9
Width	cm	60	60	60	60
Depth (including distance to wall)	cm	58	58	58	58
Height for built-under design	cm	78.3-84.8	78.3-84.8	78.3-84.8	78.3-84.8
Depth when the appliance door is open	cm	116.5	116.5-123	116.5-123	116.5-123
Height, adjustable	mm	40	116	116	116
Unladen weight	kg	1-8	1-8	1-8	1-8
Electrical connection					
Voltage (50 Hz, V)	V	400 2N/230	400 2N/230	400 2N/230	230
Connection values ⁴⁾	kW	4.0/2.2	3.2/2.2	3.2/2.2	2.2
Fuse ⁴⁾	A	10/10	10/10	10/10	10
Water connection					
Pressure hose G3/4"	m	1.5	1.5	1.5	1.5
Can be connected to cold/hot water	°C	60	60	60	60
Water pressure	bar	1-8	1-8	1-8	1-8
Water outlet	m	1.5	1.5	1.5	1.5
Safety and service					
Country of origin		CH	CH	CH	CH
Name and address of provider		V-ZUG Ltd, Industriestrasse 66, 6302 Zug, Switzerland			
Service by		V-ZUG			
Features					
Number of rinsing programmes		12	12	12	8
Heat pump		●	–	–	–
ergoPlus cutlery drawer		●	–	–	–
LED interior lighting		●	●	●	–
Automatic door opener		●	●	●	–
Adjustable basket/multiple height settings		●/●	●/●	●/●	●/●
Plain text display		●	●	●	–
Water hardness control		●	●	●	–
Soil sensor		●	●	●	●
SteamFinish		●	●	●	–
Automatic programme		●	●	●	●
Fondue/raclette programme		●	●	●	–
Sprint/Party programme		●/●	●/●	●/●	–
Everyday Sprint		●	●	●	–
Hygiene programme		●	●	●	–
Glass programme		●	●	●	●
All-in-1 setting		●	●	●	●
Active water stop		●	●	●	●
Salt consumption per rinse/per place setting	g	7.1/0.55	5.6/0.40	5.4/0.42	8/0.61
Guarantee	Years	2	2	2	2

Explanations

- Available/yes
- Not available/no
- 1) Values determined in the standard "ECO" programme as per current version of standard EN 50242
- 2) Measured during the standard "ECO" programme as per current version of standard IEC 60704-2-3
- 3) Recess measurements for built-in appliances. Further dimensions are listed in the brochures.
- 4) Information about switchover options can be found in the brochures.

Note: Data in the table taken from 01/2018. Subject to further developments.

* from April

REFRIGERATORS AND FREEZERS

Brand name	V-ZUG Ltd	
Model designation	Jumbo	Iglu
Category/appliance type	Refrigerator	Freezer
Model	Installation	Installation
Illustration Page	109	109
Efficiency and consumption		
Energy efficiency class	from A+++ to D	A++
Energy consumption per year 1)	kWh/annum	244
Usable capacity		
Total	L	301
Fridge compartment	L	301
Cold storage compartment	L	90
Bottom box	L	-
Wine storage compartment	No. bottles	-
Freezer compartment	L	-
Star rating, freezer compartment ²⁾	****	****
Frost-free refrigerator/freezer compartment	●/-	-/●
Output		
Storage time in the event of problems 3)	h	-
Freezing capacity ⁴⁾	kg/24h	-
Climate class	SN-T	SN-T
Ambient temperature (min. > max.)	°C	10 > 43
Airborne acoustical noise 5)	dB	37
Construction		
Built-in appliance (standard width)	-/●	-/●
Built-under appliance	-/-	-/-
Integrated ⁴⁾	●	●
Number of exterior doors/drawers	1/-	1/-
Door opening (L = left / R = right / A = adjustable)	l/r/a	l/r/a
Appliance dimensions		
Height	cm	177.0
Width	cm	55.9
Depth	cm	54.4
Recess dimensions⁷⁾		
Height	cm	177.8
Width	cm	56
Depth	cm	55
Unladen weight⁸⁾	kg	74.7
Electrical connection		
Voltage/frequency	V/Hz	220-240
Connection value	W	-
Fuse	A	10
Safety and service		
Country of origin	DE	DE
Name and address of provider	V-ZUG Ltd, Industriestrasse 66, 6302 Zug, Switzerland	
Service by	V-ZUG Ltd	
Features		
Temperature control operation	Touch	Touch
Refrigerator temperature display	●/-	-/-
Freezer compartment temperature display	-/-	●/-
Adjustable temperature for freezer compartment		
Separate from temperature in fridge compartment	-	●
Together with temperature in fridge compartment	-	-
Blast-freeze setting with automatic reset	-	●
Warning signal/freezer compartment fault	-	Visual/acoustic
Warning signal: Door open	Visual/acoustic	Visual/acoustic
Refrigerator features		
Number of glass shelves	7	-
Number of door compartments	4	-
Number of vegetable drawers	3	-
Equipment in the freezer compartment		
Number of compartments	-	-
Number of baskets; containers; drawers	-	8
Water connection		
AquaStop	-	-
Guarantee	2 years	

Explanations

-/○/● Not available/optional/available

1) Annual energy consumption determined as per DIN EN 153, issued in 1990. Actual figures may differ during practical use

2) * -6 °C or colder |

*** -18 °C or colder

** -12 °C or colder |

**** -18 °C or colder and minimum freezer capacity

3) Time it takes for temperature to increase to -9 °C when the freezer compartment is fully loaded

The time needed may be lower if the compartment is only partially loaded

4) Further information on the freezing capacity can be found in the instructions

5) Measured as per current version of standard EN 60704-2-14 in dB(A) re 1pW

6) Can be integrated using a cabinet door

7) Required recess size can be found in the dimensional drawings

8) Be aware of the load-bearing capacity of the wall or cabinet for both the appliance AND its contents.

Note: Data in the table taken from 01/2018.

Subject to further developments.

WINECOOLERS

Brand name		V-ZUG Ltd		
Model designation		Winecoolers 90 SL	Winecoolers SL	Winecoolers UCSL 60
Category/appliance type		Winecoolers	Winecoolers	Winecoolers
Model		Installation	Installation	Installation
Illustration Page		112	112	113
Efficiency and consumption				
Energy efficiency class	from A+++ to D	A	A	A
Energy consumption per year 1)	kWh/annum	159	159	144
Usable capacity				
Usable capacity, total fridge compartment	L	144	144	94
Total number of bottles	0.75	36	36	34
Number of bottles in red wine zone	0.75	36	36	34
Number of bottles in white wine zone	0.75	36	36	34
Number of bottles in zone 3	0.75	-	-	-
Output				
Climate class		SN-ST	SN-ST	SN-ST
Ambient temperature (min. > max.)	°C	1-8	1-8	1-8
Airborne acoustical noise 5)	dB	39	39	36
Construction				
Free-standing appliance		-	-	-
Built-in appliance (standard width)		-/●	-/●	-/●
Built-under appliance		-/-	-/-	-/●
Integrated 4)		-	-	-
Number of exterior doors/drawers		1/-	1/-	1/-
Door opening (L = left / R = right / A = adjustable)		l/r	l/r	l/r/a
Decorative frame in place/can be retrofitted		-/-	-/-	-/-
This appliance is designed for storing wine only		-	-	-
Appliance dimensions				
Height	cm	90.1	88.6	81.6
Width	cm	59.4	59.4	59.7
Depth	cm	56.6	56.6	57.1
Recess dimensions 7)				
Height	cm	90.6	87.4	1-8
Width	cm	56	56	60
Depth	cm	55	55	58
Unladen weight 4)	kg	51	48	48
Electrical connection				
Voltage/frequency	V/Hz	230	230	1-8
Connection value	W	100	100	-
Fuse	A	10	10	10
Safety and service				
Country of origin		CH	CH	A
Name and address of provider		V-ZUG Ltd, Industriestrasse 66, 6302 Zug, Switzerland		
Service by		V-ZUG Ltd		
Features				
Temperature control operation		Buttons	Buttons	Buttons
Temperature display		Internal	Internal	Internal
Warning signal: Door open		Visual/acoustic	Visual/acoustic	Visual/acoustic
Warning signal: Temperature		Visual/acoustic	Visual/acoustic	Visual/acoustic
Guarantee		2 years	2 years	2 years

Explanations

-/○/● Not available/optional/available

1) Annual energy consumption determined as per DIN EN 153, issued in 1990. Actual figures may differ during practical use

2) * -6 °C or colder |

*** -18 °C or colder

** -12 °C or colder |

**** -18 °C or colder and minimum freezer capacity

3) Time it takes for temperature to increase to -9 °C when the freezer compartment is fully loaded

The time needed may be lower if the compartment is only partially loaded

4) Further information on the freezing capacity can be found in the instructions

5) Measured as per current version of standard EN 60704-2-14 in dB(A) re 1pW

6) Can be integrated using a cabinet door

7) Required recess size can be found in the dimensional drawings

8) Be aware of the load-bearing capacity of the wall or cabinet for both the appliance AND its contents.

Note: Data in the table taken from 01/2018.

Subject to further developments.

MICROWAVE APPLIANCES

Retail name		Miwell-Combi XSL	Miwell HSL	Miwell L
Type designation		MWC XSL 60	MW HSL 60	MW L 60
Illustration	Page	46	46	47
Performance characteristics				
Microwave output	Watts	50–900	50–1000	160–750
Grill output	Watts	1600	800	–
Dimensions				
Appliance size (height × width × depth)	mm	454 × 596 × 567	378 × 596 × 470	378 × 596 × 320
Cooking space size (height × width × depth)	mm	210 × 450 × 420	200 × 405 × 380	187 × 370 × 290
Volume	l	40	31	22
Unladen weight	kg	35	28	21.5
Electrical connection				
connection		230 V~ 50 Hz	230 V~ 50 Hz	230 V~ 50 Hz
Connection value		2800 watts	2300 watts	1300 watts
Fuse		16 A	10 A	10 A
Power cable		1.4 m without plug	1.2 m with plug	1.2 m with plug
Safety and service				
Corresponds to Swiss safety regulations		Ⓢ Tested by Electrosuisse		
Country of origin		I		
Guarantee		2 years		
Service by		V-ZUG Ltd		
Name and address of provider		V-ZUG Ltd, Industriestrasse 66, 6302 Zug, Switzerland		

VACUUM AND WARMING DRAWERS

Retail name		Vacuum drawer		Warming drawer			
Type designation		VS 60 144	WS 60 144	WS 60 162	WS 60 220	WS 60 283	WS 60 312
Illustration	Page	40	43	43	42	42	42
Appliance dimensions							
Exterior dimensions (height × width × depth)	mm	142 × 596 × 547	142 × 596 × 547	160 × 596 × 547	218 × 596 × 547	281 × 596 × 547	310 × 596 × 547
Interior dimensions (height × width × depth)	mm	95 × 350 × 285	97 × 429 × 457	115 × 429 × 457	173 × 429 × 457	236 × 429 × 457	236 × 429 × 457
Volume	dm ³	7.8	19	22	34	46	46
Unladen weight	kg	25	21	21	22.5	24	24
Electrical connection							
connection		220-240 V~ 50/60 Hz	230 V~ 50 Hz	230 V~ 50 Hz	230 V~ 50 Hz	230 V~ 50 Hz	230 V~ 50 Hz
Connection value		320 watts	810 watts	810 watts	810 watts	810 watts	810 watts
Fuse		10 A	10 A	10 A	10 A	10 A	10 A
Power cable		1.7 m with plug	1.7 m with plug	1.7 m with plug	1.7 m with plug	1.7 m with plug	1.7 m with plug
Safety and service							
Corresponds to Swiss safety regulations		Ⓢ Tested by Electrosuisse					
Country of origin		SK					
Guarantee		2 years					
Service by		V-ZUG Ltd					
Name and address of provider		V-ZUG Ltd, Industriestrasse 66, 6302 Zug, Switzerland					

ADORA WASHING MACHINES

Designation	Unit	V-ZUG Ltd				
Brand name		V-ZUG Ltd				
Model designation		Adora SIQ WP	Adora SIQ	Adora SL	Adora S	Adora L
Product number		11014	11013	11012	11011	11010
Nominal capacity	kg	8	8	8	8	8
Category/appliance type		Washing machine/front loader	Washing machine/front loader	Washing machine/front loader	Washing machine/front loader	Washing machine/front loader
Illustration Page		124	124	124	125	125
Efficiency and consumption 1)						
Energy efficiency class	from A+++ to D	A+++	A+++	A+++	A+++	A+++
Energy consumption per year	kWh	97	137	155	175	175
Energy consumption of standard programme ²⁾ 60/60½/40½	kWh	0.47/0.49/0.35	0.72/0.58/0.52	0.78/0.64/0.64	0.95/0.67/0.68	0.95/0.67/0.68
Power consumption when switched on/off	W	-/0.1	-/0.1	-/0.08	-/0.07	-/0.07
Water consumption per year	L	9800	9900	9900	9900	9900
Performance characteristics						
Spin efficiency rating 1)	from A to G	A	A	A	A	A
Maximum spin speed 1)	rpm	1600	1600	1600	1500	1400
Residual moisture ^{1) 2)}	%	44	44	44	44	44
Standard programme referred to on the label and on the data sheet		Arrow on panel	Arrow on panel	Arrow on panel	Arrow on panel	Arrow on panel
Programme duration of standard programme ²⁾ 60/60½/40½	min	230/205/205	245/245/245	250/230/230	220/200/200	220/200/200
Automatic end time	min	0	0	0	0	0
Airborne acoustical noise 6)						
Washing 2)	dB(A) re 1pW	49	50	47	49	49
Spinning 2)	dB(A) re 1pW	74	74	73	75	75
Construction						
Built-in appliance		●	●	●	●	●
Free-standing appliance with worktop		●	●	●	●	●
Free-standing appliance, can be installed under existing structures		●	●	●	●	●
Door opening 3)		l/r/a	l/r/a	l/r/a	l/r/a	l/r/a
Appliance dimensions 4)						
Height	cm	85.2	85.2	85.2	85.2	85.2
Width	cm	59.5	59.5	59.5	59.5	59.5
Depth (including distance to wall)	cm	60 (64)	60 (64)	60 (64)	60 (64)	60 (64)
Height for built-under design	cm	85.2	85.2	85.2	85.2	85.2
Depth when the appliance door is open (including distance to wall)	cm	106	106	106	106	106
Height, adjustable	mm	20	20	20	20	20
Unladen weight	kg	90	70	70	64	62
Electrical connection 5)						
Voltage	V/Hz	230~	230~	230~	230~	230~
Connection values	kW	2.1	2.0	2.0	2.3	2.3
Fuse	A	10	10	10	10	10
Water connection						
Pressure hose G ¾	m	1.25	1.25	1.25	1.25	1.25
Water pressure	bar	1-10	1-10	1-10	1-10	1-10
Safety and service						
Country of origin		CH				
Name and address of provider		V-ZUG Ltd, Industriestrasse 66, 6302 Zug, Switzerland				
Service by		V-ZUG Ltd				
Features						
Guarantee	Years	2	2	2	2	2
Washing machine with heat pump technology		●	-	-	-	-
Panel		Acrylic glass	Acrylic glass	Acrylic film	Acrylic film	Acrylic film
Operation		Touch	Touch	Push buttons	Push buttons	Push buttons
Display		Touch display	Touch display	Plain text, 2 lines	Plain text, 2 lines	Digital, 4 digits
Languages for the touch display/plain text display		6	6	6	6	-
Colours 60 °C 230 V 10 A	Duration min	92 ⁹⁾	92	95	90	90
Colours 60 °C Sprint 230 V 10 A	Duration min	48 ⁹⁾	48	48	45	45
Colours 40 °C 230 V 10 A	Duration min	74 ⁹⁾	74	77	75	75
Colours 40 °C Sprint 230 V 10 A	Duration min	35 ⁹⁾	35	35	35	35
Steam anti-crease		●	●	●	●	-
Vibration Absorbing System (VAS)		●	●	●	●	●
Anti-mite/skin protection		●	●	●	●	-
Partial load for water and energy economy		●	●	●	●	●
Favourites		●	●	●	-	-
Fabric types		●	●	●	●	-
Delayed start	up to h	24	24	24	24	24
OptiTime		●	●	●	-	-
EcoManagement		●	●	●	●	-
Connection cable	m	1.8	1.8	1.8	1.8	1.8
Inlet hose with Aquastop	m	1.25	1.25	1.25	1.25	1.25
Drain hose with bend	m	1.5	1.5	1.5	1.5	1.5
Installation plate		●	●	●	●	●
Pumping height for drain pump	m	1.2	1.2	1.2	1.2	1.2
Further features	See page	27	27	27	27	27

Explanations

●/- Available/not available

- Values determined as per current version of standard EN 60456. The annual energy and water consumption levels are based on 220 standard wash cycles (60 °C, 40 °C, full and partial load) and use of the operating modes with low power consumption.
- A drainage level of 100 % means that 1 kg of washing (dry weight) still contains 1 kg of water after the spin process. The smaller the % value, the less water is left in the washing.
- Door opening: l = left, r = right, a = adjustable.
- Recess size for built-under appliances. Further dimensions are listed in the brochures.
- Information about switchover options can be found in the brochures.
- In the standard "60 °C cotton" programme with a full load.
- The figures 60/60½/40½ stand for the standard "60 °C cotton" programme with a full load and "60 °C/40 °C cotton" with a partial load.
- On the EcoHybrid setting. 

Note: Data in the table taken from 01/2018. Subject to further developments.

ADORA HEAT PUMP DRYERS

Designation	Unit	V-ZUG Ltd		
Brand name		V-ZUG Ltd		
Model name		Adora TSLQ WP	Adora TS WP	Adora TL WP
Product number		12006	12005	12004
Nominal capacity	kg	7	7	7
Category/appliance type with/without automatic function		Condenser dryer with heat pump	Condenser dryer with heat pump	Condenser dryer with heat pump
Illustration Page		134	134	135
Efficiency and consumption 1)				
Energy efficiency class	from A+++ to D	A+++	A+++	A++
Energy consumption per year		130	152	205
Energy consumption of the standard cotton programme, full/partial load	kWh	1.05/0.62	1.23/0.72	1.70/0.95
Power consumption when switched on/off	W	0.1/2.5	0.07/2.5	0.07/2.5
Automatic end time	min	10	10	10
Standard programme referred to on the label and on the data sheet		Arrow on panel	Arrow on panel	Arrow on panel
Performance characteristics				
Weighted programme duration of the standard cotton programme ¹⁾	min	123	97	114
Programme duration for full/partial load	min	159/96	123/78	149/88
Condensation efficiency rating 1)	from A to G	A	A	A
Weighted condensation efficiency ¹⁾	%	94	95	93
Average condensation efficiency, full/partial load	%	94/94	96/94	94/93
Airborne acoustical noise ²⁾	dB(A) re 1 pW	62	63	64
Construction				
Built-in appliance		●	●	●
Free-standing appliance with worktop		●	●	●
Free-standing appliance, can be installed under existing structures		–	–	–
Free-standing appliance for washer/dryer tower		●	●	●
Door opening 3)	l/r/a	l/r/a	l/r/a	l/r/a
Appliance dimensions 4)				
Height	cm	85	85	85
Width	cm	59.5	59.5	59.5
Depth (including distance to wall)	cm	> 60.5	> 60.5	> 60.5
Height for built-under design	cm	85.2	85.2	85.2
Depth when the appliance door is open (including distance to wall)	cm	118	118	118
Height, adjustable	mm	20	20	20
Unladen weight	kg	60	60	60
Electrical connection 5)				
Voltage	V/Hz	230~	230~	230~
Connection values	kW	1.2	1.2	1.2
Fuse	A	10	10	10
Safety and service				
Country of origin		CH		
Name and address of provider		V-ZUG Ltd, Industriestrasse 66, 6302 Zug, Switzerland		
Service by		V-ZUG Ltd		
Features				
Guarantee	Years	2	2	2
Heat pump condensation system		●	●	●
Panel		Acrylic glass	Acrylic film	Acrylic film
Operation		Touch	Push buttons	Push buttons
Display		Touch display	Plain text, 2 lines	Digital, 4 digits
Languages for plain text display		6	6	–
Programmes		27	20	16
Automatic fabric types programme		●	●	●
SilentPlus		●	–	–
Eco programme		●	–	–
Sprint		●	–	–
ReversePlus		●	●	●
Delayed start	up to h	24	24	24
Timed drying	min	10-120	10-120	10-150
Programme duration and energy consumption for cottons, standard dry, with spin efficiency A (44 % residual moisture) with spin speed of 1600 rpm	min/kWh	90/0.95	99/0.95	116/1.26
EcoStandby	0 watts	●	●	●
Panorama opening	∅ cm/cm ²	42/1376	42/1376	42/1376
Automatic door opener		●	–	–
Drain hose	m	2	2	2
Pumping height for drain pump	m	1.2	1.2	1.2
Connection cable	m	1.9	1.9	1.9
Installation plate		●	●	●
Further features	See page	37	37	37

Explanations

●/– Available/not available

Not available/no.

¹⁾ Values determined as per current version of standard EN 61121. The annual energy consumption is based on 160 drying cycles for the standard cotton programme with a full and partial load, and use of the operating modes with low power consumption.

²⁾ For the standard cotton programme with a full load.

³⁾ Door opening: l = left, r = right, a = adjustable

Example: l/a corresponds to status upon delivery, door opening on the left but can be adjusted.

⁴⁾ The dimensions listed are the minimum size for the recess for built-under units. Further dimensions are listed in the brochures.

⁵⁾ Information about switchover options can be found in the brochures.

Note: Data in the table taken from 01/2018. Subject to further developments.

V-ZUG PRODUCTS ARE AVAILABLE IN

Switzerland, Australia, Belgium, China, France, Germany,
Hong Kong, the Republic of Israel, Italy, Lebanon,
Luxembourg, the Netherlands, Russia, Singapore, Turkey,
and Ukraine

For products available in your country, please refer to the
respective country collection.

FOR MORE INFORMATION, PLEASE CONTACT

C-Design showroom – Lebanon

Concept Design Unlimited sarl
Ashrafieh – Ashrafieh St.
Beirut – Lebanon

Phone +961 1 205999

Fax +961 1 201853

info@c-design.com.lb

KitchenAvenue

Mirna Chalouhi Highway
Wakim Building
Jdeideh
Beirut – Lebanon

Phone +961 1 252444

Mobile +961 3 876717

www.kitchen-avenue.com
info@kitchen-avenue.com

Right Est.

Abdel Moneam Riyad Street
Daouk Building
Hamra – Bristol Area
Beirut – Lebanon

Phone +961 1 351217

Fax +961 1 742402

info@right-est.com

