












Pos	Material	Description
001	K36192	Edge protector right black CST-XSL
002	K36193	Edge protector left black CST-XSL
005	K01200	Fixing screw set zn-pltd light appliance for EH/BO
021	K38185	Cover panel 60 / CS CST-XSL
021.a	K38668	Wiring harness water leak detection
022	K32650	Unit panel Combair XSL/ Combi-Steam XSL amber
023	K381001	Text display Display colour amber
025	K37462	Silicon pad (glass) 2 buttons, black
026	K37463	Silicon pad (glass) 3 buttons, black
027	K44202	Rotary knob black ø20 for wave D=4.8mm
028	K40594	Water valve 230V CS-S,ST-S,CST-SL,CST-XSL
028.a	K30772	Water valve 230V / preas. CS-S/ST-S/CST-SL/CST-45
029	P35057	Gasket O-ring 46.00x1.50
030	K36496	Flap actuator, pre-ass. CST-SLX 45
031	K30781	Water tank CST-XSL CS
031.a	K35759	Cover, water tank
032	K39198	Corner protector, right
033	K39199	Corner protector, left
061	P10034	Pan head self-tapping 6lob. int. SZ 4.2x9.5 black
062	N26625	Hexalb pan PT screw 4.0 x 20 zn-pltd
063	N26681	Hexalb pan PT screw ST galvanized 3.0x9 WN1451
064	N26687	Hexalb pan PT screw ST 4.0 x 10 WN1452
065	N26701	Hexalb ctsnk PT screw A2 4.0 x 10 WN1423





Pos	Material	Description
001	K407872	Door compl. glass-blk 60-450 CS Exp.
002	K40797	Front glass glued exp. 60-450
003	K31683	Handle Design black (o-o 383)
004	K31684	Handle mount black Design handle
005	P10063	C pan head ST galvanized T25 M5x45
007	K24109	Profiled seal door, top
008	K27475	Gasket ready-made CS door unter
010	K408891	Inner door glass CS CST-XSL
011	K35521	Intermediate door glass 60-450
012	K35522	Gasket frame 60-450
021	K407882	Door compl. cr KD Exp
022	K407861	Front glass cpl. cr CS xp 60-450 CST-XSL
023	K31799	Handle Design cr (o-o 383)
034	K31747	Handle mount black bar handle
061	P10045	Sheet metal screws flat head 6lob galvanized passivated 3.5x11 black








Pos	Material	Description
001	K35288	Room air motor CST/ST 230V
002	K24359	Stepping motor with gear wheel
003	K37137	Slide Valve CST-SL/XSL CS set
004	K31723	Retainer stepping motor CST-SL
007	K31984	Reedcontact CST-XSLx
008	P59161	Temperature sensor NTC until 300°C with cable 300mm
	P59078	Temp. sensor NTC 100kOhm max 100°C; steel housing
009	K38682	Exhaust air duct up CST-SL / ST-S / CST-XSL
010	K38011	Tube silicone / exhaust system
011	K53401	Cover plate CST-XSL
012	K41565	Condensate conduit black 60 CST/ST
	K41543	Edge protector right under CST-XSL
	K41544	Edge protector left under CST-XSL
021	K25520	Bottom heating element CS set Combi-Steam SL / Steam S
022	K00485	Heating element Hotair/Combi-Steam
	K41569	Gasket hot air heater
025	K34053	Built-in oven lamp without glass cover, G9
026	P65307	Halogen lamp 230V/25W
027	K24327	Oven light seal
028	K34703	Safety glass matt for oven light
029	K24326	Frame assembly oven light CS-S
030	K41577	Muffle, welded CST-XSL
031	K38010	Hotair cover cpl. CST-XSL
032	K30185	Gasket for CS 30° CST-45
033	K44096	Shelf guide right CST45, CST-XSL,-XSLF
034	K44095	Shelf guide left CST-XSL,-XSLF
035	N40750	Knurled nut low type M5 n-pltd
036	K32514	Silicon connection muffle-inside plate (slide valve)
037	K50397	Silicone connection muffle-inside plate
038	33595540	Hot air fan CrNi ø151+/-0.5mm
039	K03360	Hexagonal nut M6 left
040	K36667	Hot air fitted washer D6/15 x 2
041	25264316	Tab washer 5/11.3x0.7 / 17/7 Mag
046	K31628	Closure seal food probe, SA 5700003029, Pos. 10, requested delivery
047	P59068	3-poel socket, food probe, max 350°C
048	K31629	Basket food sensor, SA 5700003029, Pos. 20, requested delivery
049	K02941	Hexagonal nut 3/8" - 32 sent together with 35.1793.57
061	P10032	Hexalb PHD tap screw ST zn-pa 4.2 x 9.5
062	N26685	Hexalb pan PT screw 3.5 x 10 zn-pltd WN1452
063	P10026	Pan head self-tapping 6lob int. ST galvanized 4.2x22 ISO14585C
064	P10027	Hexalb pan self-tapping 4.2x9.5 ISO14585C A2
065	N25350	Hexalb ctrsnk self-tap. screw A2 4.2 x 13 ISO14586C



Pos	Material	Description
066	25266553	Hexagon cap nut tall / M4 / A2
067	31251191	Serrated flange nut M5 zn-pltd
068	N45476	Washer 6.4/18x1.6 DIN9021 A2
069	P10034	Pan head self-tapping 6lob. int. SZ 4.2x9.5 black
070	P50557	Locking cable clamp clamp opening 16.5x12





Pos	Material	Description
001	K421426	Processor CSTXSL CS Export
001.a	K28454	Ribbon cable clamp 1.27mm
001.b	K31974	Ribbon cable, 10 pole
001.c	K31905	Wiring harness motor and boiler sensors
001.d	K31960	Wiring harness, food probe
001.e	K38668	Wiring harness water leak detection
001.f	K31909	Wiring harness for boiler + floor heating
001.g	K31917	Wiring harness oven light
001.h	K38653	Wiring harness hot air heating element
001.j	K38655	Wiring harness hot air fan+ drain pump + inlet valve
001.k	K38666	Cable harness KL fan+T
001.l	K82161	Single connection silicon blue/AWG18/FeNi/180mm/f-f
001.m	K82160	Single connection silicone yellow-green AWG FeNi 170mm f-f
002	P53529	Mains cable 3x1.5mm ² / 2.5m / 16A schuko plug
002.a	P53525	Mains cable with label Compl. 3 x 1.5mm ² ; 2.5 m
002.b	P53532	Mains cable 3x1.5mm / 2.5m / 16A with 32 pull out SII
002.c	P53530	Mains cable with CN plug 16A 3x1.5mm ² 2.5m
002.d	P53553	Power cord with AU plug 10A 3x1.0mm ² 2.5m
005	K30553	Drain pump.
006	K27039	Limescale filter for drain pump
007	K31701	Pump housing drain pump
008	K31726	Retainer for drain pump
009	K31720	Absorber drain pump
010	K51580	Boiler (UL) Combi-Steam (1500W)
011	K31728	Level measuring pin Combi-Steam
012	K31763	Sleeve for level probe
013	P59040	Temperature sensor NTC 100kOhm / max. 100°C steel housing
015	K35967	Water hose support Water conduit
016	K35721	Steam hose CST45
017	P59079	Temperature sensor Pt1000 with cable 23cm and plug R2.5
018	K41568	PT sensor gasket . CST
019	P59106	Thermo circuit breaker 265°C / 16A / 250V
020	K09450	Hot air fan 230V steam
021	K23159	Pressure spring 1.25x33.5x25 Combi-Steam
022	K23219	Shaft gasket hot air
023	K35082	Cover plate
024	P50316	Strain relief for cable D = 8.3-9.1mm / black
025	K38004	Silicon hose boiler - drain pump CS-45
026	K38005	Silicon hose valve - drain pump CST-45
061	P10032	Hexalob PHD tap screw ST zn-pa 4.2 x 9.5
062	P10027	Hexalob pan self-tapping 4.2x9.5 ISO14585C A2
071	P50586	Conducted holder snap-in with clamping bracket

V-ZUG Ltd

Industriestrasse 66, P.O. Box, 6302 Zug
Switzerland, Phone +41 58 767 67 78
service-support@vzug.com, www.vzug.com

Spare parts list

**Spare parts list Combi-Steam XSL, Water
conduit system**
Article number 59A380




S59A014|59A380

created 05.06.2018
changed 20.03.2025

14 / 25




Pos	Material	Description
072	P50581	Cable clamp 16.8 Sibalco nr 742195 / type 3
073	P53454	Spacer 15.9mm
075	35131351	Snap holder D16/21.7 x 10.3










Pos	Material	Description
001	K44122	Wire shelf, Chrome-nickel steel for CST XSL, Amendment 2
002	K40008	Stainless steel tray perforated, Amendment 2
003	K44005	Baking tray "TopClean" 452 x 380 x 28 mm
004	K40007	Stainless steel tray unperforated, Amendment 2
005	P59081	Food probe NTC 50kOhm with straight handle
011	B28005	Durgol descaling agent
021	K41540	drain hose fixed water connection
022	P30070	Water fill hose








Zubehör in den Gastrogrößen «GN»
können auf den Gitterrost gestellt werden

Accessories in gastronorm «GN» sizes
can be placed on the wire shelf



020









Pos	Material	Description
001	K23208	Cooking tray perforated, 1/3 GN, W 325 x D 177 x H 40 mm
001.a	K23223	Cooking tray unperforated, 1/3 GN, W 325 x D 177 x H 40 mm
001.b	K27357	Cooking tray perforated, 1/3 GN, W 325 x D 177 x H 65 mm
001.c	K27358	Cooking tray unperforated, 1/3 GN, W 325 x D 177 x H 65 mm
001.d	K27359	Cooking tray unperforated, 1/3 GN, W 325 x D 177 x H 100 mm
002	K42363	Cooking tray perforated, 2/3 GN, W 325 x D 354 x H 40 mm
002.a	K42365	Cooking tray unperforated, 2/3 GN, W 325 x D 354 x H 40 mm
002.b	K42367	Cooking tray perforated, 2/3 GN, W 325 x D 354 x H 65 mm
003	K42366	Cooking tray unperforated, 2/3 GN, W 325 x D 354 x H 40 mm, with lip
004	K42362	Stainless steel tray unperforated, 2/3 GN, W 325 x D 354 x H 20 mm
006	K43211	Enamelled baking tray (2/3 GN), height 20mm
011	K34527	Round baking tray Ø 24 cm with TopClean
012	K34528	Round baking tray Ø 29 cm with TopClean
013	K34529	Round baking tray Ø 31 cm with TopClean
020	J864014	Recipe book for Combi-Steam SL/XSL in German
020.a	J864015	Recipe book for Combi-Steam SL/XSL in French
020.b	J864016	Recipe book It. Combi-Steam SL / XSL
020.c	J864017	Recipe book for Combi-Steam SL/XSL in English
020.d	J864914	Recipe book for GourmetSteam for Combi-Steam SL/XSL in German
020.e	J864915	Recipe book for GourmetSteam for Combi-Steam SL/XSL in French
020.f	J864916	Recipe book for GourmetSteam in Combi-Steam SL/XSL 2010
020.g	J864917	Recipe book for GourmetSteam for Combi-Steam SL/XSL in English
020.h	J677018	Steamer cookbook Stefan Meier in German
020.j	J677019	Steamer cookbook Stefan Meier in French
021	K40211	Telescopic dual runner for CSTXSL, CSTXSFL
030	K34557	Türgriff ws 09 Umrüstbau- satz Designergriff
030.a	K34558	Türgriff sw 09 Umrüstbau- satz Designergriff
030.b	K34559	Türgriff cr 09 Umrüstbau- satz Designergriff
030.c	K34560	Türgriff alu 09 Umrüstbau satz Designergriff
031	K31798	Handle Design white / distance = 383
031.a	K31683	Handle Design black (o-o 383)
031.b	K31799	Handle Design cr (o-o 383)
031.c	K31800	Handle Design alu, loch distance = 383
032	K31746	Handle mount white / Design handle
032.a	K31684	Handle mount black Design handle
035	K34561	Türgriff cr 09 Umrüstbau- satz Stangengriff
035.a	K34562	Türgriff alu 09 Umrüstbau satz Stangengriff
036	K35620	Door handle 383-415 chrome lighter
036.a	K31802	Bar handle 383-415 / al
037	K31747	Handle mount black bar handle
039	P10063	C pan head ST galvanized T25 M5x45
040	K37965	Conversion set short for handle design 09




Pos	Material	Description
042	P53370	Spacer 9.5mm
043	K50572	Bracket set, installation of 2 appliances on top of each other, 55 or 60 width
043.a	K20198	Angle set for installing double oven
043.b	N31604	X-rec chipbd screw ST 4.5 x 16
044	K37158	Cover profile Nero, width 60 cm, height 16 mm
044.a	K37159	Cover profile Nero, width 60 cm, height 19 mm



Halbrund
Half-round
60 x 60 x 300

Terrinenform
Terrine dish



Dreieckig
Triangular
55 x 55 x 300



Pos	Material	Description
001	K27622	Porcelain dish, 1/2 GN, W 325 x D 265 x H 65 mm
002	K27626	Porcelain dish, 1/3 GN, W 325 x D 177 x H 65 mm
003	K27621	Porcelain dish, 2/3 GN, W 325 x D 354 x H 65 mm
004	K21243	Steam insert, stainless steel, 1/2 GN
005	K21252	Steam insert, stainless steel, 1/3 GN
006	K21254	Steam insert, stainless steel, 2/3 GN
011	K27623	Terrine mould, stainless steel, U-shaped, W 300 x D 60 x H 60 mm
012	K27624	Terrine mould, stainless steel, V-shaped, W 300 x D 55 x H 55 mm