



V-ZUG Ltd

Industriestrasse 66, P.O.Box, 6302 Zug/Switzerland

Phone +41 58 767 67 67

info@vzug.com, www.vzug.com

Brochure CookTop V4000 I804



Selected product

- Article no.: 3115800002
- EAN code: 7630029461761
- Type: CTI4T-31158
- Product category: Hob
- OptiGlass
- Standard width: 80 cm
- Front design: BlackDesign
- Frame: DualDesign



Details CookTop V4000 I804

Compliant to regulation

- (EU) Nr. 66/2014

Design

- Type: CTI4T-31158
- Product category: Hob
- OptiGlass
- Standard width: 80 cm
- Front design: BlackDesign
- Frame: DualDesign

Dimensions

- Cut-out height: 8.5 mm
- Cut-out radius: 5 mm
- Appliance height: 52 mm
- Appliance width: 761 mm
- Appliance depth: 501 mm
- Appliance corner radius: 2 mm
- Support size width: 750 mm
- Max. support size width: 750 mm
- Support size depth: 490 mm
- Max. support size depth: 490 mm
- Installation height when flush-fitted: 52 mm
- Installation height when surface-mounted: 48 mm
- Cut-out width when flush-mounted: 767 mm
- Cut-out width when surface-mounted: 750 mm
- Max. cut-out width when surface-mounted: 750 mm
- Cut-out depth when flush-mounted: 507 mm
- Cut-out depth when surface-mounted: 490 mm
- Max. cut-out depth when surface-mounted: 490 mm
- Empty weight: 12.5 kg
- Cooking zone 1 position: left
- Cooking zone 1 dimensions: 17.8 x 22.5 cm
- Cooking zone 2 position: right
- Cooking zone 2 dimensions: 17.8 x 22.5 cm
- Cooking zone 3 dimensions: 17.8 x 22.5 cm
- Cooking zone 4 dimensions: 17.8 x 22.5 cm

Display and operation

- Display: Digital display
- Controls: Multi-Slider/direct selection
- Slider control
- Operating time
- Button sound (on/off)

Energy

- Output - standby off: 0.49 W
- Consumption when off: 0 W
- Cooking zone 1 max. power: 3700 W
- Cooking zone 2 max. power: 3700 W
- Type of connection (1): 220-240 V~
- Frequency (1): 50-60 Hz
- Connected loads (1): 7.4 kW
- Fuse protection (1): 32 A
- Plug type: Cable
- Cooking zone 1 energy consumption: 688680 J/kg
- Cooking zone 2 energy consumption: 191.7 Wh/kg

Hob features

- Induction coil type: ZoneFlex
- OptiGlass
- Hob category: Induction
- Operating time with shut-down function
- Residual heat indicator
- Timer
- Restore function
- Cooking zones: 4
- Power levels: 9
- Heating technology: Induction cooking zones



Functions

- Warming function
- Automatic pan detection
- Bridging function
- Automatic bridging function
- OptiLink
- MemoryFunction
- Powerplus
- Safety package
- Pan detection: from 10 cm
- Pause button
- Cleaning lock
- Melt function
- Simmer function
- Childproof lock

Additional data

- Feature level: 4

Service and interfaces

- Warranty: 2 + 8 years
- Interface: Device connection (OptiLink etc.)